(43) International Publication Date 7 December 2000 (07.12.2000)

**PCT** 

(10) International Publication Number WO 00/73328 A2

(51) International Patent Classification7:

10

(21) International Application Number: PCT/EP00/05108

(22) International Filing Date:

2 June 2000 (02.06.2000)

(25) Filing Language:

English

C07K 14/00

(26) Publication Language:

English

(30) Priority Data:

9912755.7

1 June 1999 (01.06.1999) GI

(71) Applicant (for all designated States except US): DEV-GEN NV [BE/BE]: Technologicpark 9, B-9052 Zwijnaarde (BE).

(72) Inventors; and

(75) Inventors/Applicants (for UN only): VAN CRIEKINGE, Wim [BE/BE]: Devgen NV. Technologiepark 9, B-9052 Zwijnaarde (BE). ROELENS. Ingele [BE/BE]; Devgen NV. Technologiepark 9, B-9052 Zwijnaarde (BE). BOGAERT, Thierry [BE/BE]: Devgen N.V., Technologiepark 9, B-9052 Zwijnaarde (BE). VERWAERDE, Phillipe [FR/BE]: Devgen NV. Technologiepark 9, B-9052 Zwijnaarde (BE). (74) Agent: BAVERSTOCK, Michael, George, Douglas; Boult Wade Tennant, Verulam Gardens, 70 Gray's Innroad, London WC1X 8BT (GB).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### Published:

 Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: UNC-5 CONSTRUCTS AND SCREENING METHODS

(57) Abstract: The invention provides novel splice variants of the human unc-5c cDNA and a novel human unc-5HS1 cDNA sequence. Also provided are assays based on protein-protein interactions between the UNC-5 protein and a variety of different interacting proteins.

10

15

20

25

30

35

## UNC-5 constructs and screening methods

The present invention is concerned with unc-5, a conserved animal gene family that encodes proteins implicated in directional cell behaviour. In particular, the invention is concerned with novel splice variants of the human unc-5C cDNA and a novel human unc-5HS1 cDNA sequence. In addition, assays are provided based on protein-protein interactions between the UNC-5 protein and a variety of different interacting proteins.

Unc-5 is a conserved animal gene family that encodes proteins implicated in directional cell behaviour. The unc-5 gene of the nematode worm Caenorhabditis elegans (C. elegans) is known to be involved in dorsal migration in contrast to unc-40 which is involved in ventral migrations (Hedgecock et al., Neuron Vol. 2; 61-85, 1990). Both the unc-5 and unc-40 genes are associated with the netrin unc-6, and all three genes play a dominant role in directional neuronal outgrowth.

The *C. elegans unc-5* gene encodes a 919 amino acid transmembrane receptor with two immunoglobulin and two thrombospondin type I extracellular domains (Leung-Hagesteijn et al., Cell Vol. 71:289-299, 1992). Ectopic overexpression of unc-5 in the *C. elegans* touch neurons resulted in dorsal steering of these, instead of the normal ventral elongation of these neurons (Hamelin et al., Nature, 364:327-330, 1993).

Several vertebrate homologues of unc-5 have been cloned including the Rattus norvegicus unc5H1 and unc5H2 (Leonardo et al., Nature Vol. 386:833-838, 1997), a Mus musculus homologue designated rcm (Ackerman et al, Nature Vol. 386:838-842, 1997) and a human homologue unc5C (Ackerman et al., Genomics Vol. 52:205-208, 1998).

10

15

20

25

30

35

The intracellular part of the UNC-5 proteins contains a ZO-1 domain. Such domains are known to be involved in tight junction biology. Furthermore UNC-5 proteins contain a death domain. So far this is the only protein found in *C. elegans* that harbors such a death domain. Death domains are involved in the apoptotic process. In this process, caspases play an important role. The human UNC-40 homologue DCC, a protein also known involved in axonal outgrowth, is a caspase-3 substrate (Mehen et al., Nature 395:801-804, 1998).

The present inventors have identified three previously unknown variant unc-5C cDNAs. These variant cDNAs correspond to alternatively spliced unc-5C transcripts.

Accordingly, in a first aspect provides a protein which comprises the amino acid sequence set forth in SEQ ID NO: 2, SEQ ID NO: 4 or SEQ ID NO: 6 or an amino acid sequence which differs from that shown in SEQ ID NO: 2, SEQ ID NO: 4 or SEQ ID NO: 6 only in conservative amino acid changes.

Also provided by the invention are nucleic acid sequences which encode the proteins of the invention.

Also provided by the invention are a nucleic acid comprising the sequences of nucleotides set forth in SEQ ID NO: 1, a nucleic acid comprising the sequences of nucleotides set forth in SEQ ID NO: 3 and a nucleic acid comprising the sequences of nucleotides set forth in SEQ ID NO: 5.

The splice variants of human unc-5C were cloned by PCR technology. Two primers were developed to amplify the intracellular part of the unc-5C. Human Brain cDNA was used for this purpose. Three new splice variants of human unc-5C were characterized. A schematic representation of these splice variants is given in Figure 5.

The first splice variant (designated unc-5Cb) has

20

25

35

a deletion of an intron in the UP region. The nucleotide sequence of a partial unc-5Cb cDNA is set forth in SEQ ID NO: 1 and the corresponding amino acid sequence is set forth in SEQ ID NO: 2. The splice of this intron results in a UNC-5Cb protein which is considerably shorter than the previously known UNC-5C, as the coding frame is not maintained. This protein is truncated for the DD domain and for the major part of the UP domain.

The second splice variant (designated unc-5Cc) is deleted by an intron in the ZO-1 region, also resulting in a shorter protein than the previously known UNC-5C, as the coding frame is not maintained. The nucleotide sequence of a partial UNC-5Cc cDNA is set forth in SEQ ID NO: 3 and the corresponding amino acid sequence is shown in SEQ ID NO: 4. The resulting protein (UNC-5Cc) is truncated for the DD domain, the UP domain and a part of the ZO-1 domain.

The third splice variant (unc-5C8) is deleted by a small intron in the ZO-1 domain, but the coding frame is maintained. This results in a slightly smaller protein (UNC-5C8), wherein only the amino acid sequence coded by the spliced intron is truncated. The nucleotide sequence of a partial UNC-5C8 cDNA is set forth in SEQ ID NO: 5 and the corresponding amino acid sequence is shown in SEQ ID NO: 6.

The presence of various splice variants of unc-5C in the human brain indicated that the activity of UNC-5C is tightly regulated.

30 The inventors have also identified a human unc-5 cDNA which shares homology with the  $Rattus\ norvegicus\ unc-5H1\ cDNA$ .

Accordingly, in a further aspect the invention provides a nucleic acid molecule comprising the sequence of nucleotides set forth in SEQ ID NO: 7.

Whilst performing yeast two hybrid experiments to identify proteins which interact with the human UNC-5C

20

25

30

35

protein the inventors identified a number of heretofore unknown human cDNAs which encode proteins which interact with human UNC-5C.

Accordingly, the invention further provides a nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 56 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 57, a nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 54 and a sequence of nucleotides complementary to the sequence of nucleotides set forth 17. SEQ ID NO: 55, a nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 61 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 62 and a nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 63 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 64.

The nucleic acid molecules according to the invention may, advantageously, be included in a suitable expression vector to express the proteins encoded therefrom in a suitable host. Incorporation of cloned DNA into a suitable expression vector for subsequent transformation of said cell and subsequent selection of the transformed cells is well known to those skilled in the art as provided in Sambrook et al. (1989), molecular cloning, a laboratory manual, Cold Spring Harbour Laboratory Press.

An expression vector according to the invention includes a vector having a nucleic acid according to the invention operably linked to regulatory sequences, such as promoter regions, that are capable of effecting expression of said DNA fragments. The term "operably linked" refers to a juxtaposition wherein the components described are in a relationship permitting them to function in their intended manner.

<del>-</del> 5 -

Such vectors may be transformed into a suitable host cell to provide for expression of a protein according to the invention. Thus, in a further aspect, the invention provides a process for preparing proteins according to the invention which comprises cultivating a host cell, transformed or transfected with an expression vector as described above under conditions to provide for expression by the vector of a coding sequence encoding the protein, and recovering the expressed protein.

5

10

15

20

25

30

35

The vectors may be, for example, plasmid, virus or phage vectors provided with an origin of replication, and optionally a promoter for the expression of said nucleotide and optionally a regulator of the promoter. The vectors may contain one or more selectable markers, such as, for example, an antibiotic resistance.

Regulatory elements required for expression include promoter sequences to bind RNA polymerase and to direct an appropriate level of transcription initiation and also translation initiation sequences for ribosome binding. For example, a bacterial expression vector may include a promoter such as the lac promoter and for translation initiation the Shine-Dalgarno sequence and the start codon AUG. Similarly, a eukaryotic expression vector may include a heterologous or homologous promoter for RNA polymerase II, a downstream polyadenylation signal, the start codon AUG, and a termination codon for detachment of the ribosome. Such vectors may be obtained commercially or be assembled from the sequences described by methods well known in the art.

Nucleic acid molecules according to the invention may be inserted into the vectors described in an antisense orientation in order to provide for the production of antisense RNA. Antisense RNA or other antisense nucleic acids, including antisense peptide

10

15

20

25

30

nucleic acid (PNA), may be produced by synthetic means.

In accordance with the present invention, a defined nucleic acid includes not only the identical nucleic acid but also any minor base variations including in particular, substitutions in cases which result in a synonymous codon (a different codon specifying the same amino acid residue) due to the degenerate code in conservative amino acid substitutions. The term "nucleic acid sequence" also includes the complementary sequence to any single stranded sequence given regarding base variations.

The nucleic acid sequences according to the invention may be produced using recombinant or synthetic techniques, such as for example using PCR which generally involves making a pair of primers, which may be from approximately 10 to 50 nucleotides to a region of the gene which is desired to be cloned, bringing the primers into contact with cDNA, or genomic DNA from a human cell, performing a polymerase chain reaction under conditions which brings about amplification of the desired region, isolating the amplified PNA. Generally, such techniques are well known in the art, such as described in Sambrook et al. (Molecular Cloning: a Laboratory Manual, 1989).

The nucleic acids according to the invention may carry a revealing label. Suitable labels include radioisotopes such as <sup>32</sup>P or <sup>35</sup>S, enzyme labels or other protein labels such as biotin or fluorescent markers. Such labels may be added to the nucleic acids or oligonucleotides of the invention and may be detected using known techniques *per se*.

The protein according to the invention includes

all possible amino acid variants encoded by the
nucleic acid molecule according to the invention
including a protein encoded by said molecule and

- 7 -

having conservative amino acid changes. Proteins or polypeptides according to the invention further include variants of such sequences, including naturally occurring allelic variants which are substantially homologous to said proteins or polypeptides. In this context, substantial homology is regarded as a sequence which has at least 70%, preferably 80 or 90% and preferably 95% amino acid tomology with the proteins or polypeptides encoded by the nucleic acid molecules according to the invention. The protein according to the invention may be recombinant, synthetic or naturally occurring, but is preferably recombinant.

10

15

20

25

30

35

A further aspect of the invention provides a host cell or organism, transformed or transfected with an expression vector according to the invention. The host cell or organism may advantageously be used in a method of producing protein, which comprises recovering any expressed protein from the host or organism transformed or transfected with the expression vector.

According to a further aspect of the invention there is also provided a transgenic cell, tissue or organism comprising a transgene capable of expressing a protein according to the invention. The term "transgene capable of expressing" as used herein encompasses any suitable nucleic acid sequence which leads to expression of proteins having the same function and/or activity. The transgene, may include, for example, genomic nucleic acid isolated from human cells or synthetic nucleic acid, including DNA integrated into the genome or in an extrachromosomal state. Preferably, the transgene comprises the nucleic acid sequence encoding the proteins according to the invention as described herein, or a functional fragment of said nucleic acid. A functional fragment of said nucleic acid should be taken to mean a

- 8 -

fragment of the gene comprising said nucleic acid coding for the proteins according to the invention or a functional equivalent, derivative or a non-functional derivative such as a dominant negative mutant, or bioprecusor of said proteins.

5

10

15

20

25

30

35

The protein expressed by said transgenic cell, tissue or organism or a functional equivalent or bioprecusor of said protein also forms part of the present invention. Recombinant proteins may be recovered and purified from host cell cultures by methods known in the art, including ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose, chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxyapatite chromatography and lectin chromatography.

The protein of the present invention may be a naturally purified product, or a product of chemical synthetic procedures, or produced by recombinant techniques from a prokaryotic or eukaryotic host (for example, by bacterial yeast, higher plant, insect and mammalian cells in culture). Depending upon the host employed in a recombinant production procedure, the expressed protein may lack the initiating methionine residue as a result of post-translational cleavage. Proteins which have been modified in this way are also included within the scope of the invention.

In a still further aspect the invention provides an antibody capable of specifically binding to a protein according to the invention. Preferably the antibody is capable of specifically binding to a protein comprising the sequence of amino acids set forth in SEQ ID NO: 2, SEQ ID NO: 4 or SEQ ID NO: 6. An antibody according to the invention may be raised according to standard techniques well known to those skilled in the art by using the protein of the

10

15

25

30

35

invention or a fragment or single epitope thereof as the challenging antigen.

A further aspect of the invention comprises a nucleic acid capable of hybridising to the nucleic acids according to the invention, and preferably capable of hybridising to the sequence of nucleotides set forth in SEQ ID NO: 54, SEQ ID NO: 55, SEQ ID NO: 56, SEQ ID NO: 57, SEQ ID NO: 61, SEQ ID NO: 62, SEQ ID NO: 63 or SEQ ID NO: 64, under high stringency conditions. Conditions of stringency are well known to those skilled in the art.

Stringency of hybridisation as used herein refers to conditions under which polynucleic acids are stable. The stability of hybrids is reflected in the melting temperature (Tm) of the hybrids. Tm can be approximated by the formula:

## $81.5^{\circ}C+16.6(\log_{10}[Na^{+}]+0.41(%G&C)-600/1$

wherein 1 is the length of the hybrids in nucleotides. Tm decreases approximately by  $1-1.5\,^{\circ}\text{C}$  with every 1% decrease in sequence homology.

The nucleic acid capable of hybridising to nucleic acid molecules according to the invention will generally be at least 70%, preferably at least 80 or 90% and more preferably at least 95% homologous to the nucleotide sequences according to the invention.

The present invention also advantageously provides oligonucleotides consisting essentially of at least 10 consecutive nucleotides of a nucleic acid according to the invention and preferably from 10 to 50 consecutive nucleotides of a nucleic acid according to the invention, in particular a nucleic acid comprising the sequence of nucleotides shown in SEQ ID NO: 54, SEQ ID NO: 55, SEQ ID NO: 56, SEQ ID NO: 57, SEQ ID NO: 61, SEQ ID NO: 62, SEQ ID NO: 63 or SEQ ID NO: 64. These oligonucleotides may, advantageously be

- 10 -

used as probes or primers to initiate replication, or the like. Oligonucleotides having a defined sequence may be produced according to techniques well known in the art, such as by recombinant or synthetic means. They may also be used in diagnostic kits or the like for detecting the presence of a nucleic acid according to the invention. These tests generally comprise contacting the probe with the sample under hybridising conditions and detecting for the presence of any duplex or triplex formation between the probe and any nucleic acid in the sample.

5

10

15

20

25

30

35

To address the functional role of UNC-5 within the cell the inventors used the yeast two hybrid method (Fields and Song, Nature 340:245, 1989), a method well known to molecular biologists, both to investigate the ability of UNC-5 to form dimers and to search for proteins that interact with the UNC-5 protein. Using the two hybrid approach the inventors were able to demonstrate that UNC-5 is capable of forming homodimers and identified a number of proteins which interact with the intracellular domains of the C. elegans unc-5 or human UNC-5 proteins. These newly identified protein-protein interactions involving UNC-5 may represent important events in cellular signalling, hence compounds which disrupt these interactions may potentially have useful pharmacological properties.

Accordingly, in a further aspect the invention provides a method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

providing a host cell containing a DNA construct comprising a reporter gene operatively linked to a promoter regulated by a transcription factor having a DNA binding domain and an

10

15

20

25

30

35

activating domain;

expressing in said host cell a first hybrid DNA sequence encoding a first fusion protein comprising an UNC-5 protein or a fragment thereof fused in-frame to either the DNA binding domain or the activating domain of the said transcription factor;

expressing in said host cell a second hybrid DNA sequence encoding a second fusion protein comprising an interacting protein or a fragment thereof fused in-frame to either the DNA binding domain or the activating domain of the said transcription factor, such that when the first fusion protein comprises the activation domain of the said transcription factor the second fusion protein comprises the DNA binding domain of the said transcription factor and when the first fusion protein comprises the DNA binding domain of the transcription factor the second fusion protein comprises the activation domain;

contacting the host cell with a sample of the compound under test; and

detecting any binding of the UNC-5 protein or fragment thereof to the interacting protein or fragment thereof by detecting the production of any reporter gene product in the said host cell.

The method of the invention is based upon the standard two hybrid assay well known in the art. Preferably the host cell is a yeast cell. Protocols for performing a yeast two hybrid assay are well known in the art and are given in the Examples included herein.

As would be readily apparent to persons skilled in the art, the assay can be performed in either orientation. That is to say, the assay can be performed using an UNC-5 protein or a fragment thereof

10

15

20

25

30

fused to the DNA binding domain of the transcription factor and the interacting protein or fragment thereof fused to the activation domain of the transcription factor or alternatively the assay can be performed using an UNC-5 protein or a fragment thereof fused to the activation domain of the transcription factor and the interacting protein or fragment thereof fused to the DNA binding domain of the transcription factor.

The above-described method based on the classical yeast two hybrid system can be used to screen for compounds that inhibit or enhance the interaction between two proteins. In addition, other systems have been developed to screen for dissociation events, these methods are designated reverse hybrid methods. These systems make use of yeast strains in which the expression of interacting hybrid proteins increases the expression of a counter-selectable marker that is toxic under particular conditions. Under these conditions, dissociation of an interaction provides a selective advantage, thereby facilitating detection: A few growing yeast colonies in which hybrids fail to interact can be identified among millions of non-growing colonies expressing interacting proteins. Several reverse hybrid systems are known in the art.

The first reverse two-hybrid system utilizes a yeast strain, which is resistant to cycloheximide due to the presence of a mutant CYH2 gene. This strain also contains the wild-type CYH2 allele under the transcriptional control of the GAL1 promoter.

- Expression of the wild-type GAL4 protein is sufficient to restore growth sensitivity to cycloheximide. Growth sensitivity towards cycloheximide is also restored by the co-expression of the avian c-Rel protein and its  $I\kappa B-\alpha$  counterpart, p40, as GAL4 fusion proteins.
- Restoration of growth sensitivity towards cycloheximide requires the association of c-REL and p40 at the GALl promoter and correlates with the

10

15

20

25

30

35

ability of the c-REL/p40 interaction to activate expression from the GAL1 promoter (Leanna and Hannink, 1996, NAR 24:3341-3347)

Another reverse hybrid system makes use of the most widely used counter-selectable marker in yeast genetics, URA3, which encodes orotidine-5'-phosphate decarboxylase, an enzyme required for the biosynthesis of uracil. Yeast cells that contain wild-type URA3, either on a plasmid or integrated in the genome, grow on media lacking uracil (URA3+ phenotype). However, the URA3-encoded decarboxylase can also catalyze the conversion of a non-toxic analogue, 5-fluorooritic acid (FOA) into a toxic product, 5-fluoroacil (Boeke et al., 1984, Mol. Gen. Genet. 197:345-346). Hence mutations that prevent an interaction can be selected from large libraries of randomly mutated alleles. Similarly, molecules that dissociate or prevent an interaction could be selected from large libraries of peptides or compounds (Vidal et al., 1996, PNAS 93:10315-10320; Vidal et al., 1996, PNAS 93:10321-10326).

A third reversed yeast two hybrid is based on the use of GAL80 gene as relay gene. GAL80 encodes a protein that binds to and masks the activation domain of a transcriptional activator, such as GAL4. The reporter genes, which will provide the transcriptional read-out (i.e. HIS3 or LACZ), are dependent upon the functional GAL4 for expression. Only when the level of GAL80 masking protein is reduced by interfering with the two-hybrid interaction will Gal4 function as a transcriptional activator, providing a positive transcriptional read-out for molecules that inhibit the two-hybrid protein-protein interaction. An important feature of this reverse two-hybrid system is that the basal level and the half-time of the relay protein, GAL80, can be fine-tuned to provide maximum sensitivity (Powers and Erickson, 1996, WO95/26400).

15

20

25

The invention further provides a method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

providing a transgenic cell or organism expressing a first fusion protein comprising an UNC-5 protein or a fragment thereof fused inframe to a first genetically encoded fluorophore and a second fusion protein comprising an interacting protein or a fragment thereof fused inframe to a second genetically encoded fluorophore, the first and second fluorophores being characterised in that the emission spectrum of one of the fluorophores overlaps with the absorption spectrum of the other fluorophore;

measuring the amount of fluorescence emitted from the fluorophore having an emission spectrum which overlaps with the absorption spectrum of the other fluorophore;

exposing the transgenic cell or organism to a compound under test; and

detecting any change in the amount of fluorescence emitted fluorescence emitted from the fluorophore having an emission spectrum which overlaps with the absorption spectrum of the other fluorophore.

This method uses fluorescence energy transfer or FRET, a technique well known in the art for the detection and quantitative measurement of a whole range of specific binding interactions in biological systems, to screen for compounds which modulate the binding of UNC-5 or a fragment thereof to an interacting protein. The general principles of FRET are as follows: one component of a binding pair is labelled with a first fluorophore (hereinafter

- 15 -

referred to as the donor fluorophore) and a second component of the binding pair is labelled with a second fluorophore (hereinafter referred to as the acceptor fluorophore).

5

10

15

20

25

30

35

It is an essential feature of the FRET technique that the fluorescence emission spectrum of the donor fluorophore overlaps with the absorption spectrum of the acceptor fluorophore, such that when the two components of the binding pair bind to each other, bringing the donor and acceptor fluorophores into close proximity, a proportion of the fluorescent signal emitted by the donor fluorophore (following irradiation with incident radiation of a wavelength absorbed by the donor fluorophore) will be absorbed by the proximal acceptor fluorophore (a process known in the art as fluorescence energy transfer) with the result that a proportion of the fluorescent signal emitted by the donor fluorophore is quenched and, in some instances, that the acceptor fluorophore emits fluorescence. Fluorescence energy transfer will only occur when the donor and acceptor fluorophores are brought into close proximity by the specific binding reaction. Thus, in the presence of a compound which disrupts the specific binding, the amount of quenching is reduced resulting in an increase in the intensity of the fluorescent signal emitted by the donor fluorophore or a fall in the intensity of the signal emitted by the acceptor fluorophore).

The method of the invention is an *in vivo* FRET assay because it is performed in a transgenic host cell or organism. The transgenic cell can be any mammalian cell line, the transgenic organism is preferably *C. elegans*.

The method of the invention uses genetically encoded donor and acceptor fluorophores which can be expressed as fusion proteins fused in frame to the UNC-5 protein and the interacting protein. This can

be readily accomplished by transforming or transfecting the cell or organism with appropriate expression vectors arranged to express the fusion proteins.

In a preferred embodiment the genetically encoded donor and acceptor proteins are variant green fluorescent proteins which exhibit different fluorescent properties and which have suitably overlapping emission/absorption spectra, such as EGFP tenhanced green fluorescent protein) and EBFP enhanced blue fluorescent protein). As would be readily apparent to persons skilled in the art, the FRET assay can be performed in either orientation. That is to say, the assay can be carried out using UNC-5 fused to the donor fluorophore and the interacting protein fused to the acceptor fluorophore or using UNC-5 fused to the acceptor fluorophore and the interacting protein fused to the donor fluorophore.

20

25

30

35

15

The invention further provides a method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

providing a first reaction component comprising a first protein linked to a solid support containing a scintillant and a second reaction component comprising a second protein which has been radioactively labelled, wherein the first and second proteins are an UNC-5 protein or a fragment thereof and an interacting protein or a fragment thereof;

bringing the first and second reaction components into contact in an aqueous solution in the presence of a compound under test; and detecting binding of the first protein to

- 17 -

5

1.0

15

20

25

30

35

the second protein by detecting light emission from the scintillant.

The above method is based on the scintillation proximity assay (SPA™) developed by Amersham and commonly used in automated high throughput screening. In order to perform this assay a first interacting protein (e.g. an UNC-5 protein) must be linked onto a bead containing a scintillant. Linking of the protein to the beads can be carried out in many different ways, including, for example, via biotin-streptavidin affinity binding. Streptavidin-SPA beads are commercially available from Amersham and the interacting protein can easily be biotinylated in vitro or expressed as a biotinylated fusion protein using techniques known in the art. The second interacting protein (e.g. a protein known to interact with UNC-5) is labelled with radioactivity. be achieved, for example, by synthesising the second interacting protein by in vitro translation and incorporating a tritiated precursor amino acid. The SPA™ assay protocol is then as follows:

SPA beads linked to the first interacting protein are incubated for 30 minutes to one hour with a sample containing the radioactively labelled second interacting protein. Upon binding of the two interacting proteins, the radioactivity emitted by the labelled protein is brought into close proximity with the bead containing scintillant and therefore induces light emission from the scintillant. The free labelled protein in sample (non-bound) will not be held in sufficiently close proximity to the beads to induce light emission. Compounds which disrupt the binding of the first and second interacting proteins will cause a decrease in the amount of light emitted during the experiment.

As would be readily apparent to persons skilled

WO 00/73328

5

10

15

20

25

30

35

in the art the assay can be carried out using UNC-5 linked to the solid support containing scintillant and a radioactively labelled interacting protein or using an interacting protein linked to the solid support containing scintillant and a radioactively labelled UNC-5.

The invention further provides a method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

coating the wells of a microtiter plate with UNC-5 protein or a fragment thereof;

contacting the UNC-5 protein or fragment thereof with an aqueous solution comprising an interacting protein or a fragment thereof, said interacting protein being labelled with a tag which is directly or indirectly detectable, and a compound under test;

washing to remove the compound under test and any unbound tagged interacting protein; and detecting complexes of UNC-5 or a fragment thereof bound to the interacting protein or a fragment thereof by directly or indirectly detecting the presence of the tag.

This method of the invention uses an ELISA type approach to screen for compounds which disrupt binding between Unc-5 and a protein known to interact with UNC-5. In these experiments, the wells of a microtiter plate are coated with the UNC-5 protein or fragments thereof. A sample containing both the compound under test and a protein known to interact with UNC-5 (or a fragment of the protein which is still capable of binding to UNC-5) is then added to the wells and the plates are incubated to allow time for specific

10

15

20

35

binding of UNC-5 to the interacting protein. The interacting protein (or fragment thereof) is labelled with a tag which is directly or indirectly detectable, typically a fluorescent molecule such as GFP, or a tag which is detectable by specific antibody binding, such as a His-tag or GST-tag. Many other tag molecules which are equally suitable for this purpose are known in the art and are available commercially. The wells are then washed to remove the compound and any interacting proteins which remain unbound. interacting protein which has become bound to UNC-5 is not removed by the washing step and can be detected via the directly or indirectly detectable tag. If the interacting protein is labelled with a GFP tag, then bound proteins are detected by measuring GFP fluorescence; if the interacting protein is labelled with a His-tag or a GST tag, bound proteins are detected with immunological techniques, using an antibody of the appropriate specificity.

Compounds which disrupt the binding of UNC-5 to the interacting protein will result in more of the protein remaining unbound, hence less protein will be detected after the washing step.

The invention further provides a method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

exposing a cell or organism expressing UNC-5 and overexpressing nucleic acid encoding an interacting protein to the compound under test; and

screening for reversion of the overexpression phenotype of the cell or organism to wild-type.

10

15

Over-expression of genes encoding for proteins which interact with UNC-5 in a cell line or in  $\mathcal{C}$ . elegans results in an over-expression phenotype.

Assays to select for compounds that inhibit the interaction of UNC-5 and its interacting proteins can therefore be performed in cell lines or *C. elegans* by exposing cells or worms exhibiting an over-expression phenotype to the compound under test and screening for a 'reduction' of the over-expression phenotype (i.e. screening for a reversion to wild-type).

Over-expression of proteins which interact with unc-5 in *C. elegans* typically results in neuronal outgrowth phenotypes, distal tip cell outgrowth phenotypes, and other aberrant outgrowth of various tissues and cells. These phenotypes can be easily monitored by expressing reporter genes, such as fluorescent proteins in these cells. Reduction of the phenotype induced by the over-expression can then be monitored by visual inspection.

20 Simple assays have been developed to screen for compounds which cause reversion of the over-expression phenotype in cell lines. As Unc-5 receives signals from the netrins, over-expression of proteins which interact with unc-5 typically causes phenotypic 25 changes in neuronal outgrowth and cell movement. Accordingly, the step of screening for reduction of the over-expression phenotype can be performed using a laminin assay, a netrin response assay and assays using agarose concentration gradients, a boyden 30 chamber or stratified layers (see Gundersen, R. W., Dev. Biol., 1987, 121(2): 423-431; Klostermann, S. and Bonhoeffer, F., 1996, 4: 237-252). In general, these methods are based upon providing attractants or repellants for axonal guidance in a controlled manner. 35 The way the cells react to these attractants and repellants forms the basis of the assay. In the

Boyden chamber (upper and lower chambers separated by

- 21 -

5

10

15

20

25

30

35

a filter barrier) one typically cultivates cells in the upper chamber and measures how the cells grow through the filter. The agarose approach allows the establishment of gradients to which the cells react by forming specific patterns.

The above-listed methods are all based upon novel interactions between an UNC-5 protein and proteins shown to physically interact with the UNC-5 protein. In preferred embodiments, the UNC-5 protein is a *C. elegans* UNC-5 protein or a human UNC-5 protein. Preferably the human UNC-5 protein is UNC-5C or any of the UNC-5C splice variants identified hereinbefore or UNC-5HS1.

The methods of the invention can also be carried out using fragments of the UNC-5 protein which retain the ability to bind to the interacting protein. Preferably the fragment comprises the intracellular portion of the protein. Various sub-domains of the intracellular portion of the protein or combinations thereof can also be used.

As used herein the term "interacting protein" encompasses any protein which has been demonstrated to interact with an UNC-5 protein. The interacting protein can be a second UNC-5 protein as the examples included herein demonstrate the ability of UNC-5 to form homodimers. The interacting protein can also be a protein identified as interacting with UNC-5 in a yeast two hybrid experiment. A list of proteins identified as interacting with C. elegans UNC-5 or human UNC-5 in a yeast two hybrid experiment is given in the Example 4, below. Any of these proteins, or fragments thereof which retain a functional UNC-5 binding site, can be used in the methods of the invention in combination with the appropriate UNC-5 protein or a fragment thereof.

As would be readily apparent to persons skilled

- 22 -

5

10

15

20

25

30

35

in the art, the UNC-5 signalling pathway is highly conserved across species. Hence it is to be expected that for every interacting protein identified in the yeast two hybrid experiments described in the Examples given herein a homologous interacting protein will be found in other species. For example, for every interacting protein found in C. elegans to interact with the C. elegans unc-5 protein it is expected that a homologous interacting protein will be found in humans and will interact with a human UNC-5 protein, and vice versa for interacting proteins first identified in humans. Accordingly, it is within the scope of the invention to perform the methods described above with "homologous combinations" of UNC-5 proteins and interacting proteins and even with cross-species combinations e.g. C. elegans unc-5 and a human interacting proteins, human UNC-5 and a human homologue of an interacting protein identified in C. elegans; C. elegans unc-5 and a human homologue of an interacting protein identified in C. elegans; C. elegans unc-5 and a human interacting protein etc. Lists of homologues of the C. elegans and human interacting proteins identified in the yeast two hybrid study are given in the Examples included herein.

In a still further aspect the invention provides a method of identifying compounds which reduce or inhibit the lethal phenotype associated with the expression of the UNC-5 death domain in yeast, which method comprises:

expression vector comprising nucleic acid encoding an UNC-5 protein or a fragment thereof comprising the death domain to a compound under test:

- 23 -

5

10

15

20

25

30

35

allowing the yeast cells to grow in the presence of the compound; and

screening for a reduction or inhibition of the lethal phenotype associated with the expression of the UNC-5 death domain in yeast.

The UNC-5 protein used in the method of the invention is preferably a *C. elegans* UNC-5 protein or a human UNC-5 protein. Preferably the human UNC-5 protein is UNC-5C or any of the UNC-5C splice variants identified hereinbefore or UNC-5HS1.

In a still further aspect the invention provides a method of identifying suppressers of the lethal phenotype associated with the expression of the UNC-5 death domain in yeast, which method comprises:

transfecting yeast cells containing an expression vector comprising nucleic acid encoding an UNC-5 protein or a fragment thereof comprising the death domain with a cDNA library cloned in a yeast expression vector;

allowing the transfected yeast cells to grow for one or more cell divisions; and

screening for reduction or inhibition of the lethal phenotype associated with the expression of the UNC-5 death domain in yeast.

Optionally, the method further comprises the steps of:

identifying a transfected yeast cell exhibiting a reduction or inhibition of the lethal phenotype associated with the expression of the UNC-5 death domain in yeast; and

isolating the cDNA clone(s) present in the transfected yeast cell which is/are responsible for conferring reduction or inhibition of the lethal phenotype.

Again, the UNC-5 protein is preferably a *C*. elegans UNC-5 protein or a human UNC-5 protein. Preferably the human UNC-5 protein is UNC-5C or any of the UNC-5C splice variants identified hereinbefore or UNC-5HS1. The cDNA library is preferably a *C*. elegans cDNA library or a human cDNA library.

- The invention will be further understood with reference to the following experimental examples, together with the accompanying Figures in which:
- Figure 1 shows a sequence alignment of the known human unc-5C cDNA sequence and the three novel alternative splice variants of unc-5C. The region of alignment corresponds to the portion of the cDNA which encodes the intracellular domains of unc-5C.
- Figure 2 shows a multiple alignment of unc-5Hl genes. ym97d12 is an EST clone containing a fragment of the unc-5HS1 cDNA, 3D is a fragment of the unc-5HS1 cDNA cloned by PCR in Example 2.
- 25 Figure 3 summarises the cloning of human unc-5C variants.
  - Figure 4 summarises the cloning of human unc-5HS1.
- Figure 5 is a schematic representation of the human unc-5C splice variants.
- Figure 6 shows an alignment between a fragment of the protein encoded by the cDNA fragment cloned in pYMP6 and the rat neurexim II-alpha-b cDNA.
  - Figure 7 shows an alignment between a fragment of the

protein encoded by the cDNA fragment cloned in pYMP17 and the mouse mena protein.

Figure 8 is a representation of the vector pGC1037.

5

Figure 9 is a representation of the vector pGC1003.

## Example 1

10 Cloning of the human unc-5C splice variants.

Splice variants of human unc-5C were cloned, primary with RACE technology.

A 5' RACE was performed using the 5' RACE System for Rapid Amplification of cDNA Ends, Version 2.0  $\,$ 

15 (GibcoBRL, Merelbeke, Belgium), according the instructions supplied by the manufacturer or with minor modifications thereof. The primers were based on the unc-5 EST ym97d12.

The first strand cDNA synthesis was performed with primer:

GSP1=oGC75: CGTAGCAGGCACTGGCCTCC

PCR of dC-tailed cDNA: was performed with the genespecific primer:

GSP2=oGC76: GCACTGGCCTCCAGCTGGCAGTAG

and the RACE anchor primer supplied with the 5' RACE system.

The PCR Program was:

Step 1 94°C, 2 min

Step 2 94°C, 30 sec

Step 3 60°C, 30 sec

Step 4 72°C, 2 min

Repeat steps 2 to 4 for 35 cycles

Step 5  $72^{\circ}$ C, 7 min

Step 6 4°C

35

30

20

A nested PCR was performed with gene-specific primer: GSP3=oGC77: AGTAGAGGTGGGAGGGCGCCTCCTCGCCCAG

- 26 -

## and 5' RACE anchor primer

The PCR program was:

Step 1 92°C, 2 min

Step 2 92°C, 1 min

Step 3 68°C, 2 min

Repeat steps 2 and 3 for 35 cycles

Step 4 72°C, 7 min

Step 5 4°C

The resulting RACE products were visualised by electrophoresis on agarose gels, the bands excised and purified with Jetsorb (Genomed, Germany). The RACE products were ligated into plasmids pAS2 and pGEX-5X-3 with T4 DNA ligase (Amersham pharmacia biotech, NJ,

USA), or into a TA cloning vector (Invitrogen, Groningen, the Netherlands). Plasmid DNA was purified prior to sequencing using the Qiagen plasmid purification system (Westburg, Leusden, The Netherlands).

20

25

35

5

#### Example 2

## Cloning of a new human unc-5 gene.

Human Brain Poly A+ RNA was obtained from Clontech, California, USA and first strand cDNA synthesis performed with the Ready To Go T-Primed First-Strand Kit ((Amersham pharmacia biotech, NJ, USA).

Primers were:

for PCR1:

30 ogc56: ccggaattccatatgttaatactgcccttctgctgctaa

oGC66: GCGATCTCTGTAGTTGTGGCCTTG

PCR program was:

Step 1 94°C, 1 min

Step 2 53°C, 30 sec

Step 3 72°C, 2 min

Repeat steps 1 to 3 40 times

Step 4 72°C, 7 min

- 27 -

Step 5 4°C

for PCR2

oGC63: GGGAATTCCATATGTTGTTTTGTGTATCGGAAGAATCATC

5 ogc64: Acgcgtcgacttaatactgcccttctgctgactaaggac

oGC65: CCGGAATTCCTTGTTTTGTGTATCGGAAGAATCATC

PCR program was:

Step 1 94°C, 5 min

Step 2 92°C, 30 sec

Step 3  $55^{\circ}$ C, 30 sec

Step 4  $72^{\circ}$ C, 2 min

Repeat steps 2 to 4 for 25 cycles

Step 5  $72^{\circ}$ C, 7 min

Step 6 4°C

15

30

10

The resulting PCR products were isolated, cloned and analysed as described in Example 1.

SEQ ID NO: 7 shows the sequence of a PCR product isolated using the above PCR strategy. This PCR product was designated clone 3D. Figure 2 shows an alignment between the *Rattus norvegicus* unc-5H1 cDNA sequence, the sequence of EST ym97d12, the sequence of clone 3D and the sequences of several other PCR products amplified using the above PCR strategy (1G, 1Jrc and 2Brc).

## Example 3

Cloning of two of the fragments of UNC-5 for the dimerization experiment.

A PCR amplification was performed with following primers:

UNC5F: GGT GGT CAT ATG GCC ATG GAG TGC TGT AAA CGT GGC
35 AAT TCA AAA AAG

UNC5R: GGC TGC AGG TCG ACG CCC CGG GGC TTA TGG GGA CAC

AAT TTG TGG

Using the cDNA library used in the yeast two hybrid experiment (Example 4) as template.

## FCR program was:

Step 1 94°C, 1 min

Step 2 53°C, 30 sec

Step 3  $72^{\circ}$ C, 2 min

Repeat steps 1 to 3 for 25 cycles

Step 4  $72^{\circ}$ C, 7 min

Step 5 4°C

The resulting PCR products were isolated and cloned in frame as Ncol/Sall fragments in the vectors pAS2 and pGAD424 supplied by Clontech (Palo Alto, California, USA).

## 20 Example 4

25

30

35

## Yeast two Hybrid Experiments

To address the functional role of unc-5 the inventors used the yeast two hybrid method (Fields and Song, Nature 340:245, 1989), a method well known to molecular biologists, to search for the proteins that interact with the UNC-5 protein.

The two hybrid method is based on a pair of fusion proteins. The first fusion protein comprises a first of two interacting proteins fused to the transcriptional activation domain of a bipartite yeast transcription factor; the second fusion protein comprises the second of two interacting proteins fused to the DNA binding domain of the bipartite yeast transcription factor. The principle of the method is that if the two domains of the bipartite transcription factor are physically brought together by binding of the first and second interacting proteins then the

- 29 -

resulting complex will be able to activate transcription from a promoter which contains a target binding site for the transcription factor. The two hybrid assay is commonly used to study protein-protein interactions between two known proteins. It can also be used to screen a library of proteins to identify proteins which interact with a given protein. Both of these uses of the two hybrid system are well known to those skilled in the art.

In the present invention, the yeast two hybrid assay was used to identify proteins which interact with *C. elegans* UNC-5 or human UNC-5 as follows: the intracellular part of UNC-5 or parts thereof were cloned in fusion with the DNA-binding domain of the yeast transcription factor GAL4. A cDNA library was cloned into a vector containing the transcriptional activation domain of GAL4. The fusion proteins were then independently expressed together in yeast containing a reporter gene under the transcriptional control of a promoter containing GAL 4 binding sites (typically GAL1 lacZ or GAL1-HIS3).

## Methods

(A) Construction of the *C. elegans* library and standard yeast two hybrid experiments.

Construction of *C. elegans* cDNA libraries, and yeast two hybrid experiments with *C. elegans* cDNA were performed as described by Elledge *et al.*, Proc. Natl. Acad. Sci., 1991, 88:1731-1735, or using the Matchmaker™ maker system supplied by Clontech, California, USA according to the protocol supplied by the manufacturer, or by minor modifications of the above-described methods.

35

30

5

10

15

20

25

(B) A mating yeast two hybrid experiment.

Mating yeast two hybrid experiments were

35

performed using plasmid pGC1037 (a plasmid map of pGC1037 is shown in Figure 8 and the complete sequence of the plasmid is given in SEQ ID NO: 91) as bait, and a pre-transformed Human Brain MATCHMAKER cDNA library (Clontech, California, USA) according to the protocol supplied by the manufacture, or with minor modifications thereof.

In brief summary, the steps of the method are as 10 follows:-Inoculate 1 colony containing the bait plasmid into an overnight culture; Mate the bait culture and the library culture (24 h); Plate library mating mixtures; 15 Incubate for at least 8 days; Streak big colonies onto SD-3 + 5mM AT-plates (+/-Nylon Membrane); Stain yeast on Nylon membrane; Prepare yeast DNA from the positives; 20 Perform restriction digest, if digest is successful perform backtransformation, using positive and negative controls; Transform positives into MC1061 cells: Prepare bacterial DNA using Qiagen Plasmid Mini 25 Purification kit, according to the standard Qiagen

All positives obtained in the yeast two hybrid screen were assayed for the specificity of the interaction (against empty vector and irrelevant proteins) using the two hybrid system.

protocol; and

Perform DNA sequencing.

# (C) Double-stranded RNA inhibition-RNAi cloning isolation and injection.

Double stranded RNA for RNA inhibition experiments was prepared according to the MEGAscript

1.5

20

25

30

35

protocol (Ambion, UK). RNA isolated using this protocol was purified away from contaminants using the RNeasy system from Qiagen (Westburg, the Netherlands), following the instructions for RNA clean-up supplied by the manufacturer. RNA was injected into the nematodes using standard procedures (Methods in Cell biology, Vol 48, Academic Press, 1995).

## <u>Fesults</u>

10 (A) Auto-activation and dimerization experiments.

In a first series of experiments, the ability of the intracellular domain of *C. elegans* unc-5 or parts thereof to dimerize or to cause auto-activation was tested. Several plasmids were constructed harboring the intracellular domains of unc-5 and parts thereof. Various domains of unc-5, including the membrane proximal part (MMP), the zonula occludens homology domain (ZO-1), the unknown part (UP) and the Death domain (DD) and were cloned in the vectors pAS2 and pGAD424 (Matchmaker, Clontech, CA, USA). The resulting vectors are summarized in Table 1.

Several constructs containing the death domain were found to be either toxic or auto-activating. Furthermore, by performing homo-dimerization experiments, it was found that the intracellular domain of UNC-5C is capable of forming a homo-dimer. Further experiments led to the conclusion that the ZO-1/UP region is probably responsible for the homodimerization. Membrane located signal receptors often form homo- or hetero-dimers prior to intracellular signal transduction. Accordingly, it is postulated that dimer formation in UNC-5 could be a critical event in signalling. Based on a knowledge of this dimerization it is possible to develop assays to screen for compounds which disrupt dimer formation and to identify unc-5 mutants which are unable to dimerize.

30

35

The present inventors have found that in humans UNC-5 proteins may be encoded by at least three genes, the homologous genes unc-5C, unc-5HS1, unc-5HS2. As UNC-5 is an important receptor involved in a vast 5 amount of biological processes, it is considered that more functional homologous genes or unc-5 genes may present in the Homo sapiens genome. In addition, the expression of the unc-5 gene does not result in the production of a single transcript. The expression of 10 unc-5C locus can result in the production at least 4 isoforms as a result of alternative splicing events. It is possible that the other unc-5 genes will also express splice variants, which may encode different protein isoforms. Any of these unc-5 isoforms may form 15 dimers, analogous to the homo-dimerisation found for C. elegans unc-5. Accordingly, assays can also be developed to screen for chemical substances that alter the dimerization of human unc-5 proteins. Compounds identified using such an assay may have 20 pharmacologically useful properties.

### (B) Other receptor dimerizations.

It has been suggested that, in addition to UNC-6, UNC-129 also signals to the UNC-5 receptor (Colavita et al., Science 261:706-709). UNC-6 is also known to signal to UNC-40(DCC). UNC-129 belongs to the TGF- $\beta$  superfamily. TGF- $\beta$  receptors, including DAF-1 and DAF-4, do not affect axonal guidance. Although new TGF- $\beta$  receptors may be found that are involved in axonal guidance, it is more likely that the UNC-129 molecule is able to interact with TSP type I domains, which are present in UNC-5. Such interaction between TGF- $\beta$  molecules and TSP Type I domains has been shown previously (Schultz-Cherry et al., 1994, J. Biol. Chem. 269, 26775). Furthermore UNC-129 is also involved in the UNC-40 pathway.

Recent studies have provided support for the idea

- 33 -

5

10

15

20

25

30

35

that the UNC-5 receptor induces switching of UNC-40 from attraction to repulsion (Mehlen et al., Nature 395:801-804, 1998). This suggests a linkage of Unc-5 to oncology since Unc-40 is related to vertebrate DCC (deleted in colorectal cancer), which is a candidate tumour-suppressor gene, and encodes a receptor for netrin-1 (UNC-6). The reversal from attraction towards repulsion in growth cone steering with the two receptors UNC-5 and UNC-40 can be explained by hetero-dimerization between UNC-5 and UNC-40. Such switching of function has also been observed in other biological processes. The UNC-40/UNC-5 interaction may function analogously to the Bax/Bcl-2 interaction involved in apoptosis. Bax can be considered as the protein that protects against apoptosis but the relative titre of both Bax and Bcl-2 in a cell may be important in the decision of cell death.

Given that UNC-5 is capable of forming homodimers, it is postulated that UNC-5 is also capable of forming heterodimers with UNC-40. The UNC-5/UNC-40 heterodimers may act as a functional receptor for UNC-6 and UNC-129. Assays to isolate compounds that influence the interaction between UNC-5 and UNC-40, both enhancing and inhibiting this interaction have therefore been developed. These assays are analogous to the assays as described to isolate compounds that influence the formation of the UNC-5 dimers and the assays for compounds that influence the interaction of UNC-5 with its other interacting proteins (see below).

## (C) C. elegans UNC-5 interacting proteins

The intracellular part of UNC-5 containing the domains MPP, ZO-1 and UP cloned in vector pGC1003 (a plasmid map of pGC1003 is given in Figure 9 and the complete sequence of the plasmid is given in SEQ ID NO: 92) was used as 'bait' in a yeast two hybrid

- 34 -

experiment screening against a *C. elegans* cDNA library. These experiments resulted in the identification of ten genes, including three known genes and seven genes with heretofore unknown function, encoding proteins which specifically interact with the intracellular part of UNC-5. Details of the UNC-5 interacting proteins identified during the two hybrid screen are given below. In most cases, the results of double-stranded RNA inhibition experiments (RNAi) designed to inhibit expression of the interacting protein are also given. Where appropriate, details of human homologues of the interacting protein are also given and any known disease associations are discussed.

15

20

25

30

35

10

5

## 1) Spectrin $\beta$ -chain / Fodrin $\beta$ -chain (pC1025)

A first series of hits resulted in the identification of plasmid pC1025 which contains a fragment of a cDNA encoding the C. elegans spectrin  $\beta$ -chain/Fodrin. The spectrin  $\beta$ -chain protein is encoded by the gene K11C4.3, located on chromosome IV.

The full length cDNA and amino acid sequences of spectrin  $\beta$ -chain/Fodrin are shown in SEQ ID NOS: 11 and 12, respectively. The nucleotide sequence of the fragment of the spectrin  $\beta$ -chain cDNA which is cloned as an insert in plasmid pC1025 is given in SEQ ID NO: 13, the corresponding amino acid sequence is given in SEQ ID NO: 14.

RNAi experiments using a double-stranded RNA corresponding to the cDNA fragment cloned in pC1025 revealed that inhibition of the expression of the native spectrin  $\beta$ -chain in C. elegans worms causes the following phenotype: no embryonal lethality, normal canals, normal elongation, growth retardation and growth arrest at L1 and L2, nearly no movement but touch reflex is observed. The phenotype is 100% penetrant, and the larvea are short and wrinkled.

- 35 -

These RNAi phenotypes and the corresponding knock-out phenotype can be used as the basis of a compound screen in C. elegans to identify chemical substances that modulate the activity of the spectrin  $\beta$ -chain protein.

Human Fodrin (genbank accession number 2493434) contains an extra C-terminal PDZ domain that is not present in spectrin (genbank accession number 134798). The human fodrin seems to be more homologous to the C. elegans protein. This is in agreement with the finding that unc-5 is also expressed in the brain of vertebrates.

The interaction between UNC-5 and fodrin could be a critical event in a cell signalling, hence compounds 15 which modulate the interaction between UNC-5 and fodrin, particularly the interaction between human UNC-5 and human fodrin, may potentially have pharmacological activity. Assays can also be developed to screen for genetic mutations that inhibit the 20 interaction needed for proper signal transduction. Compounds which enhance or inhibit the interaction of UNC-5 with fodrin and spectrin  $\beta$ -chain may be useful in the development of pharmaceutical preparations for the treatment of Crohn's disease, Sjogren's syndrome, 25 secretion related diseases, diseases related to neutophil and platelet activation, and long-term potential in neurons, Alzheimer's disease, proliferative diseases such as carcinomas, neoplasia, and more specifically, shwannomas, meningiomas, 30 ependymonas, squamous cell carcinomas, malignant melanomas and lung carcinomas, spherocytosis, pyropoikilocytosis, Duchenne muscular dystrophy and various neurological disorders.

## 2) APR-1 (pC1028)

5

10

35

A second plasmid isolated in the yeast two hybrid

screen, pC1028, contained a fragment of a cDNA encoding APR-1.

The nucleotide sequence of the full length APR-1 cDNA is shown in SEQ ID NO: 15 and the amino acid sequence of the APR-1 protein encoded by this cDNA is shown in SEQ ID NO: 16. The nucleotide sequence of the fragment of the APR-1 cloned in pC1028 is shown in SEQ ID NO: 17, with the corresponding amino acid sequence shown in SEQ ID NO: 18.

10 RNAi experiments using a double-stranded RNA corresponding to the fragment cloned in pC1028 demonstrated that inhibition of APR-1 expression in C. elegans results in the following phenotype: more than 95% embryonic lethality, in 25% of cases this was due 15 to the overproduction of pharyngeal tissue and lack of endoderm, and premature division of the E daughters (Rocheleau et al., Cell 90:707-716, 1997). Escapers (worms that survive) have abnormal gut cells. These RNAi phenotypes and the corresponding knock-out 20 phenotype can be used as the basis of a compound screen in C. elegans to identify chemical entities that modulate the activity of APC (see below), and hence the unc-5 pathway.

25 Further yeast two hybrid experiments were performed in order to more precisely determine the position of the APR binding regions in UNC5, using the UNC5 domains MPP, ZO-1, UP and combinations thereof. APR-1 seemed to associate with two distinct regions in 30 UNC5. First, APR-1 appears to bind to the MPP domain. Secondly, APR-1 appears to binding to the ZO-1/UP domain. APR-1 seems to bind less to the ZO-1 and UP domains when they are present alone and not in combination. A similar experiment was carried out 35 using the C. elegans UNC-5 protein, and domains of human APC and analogous results were obtained. concluded that APC is capable of binding to two

- 37 **-**

distinct regions of UNC-5, the MPP and the ZO-1/UP domains.

The interaction between UNC-5 and APC/APR-1 could be a critical event in cellular signalling and hence compounds which modulate this interaction, particularly compounds which modulate an interaction between human UNC-5 and human APC, may potentially have pharmacological activity. Furthermore genetic mutations, and splice variants can be identified that inhibit the interaction, needed for proper signal transduction. Compounds which enhance or inhibit the interaction of UNC-5 with APR/APC may be useful in the development of pharmaceutical agents for the treatment of neurological diseases and colorectal cancers such as adenomatous polyposis coli.

## 3) UNC-14 (pC1034)

10

15

20

25

30

35

A third plasmid identified during the yeast two hybrid screen using  $C.\ elegans$  UNC-5 as bait (pC1034) was found to contain a fragment of the UNC-14 cDNA.

The nucleotide sequence of the full length UNC-14 cDNA is shown in SEQ ID NO: 19, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 20. The nucleotide sequence of the fragment of the UNC-14 cDNA cloned as an insert in pC1034 is shown in SEQ ID NO: 21, with the corresponding amino acid sequence of the polypeptide encoded by this fragment shown in SEQ ID NO: 22.

C. elegans worms mutated in unc-14 are observed to be very sluggish, almost paralysed, small, dumpyish, with a tendency to coil and show some egg retention. This phenotype can be used as the basis of a compound screen in C. elegans to identify chemical entities that modulate the activity of UNC-14.

Furthermore, *C. elegans* worms mutated in the *unc-14* gene were shown to have abnormal axonal elongation and axonal structures. The unc-14 gene

encodes a protein of 665 amino acids, and is co-expressed with the *unc-51* gene in the cell bodies and axons of almost all neurons including DD/VD and hermaphrodite-specific neurons. The results of yeast two-hybrid experiments suggested that a central region of UNC-14 binds to the carboxy-terminal region of UNC-51, and that the UNC-51 carboxy-terminal region oligomerized (Ogura et al., Genes Dev. 11:1801-1811, 1997).

Mutations in the unc-51 gene, isolated from mutants of Caenorhabditis elegans exhibiting abnormal axonal extension and growth, encodes a novel serine/threcnine kinase (K. Ogura, et al., 1994, Genes Dev. 8: 2389-2400).

15

20

25

30

35

5

## 4) F11A10.1 (pGC1021)

A fourth plasmid isolated during the yeast two hybrid screen, pGC1021, was found to contain a fragment of cDNA corresponding to the *C. elegans* gene designated F11A10.1.

The nucleotide sequence of the full length F11A1C.1 cDNA is shown in SEQ ID NO: 23, with the amino acid sequence of the protein encoded by this cDNA shown in SEQ ID NO: 24. The nucleotide sequence of the fragment of the F11A1O.1 cDNA cloned in pGC1021 is shown in SEQ ID NO: 25, the amino acid sequence of the protein fragment encoded by this fragment of the cDNA is shown in SEQ ID NO: 26.

To date, no function is as yet known for F11A10.1. RNAi experiments using a double-stranded RNA corresponding to the insert of pGC1021 showed that inhibition of F11A10.1 expression in *C. elegans* results in worms which are weakly constipated. In *C. elegans*, constipation has been associated with neuronal dysfunction (Thomas, Genetics 124:855-872, 1990). Furthermore and remarkably inhibition of F11A10.1 expression causes migration defects in the

- 39 -

distal tip cell, similar to those observed in unc-5 mutants and unc-14/unc-51 double mutants. These RNAi phenotypes and the corresponding knock-out phenotypes can be used as the basis of a compound screen in C. elegans to identify chemical entities that modulate the activity of F11A10.1.

The interaction between UNC-5 and F11A10.1 could be a critical event in cellular signalling and hence compounds which modulate this interaction may potentially have pharmacological activity. Furthermore, genetic mutations, and splice variants can be identified that inhibit the interaction, needed for proper signal transduction. Compounds which enhance or inhibit the interaction of UNC-5 with F11A10.1 may be of use in the development of pharmaceutical compositions useful in the treatment of neurological disorders, tumours such as Kaposi's Sarcoma, immunological disorders and diseases related to vesicle fusion, proteolysis, peroxisomal and mitochondrial biogenesis, and transcription.

## 5) C15E6.1/2 (pGC1026)

5

10

15

20

25

30

35

A fifth plasmid identified during the yeast two hybrid experiment, pGC1026, was found to contain a fragment of a cDNA encoding the C15E6.1 protein.

The nucleotide sequence of the full length C15E6.1/2 cDNA is shown in SEQ ID NO: 27, with the amino acid sequence of the protein encoded by this cDNA shown in SEQ ID NO: 28. The nucleotide sequence of the fragment of the C15E6.1/2 cDNA cloned in pGC1026 is shown in SEQ ID NO: 29, the amino acid sequence of the protein fragment encoded by this fragment of the cDNA is shown in SEQ ID NO: 30.

RNAi experiments using a double-stranded RNA corresponding to the insert of pGC1026 did not result in any clear visual phenotype.

The identification of C15E6.1/2 as an UNC-5

10

15

20

30

35

interacting protein indicates that UNC-5 might be a band 4 .1 binding protein and may share homology with other band 4.1 binding proteins such as CD44, glycophrin C, and paranodin.

By using the band 4.1 signature to search a database of C.elegans genes, F07A11.1 on chromosome II was identified as encoding a band 4.1 protein.

The interaction between UNC-5 and C15E6.1/2 could be a critical event in cellular signalling and hence compounds which modulate this interaction may potentially have pharmacological activity. Furthermore genetic mutations, and splice variants can be identified that inhibit the interaction, needed for proper signal transduction. Compounds which enhance or inhibit the interaction of UNC-5 with C15E6.1/2 may be useful in the development of pharmaceutical preparations for the treatment of diseases related to axonal signalling, synaptic vesicle exocytosis, cell adhesion, cytoskeleton associated proteins, cell morphology, cell growth, allergic inflammatory processes and rheumatoid arthritis.

## 6) D1081.7 (pGC1027)

A sixth plasmid identified during the two hybrid screen was found to contain a fragment of cDNA corresponding to the *C. elegans* gene designated D1081.7.

The nucleotide sequence of the full length D1081.7 cDNA is shown in SEQ ID NO: 31, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 32. The nucleotide sequence of the fragment of the D1081.7 cDNA cloned as an insert in pGC1027 is shown in SEQ ID NO: 33, with the corresponding amino acid sequence of the polypeptide encoded by this fragment shown in SEQ ID NO: 34.

RNAi experiments performed using double stranded RNA corresponding to the insert in pGC1027 appeared

- 41 -

not to result in any clear visual phenotype.

All genes so far found in *C. elegans* have human homologues. It is therefore expected that D1081.7 will also have vertebrate, including human, homologues. These homologues can be cloned using standard

technologies.

The interaction between UNC-5 and D1081.1 could be a critical event in cellular signalling and hence compounds which modulate this interaction may potentially have pharmacological activity and thus be of use in the development of pharmaceutical compositions. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction needed for proper signal transduction.

15

20

25

30

35

10

5

### 7) B0238.9 (pGC1032)

A seventh plasmid identified during the two hybrid screen was found to contain a fragment of cDNA corresponding to the *C. elegans* gene designated B0238.9.

The nucleotide sequence of the full length B0238.9 cDNA is shown in SEQ ID NO: 35, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 36. The nucleotide sequence of the fragment of the B0238.9 cDNA cloned as an insert in pGC1032 is shown in SEQ ID NO: 37, with the corresponding amino acid sequence of the polypeptide encoded by this fragment shown in SEQ ID NO: 38.

B0238.9 is located in the chromosomal region where seu-2 is also located. The seu-2 was identified in suppressor screens of ectopically expressed unc-5 and is considered to be involved in the unc-5 pathway (Colavita and Culotti, Dev. Biol. 194:72-85, 1998). As a gene has now been isolated that interacts with unc-5, it is high probable that B0238.9 is the same as seu-2. Mutations in seu-2 appeared not to have any visual phenotype, as was also observed in RNAi

30

35

experiments using a double stranded RNA corresponding to a fragment of B0238.9. The finding that SEU-2 is a suppressor and a binding partner to UNC-5 validates the importance of this interaction. Other known suppressors of ectopic unc-5 growth cone steering are unc-6, unc-40, unc-34, unc-44, unc-129, seu-1, seu-2, and seu-3. Mutations in some of these genes show axonal guidance defects, unlike seu-2.

Homology searches in the EST database with B0238.9 revealed the presence of at least two human ESTs with significant homology. The ESTs so found, nz77b06 and yu53g01, can be used as basis to clone the full length cDNA encoding the human homologue of B0238.9.

The interaction between UNC-5 and B0238.9 could be a critical event in cellular signalling and hence compounds which modulate this interaction may potentially have pharmacological activity and thus may be useful in the development of pharmaceutical compositions. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction, needed for proper signal transduction.

# 8) ZC404.8 (pGC1033)

An eighth plasmid identified during the two hybrid screen was found to contain a fragment of a cDNA corresponding to the *C. elegans* gene designated ZC404.8.

The nucleotide sequence of the full length ZC404.8 cDNA is shown in SEQ ID NO: 39, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 40. The nucleotide sequence of the fragment of the ZC404.8 cDNA cloned as an insert in pGC1033 is shown in SEQ ID NO: 41, with the corresponding amino acid sequence of the polypeptide encoded by this fragment shown in SEQ ID NO: 42.

RNAi experiments using a double stranded RNA

- 43 -

corresponding to a fragment of this gene resulted in an embryonic lethal phenotype. The worms showed no elongation and only very little muscle activity, the hypodermis is clearly abnormal.

Homology searches in the EST database with 20404.8.9 revealed the presence of at least three human ESTs with significant homology. The ESTs thus identified, qe69h03, zx61d04, and zd35e10, can be used as basis to clone the full length cDNAs.

The interaction between UNC-5 and ZC404.8 could re a critical event in cellular signalling and hence compounds which modulate this interaction may potentially have pharmacological activity and thus be useful in the development of pharmaceutical preparations. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction, needed for proper signal transduction.

#### 9) yk17a3 (pGC1023)

5

10

15

25

30

35

A ninth plasmid identified during the yeast two hybrid experiment was found to contain a fragment of cDNA corresponding to the *C. elegans* gene designated yk17a3.

The nucleotide sequence of the fragment of the yk17a3 cDNA cloned as an insert in pGC1023 is shown in SEQ ID NO: 43, with the corresponding amino acid sequence of the polypeptide encoded by this fragment shown in SEQ ID NO: 44.

RNAi experiments using a double stranded RNA corresponding to a fragment of yk17a3 resulted in the following phenotypes in *C. elegans*: Very slow growth, and the larvae get typical darker spots as they get older. Inhibition of yk17a3 expression in some non wild-type genetic backgrounds leads to defective moulting, where the worm cannot escape from the old cuticle and therefore shrinks and stays in the L4 stage. The defective moulting phenotype is also

observed when yk17a3 expression is inhibited on a wild-type genetic background, although the phenotype is less prominent. Worms which escape the defective moulting phenotype show defects in vulva development, either lacking a vulva altogether or having a vulva which is non-functional.

Homology searches in the Genbank database with yk17a3 revealed the presence of at least one human homologue of this gene, designated KIAA0187.

10 The interaction between UNC-5 and yk17a3 (KIAA0187) could be a critical event in cellular signalling and hence compounds which modulate this interaction may potentially have pharmacological activity. Furthermore genetic mutations, and splice 15 variants may be identified that inhibit the interaction, needed for proper signal transduction. Compounds which enhance or inhibit the interaction of UNC-5 with yk17a3 may be of use in the development of pharmaceutical compositions for the treatment of 20 CADASIL, artheriohepatic dysplasia, Alzheimer's disease, neoplasia such as T-cell acute lymphoblastic leukemia and certain cancers, such as pancreatic cancer and colon cancer.

# 25 <u>10)</u> **F41H10.3** (pGC1020)

30

35

A tenth plasmid identified using the yeast two hybrid experiment was found to contain a fragment of a cDNA corresponding to the  $C.\ elegans$  gene designated F41H10.3.

The nucleotide sequence of the full length F41H10.3 cDNA is shown in SEQ ID NO: 45, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 46. The nucleotide sequence of the fragment of the F41H10.3 cDNA cloned as an insert in pGC1020 is shown in SEQ ID NO: 47, with the corresponding amino acid sequence of the polypeptide encoded by this fragment shown in SEQ ID NO: 48.

- 45 -

F41H10.3 harbors a ATP/GTP binding domain.

5

10

15

25

30

35

Worms resulting from RNAi experiments using a double stranded RNA corresponding to a fragment of F41H10.3 did not exhibit a clear visual phenotype.

All genes so far found in *C. elegans* have human homologues. It is therefore expected that F41H10.3 will also have vertebrate, including human, homologues. These homologues can be cloned using standard technologies well known to persons skilled in the art.

The interaction between UNC-5 and F41H10.3 could be a critical event in signalling and compounds which modulate this interaction may potentially have pharmacological activity and thus be useful in the development of pharmaceutical preparations. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction, needed for proper signal transduction.

## 20 (D) Human UNC-5 interacting proteins.

The intracellular part of the human UNC-5 protein (human UNC-5HS1) containing the domains ZO-1, UP and DD cloned in vector pGC1037 (see above) was used as 'bait' in a yeast two hybrid experiment screening against a pretransformed human brain Matchmaker cDNA library (Clontech, Palo Alto, California USA) using the mating screen approach described above. These experiments resulted in the identification of six genes encoding proteins which interact with UNC-5, including two known genes and four heretofore unknown genes.

All proteins found in this yeast two hybrid screen with the human UNC-5 were different to the proteins found in the screen with the *C. elegans* UNC-5. There are at least two reasons for this variation in the isolated proteins. First, the screens are not saturated, which means that not all possible

10

15

20

25

30

35

interacting proteins have been isolated, neither in the screen with the C. elegans UNC-5 nor in the screen with the human UNC-5. Secondly, different intracellular fragments have been used in the screens. In the C. elegans UNC-5 screen, the intracellular domains MPP, ZO-1 and UP were used as bait, whereas in the human UNC-5 screen, the intracellular domains ZO-1, UP and DD were used as bait. Proteins with specific interaction patterns will not be isolated if the necessary interacting domain is missing, or if the optimal combination of domains is missing. This has been shown in the C. elegans UNC-5 interaction with APR. APR interacts clearly with the MPP domain and the domain combination ZO-1, UP, but interacts less efficiently to with domain combination MPP, ZO-1, although the MPP domain is present. APR binds efficiently to the domain combination MPP, ZO-1, UP.

The human UNC-5 interacting proteins identified during the two hybrid screen are listed below. In each case, any known disease associations are discussed and genes/cDNAs encoding homologous *C*. elegans proteins are listed.

# 1) i-beta-1,3-N-acetylaminyltansferase (pYMP5).

A first plasmid identified during the yeast two hybrid experiment was found to contain a fragment of the cDNA encoding i-beta-1,3-N-acetylaminyltansferase.

The nucleotide sequence of the full length i-beta-1,3-N-acetylaminyltansferase cDNA is shown in SEQ ID NO: 49, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 50. The partial nucleotide sequences of the fragment of the i-beta-1,3-N-acetylaminyltansferase cDNA cloned as an insert in pYMP5 are shown in SEQ ID NOs: 51 and 52, with the corresponding amino acid sequence of the polypeptide encoded by these partial sequences shown in SEQ ID NO: 53.

- 47 -

C. elegans has at least seven putative homologues of i-beta-1,3-N-acetylaminyltansferase, designated F22F7.6, C18G1.3, K09C8.4, F21H7.10, C54C8.2, F56H6.6 and T15D6.4. cDNA and/or amino acid sequences for each of these putative homologues are given herein. Amino acid and nucleotide sequences for these homologues are given in SEQ ID NOS: 66 to 82.

5

10

15

20

30

35

The interaction between UNC-5 and beta-1,3-N-acetylglucosaminyltransferase could be a critical event in signalling and hence compounds which modulate this interaction may potentially have pharmacological activity. Furthermore genetic mutations, and splice variants may be identified that inhibit the interaction, needed for proper signal transduction. Compounds which modulate the interaction of UNC-5 with beta-1,3-N-acetylglucosaminyltransferase may be useful in the development of pharmaceutical preparations for the treatment of synaptic cleft dysfunctions, vesicle transport dysfunctions, inflamation, various tumours and more particular in tumour cell adhesion, migration and invasion, such as pancreas cancer, squamous cell cancer, human breast cancer, thyroid neoplasms, colorectal carcinomas.

# 25 <u>2) new gene with slight homology to neurexin</u> II-alpha-b (NHII) (pYMP6)

A second plasmid identified during the yeast two hybrid experiment was found to contain a fragment of a cDNA corresponding to a new gene with slight homology to neurexin II-alpha-b. The new gene was designated NHII.

Partial nucleotide sequences for the fragment of cDNA cloned as an insert in pYMP6 are shown in SEQ ID NO: 54 (coding strand sequenced from one end of the insert of pYMP6 sequenced with forward primer) and and SEQ ID NO: 55 (non-coding strand sequenced from one end of pYMP6 with reverse primer). The plasmid pYMP6

15

20

25

30

35

was deposited in the Belgian Co-ordinated Collections of Microorganisms (BCCM), Universiteit Gent, K. L. Ledeganckstraat 35, B-9000, Gent, Belgium on 21 May 1999 under accession number LMBP 3932. The cDNA insert (approximately 1800bp) can easily be excised from this plasmid by digestion with the restriction enzymes EcoRI and XhoI. Alternatively the cDNA insert sequence can be amplified by PCR using primers corresponding to the sequences for the ends of the insert given in SEQ ID NOS: 54 and 55.

The interaction between UNC-5 and the new gene with homology to neurexin II-alpha-b could be a critical event in signalling and hence compounds which modulate this interaction may potentially have pharmacological activity.

# 3) New Gene with Mena homology (MHI) (pYMP17)

A third plasmid identified during the yeast two hybrid experiment was found to contain a fragment of a cDNA encoding a protein sharing slight homology with the human mena protein. The new gene was designated MHI.

Partial nucleotide sequences of the fragment of cDNA cloned as an insert in pYMP17 are shown in SEQ ID NO: 56, (coding strand sequenced from one end of the insert of pYMP sequenced with forward primer) and SEQ ID NO: 57 (non-coding strand sequenced from one end of pYMP with reverse primer). An alignment between the amino acid sequence encoded by the insert of pYMP17 and the mouse mena protein is shown in Figure 7. plasmid pYMP17 was deposited in the Belgian Coordinated Collections of Microorganisms (BCCM), Universiteit Gent, K. L. Ledeganckstraat 35, B-9000, Gent, Belgium on 21 May 1999 under accession number LMBP 3935. The cDNA insert (approximately 1000bp) can easily be excised from this plasmid by digestion with the restriction enzymes EcoRT and XhoI. Alternatively

- 49 -

the cDNA insert sequence can be amplified by PCR using primers corresponding to the sequences for the ends of the insert given in Figures 55A and 55B.

C. elegans has at least one protein with homology to the new Mena homologue (MHI), encoded by the gene designated Y50D4.Contig200. The C. elegans gene, unc-34 (which maps with Y50D4) is known to suppress the axonal guidance defects induced by ectopic expression of the Netrin receptor UNC-5 (Colavita, A. et al., Dev.Biol., 194:72-85, 1998.).

The interaction between UNC-5 and mena, members of this mena superfamily, unc-34, and Y50D4.contig200, could be a critical event in signalling and hence compounds which modulate these interactions may potentially have pharmacological activity and thus may be useful in the development of pharmaceutical compositions.

#### 4) Alpha-2 macroglobulin (pYMP30)

5

10

15

20

25

35

A fourth plasmid identified during the yeast two hybrid experiment was found to contain a fragment of the human alpha-2 macroglobulin cDNA.

The nucleotide sequence of the full length alpha-2 macroglobulin cDNA is shown in SEQ ID NO: 58, the amino acid sequence of the protein encoded by this cDNA is given in SEQ ID NO: 59. A partial nucleotide sequence for the fragment of the alpha-2 macroglobulin cDNA cloned as an insert in pYMP30 is shown in SEQ ID NO: 60.

30 C. elegans has at least one homologue of alpha-2 macroglobulin, designated ZK337.1, of which two splice variants designated ZK337.1a and ZK337.1b are known to exist.

The interaction between UNC-5 and alpha-2 macroglobulin could be a critical event in signalling and hence compounds which modulate this interaction may potentially have pharmacological activity.

30

35

Compounds which enhance or inhibit the interaction of UNC-5 with alpha-2 macroglobulin could be useful in the development of pharmaceutical substances.

# 5 New gene 1 (pYMP11)

A fifth plasmid identified during the yeast two hybrid experiment was found to contain a fragment of cDNA with no homology to any known human cDNA.

Partial nucleotide sequences for the fragment of 10 cDNA cloned as an insert in pYMP11 are shown in SEQ ID NO: 61 (coding strand sequenced from one end of the insert of pYMP sequenced with forward primer) and SEQ ID NO: 62 (non-coding strand sequenced from one end of pYMP with reverse primer). The plasmid pYMP11 was 15 deposited in the Belgian Co-ordinated Collections of Microorganisms (BCCM), Universiteit Gent, K. L. Ledeganckstraat 35, B-9000, Gent, Belgium on 21 May 1999 under accession number LMBP 3933. The cDNA insert (approximately 2300bp) can easily be excised 20 from this plasmid by digestion with the restriction enzymes EcoRI and XhoI. Alternatively the cDNA insert sequence can be amplified by PCR using primers corresponding to the sequences for the ends of the insert given in Figures 59A and 59B.

The interaction between UNC-5 and the protein encoded by the insert of pYMP11 could be a critical event in signalling and hence compounds which modulate this interaction may potentially have pharmacological activity and thus could be useful in the development of pharmaceutical substances.

#### 6) New gene 2 (pYMP12)

A sixth plasmid identified during the yeast two hybrid experiment was found to contain a fragment of cDNA with no homology to any known human cDNA.

Partial nucleotide sequences for the fragment of

cDNA cloned as an insert in pYMP12 are shown in SEQ ID NO: 63 (coding strand sequenced from one end of the insert of pYMP sequenced with forward primer) and SEQ ID NO: 64 (non-coding strand sequenced from one end of 5 pYMP with reverse primer). The plasmid pYMP12 was deposited in the Belgian Co-ordinated Collections of Microorganisms (BCCM), Universiteit Gent, K. L. Ledeganckstraat 35, B-9000, Gent, Belgium on 21 May 1999 under accession number LMBP 3934. The cDNA 10 insert (approximately 2000bp) can easily be excised from this plasmid by digestion with the restriction enzymes EcoRI and XhoI. Alternatively the cDNA insert sequence can be amplified by PCR using primers corresponding to the sequences for the ends of the 15 insert given in Figures 60A and 60B.

The interaction between UNC-5 and the protein encoded by the insert of pYMP12 could be a critical event in signalling and hence compounds which modulate this interaction may potentially have pharmacological activity and thus could be useful in the development of pharmaceutical substances.

## Example 5

20

35

#### Yeast two hybrid compound screens

Interactions of proteins leads to expression of a reporter protein  $\beta$ -galactosidase in a yeast two hybrid assay. An assay has been developed that is usable in 96 or 384 well plates or microtiter plates with another number of wells. This assay is suitable for high throughput compound screening. Optimal performance of the assay is dependent upon at least two important parameters:

lysis of yeast cells and the choice of the  $\beta$ -galactosidase substrate.

The basic protocol for an assay in 96 or 384 well plates is as follows:

A yeast strain containing the Escherichia coli

35

lacZ gene under the control of the yeast Gal4 promoter is grown overnight (with shaking at 230-270 rpm) then diluted with YPD medium to an OD600 of 0.2. Diluted cultures are grown for an additional 3-5 hr until mid-log phase. Yeast cells are then transferred to either 96- or 384-well plates (100  $\mu$ l/well or 25  $\mu$ l/well, respectively). Alternatively, cells can be cultured in the microtiter plates, eliminating the need for a pipetting step.

The yeast cells are then either lysed by freeze and thaw method (liquid  $N_2$  to freeze, 37°C water bath to thaw) or by use of a Lysis buffer (e.g.: 1% Lithium dodecyl sulphate, 100 mM EDTA and 10 mM Tris-HCl pH 8.0). Non-lysed cells also give a signal, although the variability is increased if the cells are not lysed. Yeast cells can also be permeabilized with various reagents such as isopropanol (15 %).

The substrate sensitivity must be optimised for efficient detection in a screening process.

- Fluorescein di galactoside (FDG) is a typical low cost fluorescent reagent for the detection of  $\beta$ -galactosidase; it can be used for screening, although autofluorescent compounds can induce a non-desirable background leading to false positives.
- Alternative substrates are available that become luminescent upon  $\beta$ -galactosidase cleavage, thereby eliminating background problems. An example of such a substrate Galacton-Star® from Tropix. Typically about lpM substrate is added and the plates are incubated at room temperature for 60 minutes. Fluorescence (for FDG) is then measured at 530 nm. It is typically possible to detect as low as 100 cells per well.

As an alternative to the use of  $\beta\text{-galactosidase},$  secreted alkaline phosphatase can be used as a reporter gene. The use of secreted alkaline phosphatase gives equivalent sensitivity to  $\beta\text{-galactosidase}$  with the advantage that there is no need

10

20

25

30

35

to lyse the cells. Fluorescent substrates for alkaline phosphatase are available commercially from Sigma-Aldrich (Bornem, Belgium) or Molecular Probes (Eugene, OR, USA).

The test compound can be added at various stages of the above procedure. Generally, the compound is added on the plates onto which the yeast are plated. However, the compound can also be added during the second incubation in order to overcome toxicity ptoblems. As a control, it is important to check whether the compound slows down the growth of the yeast. This can be done using turbidity measurements.

#### Example 6

Detection of in vivo protein-protein interactions using fluorescence energy transfer (FRET).

An in vivo FRET assay can be conveniently performed using two different mutants of GFP which absorb and emit light at different wavelengths and which have suitably overlapping emission/absorption spectra, such as EGFP (enhanced green fluorescent protein) and EBFP (enhanced blue fluorescent protein). When two such variant GFPs are brought into close proximity, within a few nanometers distance,

fluorescence energy transfer (FRET) can be detected. Such transfer is characterized by a reduction of fluorescence intensity of the donor fluorophore (EBFP) and re-emission of fluorescence at the acceptor fluorophore (EGFP) wavelengths. Therefore if each fluorophore is fused to a protein domain known to bind to the other the protein-protein interaction can be monitored in vivo using FRET.

In a typical example, the APC binding domain of UNC-5 cloned in fusion with EBFP, whereas APC is cloned in fusion with EGFP in expression vectors suitable for use in the chosen host cell line or organism. When both fusion proteins are expressed in

- 54 -

a cell line or in *C. elegans* it is possible to monitor and quantify their *in vivo* interaction by irradiating the cells/worms with light at 488nm. When the donor and acceptor fluorophore are brought into close proximity by binding of the two fusion proteins fluorescent energy transfer results in a measurable decreased in fluorescence from the fluorescence donor at a wavelength within the emission spectrum of the conor. In simple terms, what is measured is a quenching phenomenon since light emitted by the donor fluorophore is trapped by the acceptor fluorophore.

\*\*E- The experiment could also be performed by measuring fluorescence from the acceptor fluorophore but this is often less sensitive.

Plasmid vectors containing both EGFP and EBFP are commercially available from Clontech (Palo Alto, California, USA). Information on the use of these vectors is also supplied by the manufacturer.

20

25

30

16

15

#### Example 7

#### Genetic and complementation screens in yeast.

UNC-5 expression in yeast cells results in a lethal phenotype, mainly because of the expression of a death domain. This observation was most clearly seen in the experiments with *C. elegans* UNC-5. Accordingly, assays can be developed to screen for compounds, interacting proteins and suppressors which alter the activity of UNC-5, particularly the activity of the death domain of UNC-5. These assays are analogous to those described by Xu and Reed (Mol. Cell 1998, 1:337-46).

#### (A) Compound screens.

Yeast cells are transfected with a plasmid encoding the *C. elegans* or human unc-5 (including the death domain), such as the vectors described in the

- 55 -

yeast two hybrid experiments. The transfected yeast cells are then placed in the wells of micotiter plates, and are exposed to the compounds under test. Compounds which reduce or inhibit the lethal phenotype of the yeast cells transfected with unc-5 are scored as hits. Such compounds will typically suppress the unc-5 lethal phenotype by interacting with UNC-5 itself, or with UNC-5 interacting proteins, or with proteins in the UNC-5 pathway, or with proteins in parallel pathways. The selected compounds can be used in the development of pharmaceutical preparations.

#### (B) Suppressor screens.

Yeast cells are transfected with a plasmid 15 encoding the C. elegans or human unc-5 (including the death domain), such as the vectors described in the yeast two hybrid experiments. Furthermore, the yeast cells are transfected with a library expressing C. elegans or human cDNA, such as the libraries described 20 in the yeast two hybrid experiments. The transfected yeast cells are placed in the wells of micotiter plates, and allowed to grow further. This allows selection cDNAs, and hence genes and proteins, that reduce or inhibit the lethal phenotype of the yeast 25 cells transfected with the death domain of unc-5. Such proteins will interact with UNC-5, or with UNC-5 interacting proteins, or with proteins in the UNC-5 pathway, or with proteins in parallel pathways to cause suppression of the unc-5 lethal phenotype. 30 The selected cDNAs genes and proteins can be used in the development of pharmaceutical preparations or in the development of assays to select for compounds that enhance their function or expression.

35

5

10

Example 8

Cloning of a C. elegans gene starting from a C.

- 56 -

#### elegans insert.

If a fragment of a given gene or cDNA is known then further fragments of the corresponding full length gene and/or cDNA can be constructed can often be found using in silico techniques such as AceDB (see http:\\www.sanger.ac.uk), or searching of the EST database. The full cDNA can be cloned using standard technology such as 5'/3' RACE or SL1/2 RT-PCR on worm total RNA and colony hybridization. An analogous strategy is followed to clone a full length gene and/or cDNA for vertebrate and hence Human DNA.

#### Example 9

5

10

15

20

25

Cloning of *C. elegans* gene starting from a human insert.

A full length *C. elegans* gene can be cloned starting from a human sequence. Using *in silico* techniques, a homologue or an EST can be found. Standard molecular biology techniques can then be used to clone the full length *C. elegans* gene. If no homologous sequence can be found by simple database searching, it may be necessary to perform species hopping. An analogous strategy is followed to clone a full length gene and/or cDNA for vertebrate and hence Human DNA, starting from a *C. elegans* DNA sequence.

# SEQUENCE LISTING

5.	SEQ	ID	NO:	1	nucleotide sequence of a part of the human unc-5Cb cDNA which encodes the intracellular region of the protein.
14	SEQ	ID	NO:	2	amino acid sequence of the intracellular part of the human unc-5Cb protein encoded by the nucleotide sequence shown as SEQ ID NO: 1.
15	SEQ	ID	NO:	3	nucleotide sequence of a part of the human unc-5Cc cDNA which encodes the intracellular region of the protein.
20	SEQ	ID	NO:	4	amino acid sequence of the intracellular part of the human unc-5Cc protein encoded by the nucleotide sequence shown as SEQ ID NO: 3.
20	SEQ	ID	NO:	5	nucleotide sequence of a part of the human unc-5C8 cDNA which encodes the intracellular region of the protein.
25	SEQ	ID	NO:	6	amino acid sequence of the intracellular part of the human unc-5C8 protein encoded by the nucleotide sequence shown as SEQ ID NO: 5.
30	SEQ	ID	NO:	7	nucleotide sequence of the fragment of the human unc-5Hl cDNA cloned by PCR in Example 2.
35	SEQ	ID	NO:	8	predicted amino acid sequence for the human unc-5H1 protein, translation in frame 1.

SEQ ID NO: 9 predicted amino acid sequence for the human unc-5Hl protein, translation in frame 2. 5 SEQ ID NO: 10 predicted amino acid sequence for the human unc-5H1 protein, translation in frame 3. SEQ ID NO: 11 nucleotide sequence of the C. elegans 10 spectrin  $\beta$ -chain/Fodrin cDNA. SEQ ID NO: 12 amino acid sequence of the C. elegans spectrin  $\beta$ -chain/Fodrin protein. 15 SEQ ID NO: 13 nucleotide sequence of the fragment of the C. elegans spectrin  $\beta$ -chain/Fodrin cDNA cloned in pC1025. SEQ ID NO: 14 amino acid sequence of the polypeptide 20 encoded by the cDNA fragment shown as SEQ ID NO: 13. SEQ ID NO: 15 nucleotide sequence of the C. elegans APR-1 cDNA. 25 SEQ ID NO: 16 amino acid sequence of the C. elegans APR-1 protein. SEQ ID NO: 17 nucleotide sequence of a fragment of 30 the C. elegans APR-1 cDNA cloned in pC1028. SEQ ID NO: 18 amino acid sequence of the polypeptide encoded by the cDNA fragment shown as 35 SEO ID NO: 17.

SEQ ID NO: 19 nucleotide sequence of the C. elegans

unc-14 cDNA.

5	SEQ I	D NO:	20	amino acid sequence of the <i>C. elegans</i> unc-14 protein.
	SEQ I	D NO:	21	nucleotide sequence of the fragment of the <i>C. elegans</i> unc-14 cDNA cloned in pC1034.
10	SEQ I	D NO:	22	amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEQ ID NO: 21.
15	SEQ I	D NO:	23	nucleotide sequence of the <i>C. elegans</i> F11A10.1 cDNA.
	SEQ I	D NO:	24	amino acid sequence of the <i>C. elegans</i> F11A10.1 protein.
20	SEQ I	D NO:	25	nucleotide sequence of the fragment of the <i>C. elegans</i> F11A10.1 cDNA cloned in pGC1021.
25	SEQ I	ID NO:	26	amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEQ ID NO: 25.
30	SEQ I	ID NO:	27	nucleotide sequence of the <i>C.elegans</i> C15E6.1 cDNA.
50	SEQ I	ID NO:	28	amino acid sequence of the <i>C.elegans</i> C15E6.1 protein.
35	SEQ I	ID NO:	29	nucleotide sequence of the fragment of the <i>C.elegans</i> C15E6.1 cDNA cloned in pGC1026.

SEQ ID NO: 30 amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEQ ID NO: 29. SEQ ID NO: 31 nucleotide sequence of the C. elegans 5 D1081.7 cDNA. SEQ ID NO: 32 amino acid sequence of the C. elegans D1081.7 protein. 10 nucleotide sequence of the fragment of SEQ ID NO: 33 the C. elegans 1081.7 cDNA cloned in pGC1027. 15 SEQ ID NO: 34 amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEQ ID NO: 33. SEQ ID NO: 35 nucleotide sequence of the C. elegans 20 B0238.9 cDNA (seu-2). SEQ ID NO: 36 amino acid sequence of the C. elegans B0238.9 protein (seu-2). 25 SEQ ID NO: 37 nucleotide sequence of the fragment of the C. elegans B0238.9 cDNA cloned in pGC1023. amino acid sequence of the polypeptide SEQ ID NO: 38 30 encoded by the cDNA fragment shown as SEQ ID NO: 37. SEQ ID NO: 39 nucleotide sequence of the C. elegans ZC404.8 cDNA. 35 SEQ ID NO: 40 amino acid sequence of the C. elegans ZC404.8 protein.

SEQ ID NO: 41 nucleotide sequence of the C. elegans ZC404.8 cDNA cloned in pGC1033. SEQ ID NO: 42 amino acid sequence of the polypeptide 5 encoded by the cDNA fragment shown as SEO ID NO: 41. SEQ ID NO: 43 nucleotide sequence of the fragment of the C. elegans yk17a3 cDNA cloned in 10 pGC1023. SEQ ID NO: 44 amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEO ID NO: 43. 15 SEQ ID NO: 45 nucleotide sequence of the C. elegans F41H10.3 cDNA. SEQ ID NO: 46 amino acid sequence of the C. elegans 20 F41H10.3 protein. SEQ ID NO: 47 nucleotide sequence of the fragment of the C. elegans F41H10.3 cDNA cloned in pGC1020. 25 SEQ ID NO: 48 amino acid sequence of the polypeptide encoded by the cDNA fragment shown as SEO ID NO: 47. 30 nucleotide sequence of the human i-SEQ ID NO: 49 beta-1,3-N-acetylaminyltransferase cDNA. SEQ ID NO: 50 amino acid sequence of the human i-35 beta-1,3-N-acetylaminyltransferase protein.

	SEQ	ΙD	NO:	51	partial nucleotide sequence for the fragment of the human i-beta-1,3-N-acetylaminyltransferase cDNA cloned in pYMP5 (forward primer, coding strand).
5	SEQ	ID	NO:	52	partial nucleotide sequence for the fragment of the human i-beta-1,3-N-acetylaminyltransferase cDNA cloned in pYMP5 (reverse primer, non-coding strand)
15	SEQ	ID	NO:	53	partial amino acid sequence for the polypeptide encoded by the fragment of the i-beta-1,3-N-acetylaminyltransferase cDNA cloned in pYMP5.
20	SEQ	ID	NO:	54	partial nucleotide sequence for the human cDNA fragment cloned in pYMP6 (forward primer, coding strand).
2.5	SEQ	ID	ио:	55	partial nucleotide sequence for the human cDNA fragment cloned in pYMP6 (reverse primer, non-coding strand).
25	SEQ	ID	NO:	56	partial nucleotide sequence for the human cDNA fragment cloned in pYMP17 (forward primer, coding strand).
30	SEQ	ID	NO:	57	partial nucleotide sequence for the human cDNA fragment cloned in pYMP17 (reverse primer, non-coding strand).
35	SEQ	ID	NO:	58	nucleotide sequence of the human alpha-2-macroglobulin cDNA.
	SEQ	ID	NO:	59	amino acid sequence of the human alpha-

2-macroglobulin protein.

SEQ ID NO: 60 partial nucleotide sequence for the fragment of the human alpha-2-5 macroglobulin cDNA cloned in pYMP30 (reverse primer, non-coding strand). partial nucleotide sequence of the SEQ ID NO: 61 fragment of human cDNA cloned in pYMP11 10 (forward primer, coding strand). SEQ ID NO: 62 partial nucleotide sequence of the fragment of human cDNA cloned in pYMP11 (reverse primer, non-coding strand). 15 SEQ ID NO: 63 partial nucleotide sequence of the fragment of human cDNA cloned in pYMP12 (forward primer, coding strand). 20 SEQ ID NO: 64 partial nucleotide sequence of the fragment of human cDNA cloned in pYMP12 (reverse primer, non-coding strand). SEO ID NO: 65 amino acid sequence of the mouse APC-2 25 CDNA. SEQ ID NO: 66 nucleotide sequence of a C. elegans Ibeta-1,3-N-acetylaminyltransferase cDNA (F22F7.6). 30 SEQ ID NO: 67 amino acid sequence of a C. elegans Ibeta-1,3-N-acetylaminyltransferase protein (F22F7.6). 35 nucleotide sequence of the C. elegans SEQ ID NO: 68

alpha-2-macroglobulin cDNA ZK337.1a.

	SEQ	ID	NO:	69	nucleotide sequence of the <i>C. elegans</i> alpha-2-macroglobulin cDNA ZK337.1b
5	SEQ	ID	NO:	70	amino acid sequence of the <i>C. elegans</i> alpha-2-macroglobulin protein ZK337.1a.
	SEQ	ID	NO:	71	amino acid sequence of the <i>C. elegans</i> alpha-2-macroglobulin protein ZK337.1b.
10	SEQ	ID	NO:	72	cDNA sequence for the <i>C. elegans</i> I-beta-1,3-N-acetylaminyltransferase homologue C18C1.3.
15	SEQ	ID	NO:	73	amino acid sequence for the <i>C. elegans</i> I-beta-1,3-N-acetylaminyltransferase homologue C18C1.3.
20	SEQ	ID	NO:	74	cDNA sequence for the <i>C. elegans</i> I-beta-1,3-N-acetylaminyltransferase homologue K09C8.4.
25	SEQ	ID	NO:	75	amino acid sequence for the <i>C. elegans</i> I-beta-1,3-N-acetylaminyltransferase homologue K09C8.4.
23	SEQ	ID	NO:	76	amino acid sequence for the <i>C. elegans</i> I-beta-1,3-N-acetylaminyltransferase homologue F21H7.10.
30	SEQ	ID	NO:	77	cDNA sequence for the <i>C. elegans</i> I-beta-1,3-N-acetylaminyltransferase homologue C54C8.2.
35	SEQ	ID	NO:	78	amino acid sequence for the <i>C. elegans</i> I-beta-1,3-N-acetylaminyltransferase homologue C54C8.2.

SEQ ID NO: 79 cDNA sequence for the C. elegans Ibeta-1,3-N-acetylaminyltransferase homologue F56H6.6. 5 amino acid sequence for the C. elegans SEQ ID NO: 80 I-beta-1,3-N-acetylaminyltransferase homologue F56H6.6. SEQ ID NO: 81 cDNA sequence for the C. elegans I-10 beta-1,3-N-acetylaminyltransferase homologue T15D6.4. SEQ ID NO: 82 amino acid sequence for the C. elegans I-beta-1,3-N-acetylaminyltransferase 15 homologue T15D6.4. SEQ ID NO: 83 amino acid sequence of the extracellular part of the C. elegans unc-5 protein. 20 SEQ ID NO: 84 amino acid sequence of the transmembrane region of the C. elegans unc-5 protein. 25 SEQ ID NO: 85 amino acid sequence of the membrane proximal part of the C. elegans unc-5 protein. SEQ ID NO: 86 amino acid sequence of the zonula 30 occludens part of the C. elegans unc-5 protein. SEQ ID NO: 87 amino acid sequence of a part of the C. elegans unc-5 protein of unknown 35 function. SEQ ID NO: 88 amino acid sequence of the death domain :

20

25

35

of	the	C.	elegans	unc-5	protein.
----	-----	----	---------	-------	----------

- SEQ ID NO: 89 amino acid sequence of the human HS1 protein.
- SEQ ID NO: 90 amino acid sequence of the human UNC5C protein.
- SEQ ID NO: 91 complete nucleotide sequence of plasmid pGC1037.
  - GEO ID NO: 92 complete nucleotide sequence of plasmid pGC1003.
- 15 SEQ ID NO: 93 amino acid sequence of C. elegans unc40.
- SEQ ID NO: 94 nucleotide sequence of *C. elegans* unc-

SEQ ID NO: 95 amino acid sequence of human unc-40.

SEQ ID NO: 96 nucleotide sequence of human unc-40.

# ACCESSION NUMBERS:

Human beta-fodrin cDNA-GenBank S65762

Human beta-fodrin protein-swissprot Q01082

Human APC-1 cDNA-GenBank M74088

Human APC-1 protein-swissprot P25054

Human unc-14 cDNA (KIAA0375)-GenBank AB002373

Human unc-14 protein (KIAA0375)-BAA20830

Human yk17a3 cDNA (KIAA0187)-GenBank D80009

5 Human yk17a3 protein (KIAA0187)-SPTREMBL:Q14692

TABLE 1: Schematic representation of dimerisations of C. elegans unc-5, using constructions in pAS2 and pGAD424

pGAD424										
	full length unc-5 (1016)	Dd (1008)	MPP (1009)	MPP + ZO-1 (1010)	MPP + ZO-1 + UP (1011)	UP (1013)	20-1 (1012)	empty pGAD424		
full length unc-5 (1006)	nd	nd	nd	nd	nd	nd	nd	not blue		
UP + DD (1000) auto-activation	nd	blue	nd	nd	nd	nđ	nd	blue		
MPP (1001)	nd	nd	nd	nd	nd	nd	nd	nd		
MPP + ZO-1 (1002)	not blue	nd	nd	nd	nd	nd	nd	nd		
MPP + ZO-1 + UP (1003)	not blue	not blue	not blue	nd	blue	not blue	not blue	not blue		
ZO-1 (1007)	nd	nd	nd	nd	nd	nd	not blue	nd		
UP (1004)	nd	nnd	nd	nd	nd	not blue	nd	nd		
ZO-1 + UP (1005)	not blue	nd	nd	nd	nd	nd	blue	nd		
empty pAS2	not blue	nd	nd	nd	nd	nd	nd	nd		

oAS2

15

25

30

#### Claims:

- 1. A protein comprising the sequence of amino acids set forth in SEQ ID NO: 2 or a sequence of amino acids which differs from that set forth in SEQ ID NO: 2 only in conservative amino acid changes.
- 2. A nucleic acid comprising a sequence of nucleotides which encodes the protein claimed in claim10
  - 3. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 1 or a fragment thereof.
  - 4. An expression vector comprising the nucleic acid of claim 2 or claim 3.
- 5. A host cell or organism transformed or transfected with the expression vector of claim 4.
  - 6. An antibody which is capable of specifically binding to the protein claimed in claim 1 or an epitope thereof.
  - 7. A protein comprising the sequence of amino acids set forth in SEQ ID NO: 4 or a sequence of amino acids which differs from that set forth in SEQ ID NO: 4 only in conservative amino acid changes.
  - 8. A nucleic acid comprising a sequence of nucleotides which encodes the protein claimed in claim 7.
- 9. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 3 or a fragment thereof.

- 69 -

- 10. An expression vector comprising the nucleic acid of claim 8 or claim 9.
- 11. A host cell or organism transformed or transfected with the expression vector of claim 10.
  - 12. An antibody which is capable of specifically binding to the protein claimed in claim 7 or an epitope thereof.

13. A protein comprising the sequence of amino acids set forth in SEQ ID NO: 6 or a sequence of amino acids which differs from that set forth in SEQ ID NO: 6 only in conservative amino acid changes.

7.3

15

14. A nucleic acid comprising a sequence of nucleotides which encodes the protein claimed in claim 13.

- 20 15. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 5 or a fragment thereof.
- 16. An expression vector comprising the nucleic acid of claim 13 or claim 14.
  - 17. A host cell or organism transformed or transfected with the expression vector of claim 16.
- 30 18. An antibody which is capable of specifically binding to the protein claimed in claim 13 or an epitope thereof.
- 19. A method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which

10

15

20

25

30

35

method comprises:

providing a host cell containing a DNA construct comprising a reporter gene operatively linked to a promoter regulated by a transcription factor having a DNA binding domain and an activating domain;

expressing in said host cell a first hybrid DNA sequence encoding a first fusion protein comprising an UNC-5 protein or a fragment thereof fused in-frame to either the DNA binding domain or the activating domain of the said transcription factor;

expressing in said host cell a second hybrid DNA sequence encoding a second fusion protein comprising an interacting protein or a fragment thereof fused in-frame to either the DNA binding domain or the activating domain of the said transcription factor, such that when the first fusion protein comprises the activation domain of the said transcription factor the second fusion protein comprises the DNA binding domain of the said transcription factor and when the first fusion protein comprises the DNA binding domain of the transcription factor the second fusion protein comprises the activation domain;

contacting the host cell with a sample of the compound under test; and

detecting any binding of the UNC-5 protein or fragment thereof to the interacting protein or fragment thereof by detecting the production of any reporter gene product in the said host cell.

20. A method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

- 71 -

5

10

15

20

30

35

providing a transgenic cell or organism expressing a first fusion protein comprising an UNC-5 protein or a fragment thereof fused inframe to a first genetically encoded fluorophore and a second fusion protein comprising an interacting protein or a fragment thereof fused inframe to a second genetically encoded fluorophore, the first and second fluorophores being characterised in that the emission spectrum of one of the fluorophores overlaps with the absorption spectrum of the other fluorophore;

measuring the amount of fluorescence emitted from the fluorophore having an emission spectrum which overlaps with the absorption spectrum of the other fluorophore;

exposing the transgenic cell or organism to a compound under test; and

detecting any change in the amount of fluorescence emitted fluorescence emitted from the fluorophore having an emission spectrum which overlaps with the absorption spectrum of the other fluorophore.

21. A method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

providing a first reaction component comprising a first protein linked to a solid support containing a scintillant and a second reaction component comprising a second protein which has been radioactively labelled, wherein the first and second proteins are an UNC-5 protein or a fragment thereof and an interacting protein or a fragment thereof;

bringing the first and second reaction

WO 00/73328 PCT/EP00/05108

<del>-</del> 72 -

5

10

15

20

25

30

35

components into contact in an aqueous solution in the presence of a compound under test; and detecting binding of the first protein to the second protein by detecting light emission from the scintillant.

22. A method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

coating the wells of a microtiter plate with UNC-5 protein or a fragment thereof;

contacting the UNC-5 protein or fragment thereof with an aqueous solution comprising an interacting protein or a fragment thereof, said interacting protein being labelled with a tag which is directly or indirectly detectable, and a compound under test;

washing to remove the compound under test and any unbound tagged interacting protein; and detecting complexes of UNC-5 or a fragment thereof bound to the interacting protein or a fragment thereof by directly or indirectly detecting the presence of the tag.

23. A method of identifying compounds which are capable of inhibiting or enhancing the binding of an UNC-5 protein to an interacting protein previously identified as binding to the said UNC-5 protein, which method comprises:

exposing a cell or organism expressing UNC-5 and overexpressing nucleic acid encoding an interacting protein to the compound under test; and

screening for reversion of the overexpression phenotype of the cell or organism

WO 00/73328 PCT/EP00/05108

- 73 -

to wild-type.

24. A method as claimed in claim 23 wherein the organism is a nematode worm.

5

- 25. A method as claimed in claim 24 wherein the nematode worm is C. elegans.
- 26. A method as claimed in claim 23 wherein the cell is a mammalian cell line.
  - 27. A method as claimed in any one of claims 23 to 26 wherein the cell or organism further expresses a reporter gene encoding a reporter protein.

15

28. A method as claimed in claim 27 wherein the reporter protein is a fluorescent protein or a luminescent protein.

20

- 29. A method as claimed in any one of claims 19 to 28 wherein the UNC-5 protein is a  $C.\ elegans$  UNC-5 protein.
- 30. A method as claimed in any one of claims 19 to 28 wherein the UNC-5 protein is a human UNC-5 protein.
- 31. A method as claimed in claim 30 wherein the
- human UNC-5 protein is UNC-5C or a protein as claimed in any one of claims 1, 7, 13 or 71.
  - 32. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is a *C. elegans* UNC-5 protein or a fragment thereof.

35

33. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is *C. elegans* 

25

UNC-40.

- 34. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is human UNC-40.
- 35. A method as claimed in claim 34 wherein the UNC-40 protein comprises the sequence of amino acids set forth in SEO ID NO: 95.
- 36. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is a C. elegans spectrin  $\beta$ -chain/fodrin protein.
- 37. A method as claimed in claim 36 wherein the spectrin  $\beta$ -chain/fodrin protein comprises the sequence of amino acids set forth in SEQ ID NO: 12.
- 38. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is *C. elegans*20 APR-1.
  - 39. A method as claimed in claim 38 wherein the C. elegans APR-1 protein comprises the sequence of amino acids set forth in SEQ ID NO: 16.
  - 40. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is C. elegans UNC-14.
- 41. A method as claimed in claim 40 wherein the C. elegans UNC-14 protein comprises the sequence of amino acids set forth in SEQ ID NO: 20.
- 42. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 24.

- 75 -

- 43. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 28.
- 5 44. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of nucleotides set forth in SEQ ID NO: 32.
- 45. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 36.
- 46. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 40.

20

- 47. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 44.
- 48. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises the sequence of amino acids set forth in SEQ ID NO: 46.
- 49. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is a human UNC-5 protein.
- 50. A method as claimed in claim 49 wherein the human UNC-5 protein is UNC-5C or a protein as claimed in any one of claims 1, 7, 13 or 71.
- 51. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is human i-beta1,3-N-acetylaminyltransferase.
  - 52. A method as claimed in claim 51 wherein the

human i-beta-1,3-N-acetylaminyltransferase comprises the sequence of amino acids set forth in SEQ ID NO: 50.

- 5 53. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises a protein encoded by the nucleic acid of claim 72 or claim 73.
- 10 54. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises a protein encoded by the nucleic acid of claim 74 or claim 75.
- 15 55. A method as claimed in any one of claims 29 to 31 wherein the interacting protein is human alpha-2 macroglobulin.
- 56. A method as claimed in claim 55 wherein the alpha-2 macroglobulin comprises the sequence of amino acids set forth in SEQ ID NO: 59.
- 57. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises a protein encoded by the nucleic acid of claim 76 or claim 77.
- 58. A method as claimed in any one of claims 29 to 31 wherein the interacting protein comprises a protein encoded by the nucleic acid of claim 78 or claim 79.
  - 59. A method of identifying compounds which reduce or inhibit the lethal phenotype associated with the expression of the UNC-5 death domain in yeast, which method comprises:

exposing a yeast cell containing an

expression vector comprising nucleic acid encoding an UNC-5 protein or a fragment thereof comprising the death domain to a compound under test:

5

allowing the yeast cells to grow in the presence of the compound; and

screening for a reduction or inhibition of the lethal phenotype associated with the expression of the UNC-5 death domain in yeast.

10

- 60. A method as claimed in claim 59 wherein the UNC-5 protein is a *C. elegans* UNC-5 protein.
- 61. A method as claimed in claim 59 wherein the UNC-5 protein is a human UNC-5 protein.
  - 62. A method as claimed in claim 61 wherein the human UNC-5 protein is a protein as claimed in any one of claims 1, 7 or 13 or 71.

20

63. A method of identifying suppressers of the lethal phenotype associated with the expression of the UNC-5 death domain in yeast, which method comprises:

25

transfecting yeast cells containing an expression vector comprising nucleic acid encoding an UNC-5 protein or a fragment thereof comprising the death domain with a cDNA library cloned in a yeast expression vector;

30

allowing the transfected yeast cells to grow for one or more cell divisions; and

screening for reduction or inhibition of the lethal phenotype associated with the expression of the UNC-5 death domain in yeast.

35

64. A method as claimed in claim 63, which method further comprises the steps of:
identifying a transfected yeast cell

15

25

35

exhibiting a reduction or inhibition of the lethal phenotype associated with the expression of the UNC-5 death domain in yeast; and

isolating the cDNA clone(s) present in the transfected yeast cell which is/are responsible for conferring reduction or inhibition of the lethal phenotype.

- 65. A method as claimed in claim 63 or claim 64 wherein the UNC-5 protein is a *C. elegans* UNC-5 protein.
  - 66. A method as claimed in claim 63 or claim 64 wherein the UNC-5 protein is a human UNC-5 protein.
  - 67. A method as claimed in claim 66 wherein the human UNC-5 protein is a protein as claimed in any one of claims 1, 7, 13 or 71.
- 20 68. A method as claimed in claim 65 wherein the cDNA library is a *C. elegans* cDNA library.
  - 69. A method as claimed in claim 66 or claim 67 wherein the cDNA library is a human cDNA library.
  - 70. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 7.
- 71. A protein comprising a sequence of amino acids encoded by the nucleic acid molecule of claim 8.
  - 72. A nucleic acid which is obtainable by restriction enzyme digestion of the plasmid pYMP17 with the restriction enzymes EcoRI and XhoI.
  - 73. A nucleic acid as claimed in claim 72 which comprises the sequence of nucleotides set forth in SEQ

ID NO: 56 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 57.

- 74. A nucleic acid which is obtainable by restriction enzyme digestion of the plasmid pYMP6 with the restriction enzymes EcoRI and XhoI.
- 75. A nucleic acid as claimed in claim 74 which comprises the sequence of nucleotides set forth in SEQ ID NO: 54 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 55.
- 76. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 61 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEQ ID NO: 62.
- 77. A nucleic acid as claimed in claim 76 which is obtainable by restriction enzyme digestion of the plasmid pYMP11 with the restriction enzymes EcoRI and XhoI.
- 78. A nucleic acid comprising the sequence of nucleotides set forth in SEQ ID NO: 63 and a sequence of nucleotides complementary to the sequence of nucleotides set forth in SEO ID NO: 64.
- 79. A nucleic acid as claimed in claim 78 which is obtainable by restriction enzyme digestion of the plasmid pYMP12 with the restriction enzymes EcoRI and XhoI.
- 80. A nucleic acid probe which is capable of hybridizing to the nucleic acid of claim 70 under conditions of high stringency.

WO 00/73328 PCT/EP00/05108

- 80 -

- 81. An oligonucleotide comprising a sequence of 10 or more consecutive nucleotides of the sequence of nucleotides set forth in SEQ ID NO: 7.
- 5 82. An antisense nucleic acid which is capable of hybridizing to the sequence of nucleotides set forth in SEQ ID NO: 7 under conditions of high stringency.
- 10 83. An expression vector comprising the nucleic acid of claim 70.
  - 84. A host cell or organism transformed or transfected with the expression vector of claim 83.

85. An antibody which is capable of specifically binding to the protein claimed in claim 71.

15

F/G. 1.

Multalin version 5.3.3 Copyright I.N.R.A. France 1989, 1991, 1994, 1996 Published research using this software should cite Multiple sequence alignment with hierarchical clustering F. CORPET, 1988, Nucl. Acids Res., 16 22, 10881-10890 Symbol comparison table: blosum62 Gap weight: 12 Gap length weight: 2 Consensus levels: high=90% low=50% Consensus symbols: ! is anyone of IV \$ is anyone of LM % is anyone of FY # is anyone of NDOEBZ MSF: 1599 Check: 0 Name: UNC5C Len: 1599 Check: 410 Weight: 0.76
Name: UNC5C8 Len: 1599 Check: 1710 Weight: 0.76
Name: UNC5Cc Len: 1599 Check: 5512 Weight: 1.12
Name: UNC5Cd(UNC5Cb) Len: 1599 Check: 1388 Weight: 1.37 Name: Consensus Len: 1599 Check: 7845 Weight: 4.00 UNC5C TTGTTTGTGT ATCGGAAGAA TCATCGTGAC TTTGAGTCAG ATATTATTGA
UNC5C8 TTGTTTGTGT ATCGGAAGAA TCATCGTGAC TTTGAGTCAG ATATTATTGA UNC5Cc TTGTTTGTGT ATCGGAAGAA TCATCGTGAC TTTGAGTCAG ATATTATTGA
UNC5Cd TTGTTTGTGT ATCGGAAGAA TCATCGTGAC TTTGAGTCAG ATATTATTGA
Consensus TTGTTTGTGT ATCGGAAGAA TCATCGTGAC TTTGAGTCAG ATATTATTGA UNC5C CTCTTCGGCA CTCAATGGGG GCTTTCAGCC TGTGAACATC AAGGCAGCAA
UNC5C8 CTCTTCGGCA CTCAATGGGG GCTTTCAGCC TGTGAACATC AAGGCAGCAA UNC5Cc CTCTTCGGCA CTCAATGGGG GCTTTCAGCC TGTGAACATC AAGGCAGCAA
UNC5Cd CTCTTCGGCA CTCAATGGGG GCTTTCAGCC TGTGAACATC AAGGCAGCAA Consensus CTCTTCGGCA CTCAATGGGG GCTTTCAGCC TGTGAACATC AAGGCAGCAA UNC5C GACAAGATCT GCTGGCTGTA CCCCCAGACC TCACGTCAGC TGCAGCCATG
UNC5C8 GACAAGATCT GCTGGCTGTA CCCCCAGACC TCACGTCAGC TGCAGCCATG
UNC5C6 GACAAGATCT GCTGGCTGTA CCCCCAGACC TCACGTCAGC TGCAGCCATG
UNC5C6 GACAAGATCT GCTGGCTGTA CCCCCAGACC TCACGTCAGC TGCAGCCATG
UNC5C6 GACAAGATCT GCTGGCTGTA CCCCCAGACC TCACGTCAGC TGCAGCCATG Consensus GACAAGAtct gctggctgta cccccagaCC TCACGTCAGC TGCAGCCATG UNCSC TACAGAGGAC CTGTCTATGC CCTGCATGAC GTCTCAGACA AAATCCCAAT UNC5C8 TACAGAGGAC CTGTCTATGC CCTGCATGAC GTCTCAGACA AAATCCCAAT UNC5CC TACAGAGGAC CTGTCTATGC CCTGCATGAC GTCTCAGACA AAATCCCAAT UNC5CC TACAGAGGAC CTGTCTATGC CCTGCATGAC GTCTCAGACA AAATCCCAAT Consensus TACAGAGGAC CTGTCTATGC CCTGCATGAC GTCTCAGACA AAATCCCAAT UNC5C GACCAACTCT CCAATTCTGG ATCCACTGCC CAACCTGAAA ATCAAAGTGT UNC5C8 GACCAACTCT CCAATTCTGG ATCCACTGCC CAACCTGAAA ATCAAAGTGT
UNC5CC GACCAACTCT CCAATTCTGG ATCCACTGCC CAACCTGAAA ATCAAAGTGT
UNC5CC GACCAACTCT CCAATTCTGG ATCCACTGCC CAACCTGAAA ATCAAAGTGT
UNC5CC GACCAACTCT CCAATTCTGG ATCCACTGCC CAACCTGAAA ATCAAAGTGT Consensus GACCAACTCT CCAATTCTGG ATCCACTGCC CAACCTGAAA ATCAAAGTGT UNC5C ACAACACCTC AGGTGCTGTC TCCCCCCAAG ATGACCTCTC TGAGTTTACG
UNC5C8 ACAACACCTC AGGTGCTGTC ACCCCCCAAG ATGACCTCTC TGAGTTTACG
UNC5C6 ACAACACCTC AGGTGCTGTC ACC------UNC5Cd ACAACACCTC AAGTGCTGTC ACCCCCCAAG ATGACCTCTC TGAGTTTACG Consensus ACAACACCTC AGGTGCTGTC aCCccccaag atgacctctc tgagtttacg 301 UNC5C TCCAAGCTGT CCCCTCAGAT GACCCAGTCG TTGTTGGAGA ATGAAGCCCT UNC5C8 TCCAAGCTGT CCCCTCAGAT GACCCAGTCG TTGTTGGAGA ATGAAGCCCT UNC5Cc UNC5Cd TCCAAGCTGT CCCCTCAGAT GACCCAGTCG TTGTTGGAGA ATGAAGCCCT Consensus tccaagctgt cccctcagat gacccagtcg ttgttggaga atgaagccct

	2/	PCT/EP00/05108			
F1G	/ (CONT	INVED 1,	)		
UNC5C UNC5C8 UNC5Cc	351 CAGCCTGAAG CAGCCTGAAG	AACCAGAGTC AACCAGAGTC	TAGCAAGGCA	GACTGATCCA	TCCTGTACCG
UNC5Cd Consensus	CAGCCTGAAG cagcctgaag	AACCAGAGTC	TAGCAAGGCA	GACTGATCCA	TCCTGTACCG
UNC5C UNC5C8 UNC5Cc UNC5Cd Consensus	CATTTGGCAG CATTTGGCAG	CTTCAACTCG CTTCAACTCG	CTGGGAGGTC CTGGGAGGTC CTGGGAGGTC	ACCTTATTGTTATTGT ACCTTATTGT	TCCCAATTCA TCCCAATTCA TCCCAATTCA
UNC5C UNC5C8 UNC5Cc UNC5Cd Consensus	451 GGAGTCAGCT GGAGTCAGCT GGAGTCAGCT GGAGTCAGCT	TGCTGATTCC TGCTGATTCC TGCTGATTCC TGCTGATTCC	CGCTGGGGCC CGCTGGGGCC CGCTGGGGCC CGCTGGGGCC	ATTCCCCAAG ATTCCCCAAG ATTCCCCAAG ATTCCCCAAG	500 GGAGAGTCTA GGAGAGTCTA GGAGAGTCTA
UNC5C UNC5C8 UNC5Cc UNC5Cd Consensus	CGAAATGTAT CGAAATGTAT CGAAATGTAT	GTGACTGTAC GTGACTGTAC GTGACTGTAC	ACAGGAAAGA ACAGGAAAGA ACAGGAAAGA ACAGGAAAGA ACAGGAAAGA	AACTATGAGG AACTATGAGG AACTATGAGG	CCACCCATGG CCACCCATGG
UNC5C8 UNC5C8 UNC5Cc UNC5Cd Consensus	ATGACTCTCA ATGACTCTCA ATGACTCTCA	GACACTTTTG GACACTTTTG GACACTTTTG	ACCCCTGTGG ACCCCTGTGG ACCCCTGTGG ACCCCTGTGG	TGAGCTGTGG TGAGCTGTGG TGAGCTGTGG	GCCCCAGGA GCCCCAGGA GCCCCAGGA
UNC5C UNC5C8 UNC5Cc UNC5Cd Consensus	GCTCTGCTCA GCTCTGCTCA GCTCTGCTCA	CCCGCCCCGT CCCGCCCCGT	CGTCCTCACT CGTCCTCACT CGTCCTCACT CGTCCTCACT CGTCCTCACT	ATGCATCACT ATGCATCACT ATGCATCACT	GCGCAGACCC GCGCAGACCC
UNCSC UNCSC8 UNCSCc UNCSCd Consensus	CAATACCGAG CAATACCGAG CAATACCGAG	GACTGGAAAA GACTGGAAAA GACTGGAAAA	TACTGCTCAA TACTGCTCAA TACTGCTCAA TACTGCTC TACTGCTCaa	GAACCAGGCA GAACCAGGCA	GCACAGGGAC GCACAGGGAC
UNC5C UNC5C8 UNC5Cc UNC5Cd Consensus	701 AGTGGGAGGA AGTGGGAGGA AGTGGGAGGA	TGTGGTGGTG TGTGGTGGTG TGTGGTGGTG	GTCGGGGAGG GCCGGGGAGG GTCGGGGAGG  g cggggagg	AAAACTTCAC AAAACTTCAC AAAACTTCAC	750 CACCCCCTGC CACCCCTGC CACCCCTGC
UNC5C UNC5C8 UNC5Cc UNC5Cd Consensus	751 TACATTAAGC TACATTAAGC TACATTCAGC	TGGATGCAGA TGGATGCAGA TGGATGCAGA	GGCCTGCCAC GGCCTGCCAC GGCCTGCCAC GGCCTGCCAC	ATCCTCACAG ATCCTCACAG ATCCTCACAG	800 AGAACCTCAG AGAACCTCAG AGAACCTCAG
UNC5C UNC5C8 UNC5Cc UNC5Cd Consensus	801 CACCTACGCC CACCTACGCC CACCTACGCC	CTGGTAGGAC CTGGTAGGAC CTGGTAGGAC	ATTCCACCAC ATTCCACCAC ATTCCACCAC attccaccac	CAAAGCGGCT CAAAGCGGCT CAAAGCGGCT	850 GCAAAGCGCC GCAAAGCGCC GCAAAGCGCC
UNC5C UNC5C8 UNC5Cc UNC5Cd Consensus	851 TCAAGCTGGC TCAAGCTGGC TCAAGCTGGC	CATCTTTGGG CATCTTTGGG CATCTTTGGG	CCCCTGTGCT CCCCTGTGCT CCCCTGTGCT	GCTCCTCGCT GCTCCTCGCT GCTCCTCGCT	900 GGAGTACAGC GGAGTACAGC GGAGTACAGC GGAGTACAGC

### FIG. 1 (CONTINUED 2).

, 0. , ,		2).			
	901				950
UNC5C	ATCCGAGTCT	ACTGTCTGGA	TGACACCCAG	GATGCCCTGA	AGGAAATTTT
UNC5C8		ACTGTCTGGA			
UNC5Cc	ATCCGAGTCT	ACTGTCTGGA	TGACACCCAG	GGTGCCCTGA	AGGAAATTTT
UNC5Cd	ATCCGAGTCT	ACTGTCTGGA	TGACACCCAG	GATGCCCTGA	AGGAAATTTT
Consensus		ACTGTCTGGA			
	951				1000
UNC5C		AGACAGACGG	GAGGACAGCT	ССТАСААСАА	
UNC5C8		AGAXXXXXXX			
UNC5Cc		AGACAGACGG			
UNC5Cd		AGACAGACGG			
Consensus	ACAICIIGAG	AGAcagacgg	gaggacagct	cctagaagaa	CCEAAGGCIC
	1001				
	1001				1050
UNCSC		AGGCAGCACC			
UNC5C8		AGCANGCANC			
UNC5Cc	TTCATTTTAA	AGGCAGCACC	CACAACCTGC	GCCTGTCAAT	TCACGATATC
UNC5Cd		AGGCAGCACC			
Consensus	TTCATTTLAA	AGgcaGCAcC	CacaAccTGc	GCCTGTCAAT	TCaCGATATC
	1051				1100
UNC5C	GCCCATTCCC	TCTGGAAGAG	CAAATTGCTG	GCTAAATATC	AGGAAATTCC
UNC5C8	GCCCATTCCC	TCTGAAAGAG	CAAATTGCTG	GCTAAATATC	AGGAAATTCC
UNC5Cc	GCCCGTTCCC	TCTGGAAGAG	CAAATTGCTG	GCTAAATATC	AGGAAATTCC
UNC5Cd	GCCCATTCCC	TCTGGAAGAG	CAAATTGCTG	GCTAAATATC	AGGAAATTCC
Consensus	GCCCaTTCCC	TCTGGAAGAG	CAAATTGCTG	GCTAAATATC	AGGAAATTCC
		2			-
	1101				1150
UNC5C		GTTTGGAGTG	GATCTCAAAG	AAACCTGCAC	
UNC5C8		GTTTGGAGTG			
UNC5Cc		GTTTGGAGTG			
UNC5Cd		GTTTGGAGTG			
Consensus		GTTTGGAGTG			
Consensus	ATTTTACCAT	GIIIGGAGIG	GATCTCAAAG	AMACCIGCAC	IGCACCIICA
	1151				1200
INICEC		ATTTAGCCTG	3 3 C3 C3 C7CC	N C C C C C C C C C C C C C C C C C C C	
UNCSC		ATTTAGCCTG			
UNC5C8					
UNC5Cc	CTCTGGAAAG	ATTTAGCCTG	AACACAGTGG	AGCTGGTTTG	CAAACTCTGT
UNC5Cd		ATTTAGCCTG			
Consensus	CTCTGGAAAG	ATTTAGCCTG	AACACAGTGG	AGCTGGTTTG	CAAACTCTGT
	1201				1250
UNCSC		TGGAAGGAGA			
UNC5C8		TGGAAGGAGA			
UNC5Cc	GTGCGGCAGG	TGGAAGGAGA	AGGGCAGATC	TTCCAGCTCA	ACTGCACCGT
UNC5Cd		TGGAAGGAGA			
Consensus	GTgCGGCAGG	TGGAAGGAGA	AGGGCAGATC	TTCCAGCTCA	ACTGCACCGT
	1251				1300
UNC5C	GTCAGAGGAA	CCTACTGGCA	TCGATTTGCC	GCTGCTGGAT	CCTGCGAACA
UNC5C8	GTCAGAGGAA	CCTACTGGCA	TCGATTTGCC	GCTGCTGGAT	CCTGCGAACA
UNC5Cc					CCTGCGAACA
UNC5Cd					CCTGCGAACA
Consensus	GTCAGAGGAA	CCTACTGGCA	TCGATTTGCC	GCTGCTGGAT	CCTGCGAACA
	1301				1350
UNC5C		GGTCACGGGG	CCCAGTGCTT	TCAGCATCCC	
UNC5C8		GGTCACGGGG			
UNC5Cc	CCATCACCAC	GGTCACGGGG	CCCAGIGCII	TCAGCATCCC	TCTCCCTATC
	CCATCACCAC	GGT CACGGGG	CCCAGIGCII	TCAGCATCCC	TCTCCCTATC
UNC5Cd		GGTCACGGGG			
Consensus	CCATCACCAC	GGTCACGGGG	CCCAGTGCTT	TCAGCATCCC	TCTCCCTATC
	1351				1400
UNC5C					GAGGCCATGA
UNC5C8					GAGGCCATGA
UNC5Cc	CGGCAGAAGC	TCTGTAGCAG	CCTGGATGCC	CCCCAGACGA	GAGGCCATGA
UNC5Cd	CGGCAGAAGC	TCTGTAGCAG	CCTGGATGCC	CCCCAGACGA	GAGGCCATGA
Consensus					GAGGCCATGA
	1401				1450
UNC5C	CTGGAGGATG	CTGGCCCATA	AGCTGAACCT	GGACAGGTAC	
UNC5C8		CTGGCCCATA			
UNC5Cc		CTGGCCCATA			
UNC5Cd	CTGGAGGATG	CTGGCCCATA	AGCTGAACCT	GGACAGGTAC	TTGAATTACT
Consensus	CTGGAGGATG	CTGGCCCATA	AGCTGAACCT	GGACAGGTAC	ተተርልልጥተልርጥ
Consensus				JULICUGATAC	- LUMMI IMCI
	SUBS	TITUTE SHEET	(RULE 26)		
			/		

FIG. 1 (CONTINUED 3).

	1451				1500
UNC5C	TTGCCACCAA	ATCCAGCCCA	ACTGGCGTAA	TCCTGGATCT	1500 TTGGGAAGCA
UNC5C8		ATCCAGCCCA		TCCTGGATCT	TTGGGAAGCA
UNC5Cc		ATCCAGCCCA		TCCTGGATCT	TTGGGAAGCA
UNC5Cd	TTGCCACCAA	ATCCAGCCCA	ACTGGCGTAA	TCCTGGATCT	TTGGGAAGCA
Consensus	TTGCCACCAA	ATCCAGCCCA	ACTGGCGTAA	TCCTGGATCT	TTGGGAAGCA
	1501				
UNCSC	CAGAACTTCC	CAGATGGAAA	CCTGAGCATG	CDCCC CARCO	1550
UNC5C8	CAGAACTTCC		CCTGAGCATG	CTGGCAGCTG	TCTTGGAAGA
UNC5Cc	CAGAACTTCC			CTGGCAGCTG	TCTTGGAAGA
UNCSCd	CAGAACTTCC	CAGATGGAAA		CTGGCAGCTG	TCTTGGAAGA
Consensus		CAGATGGAAA		CTGGCAGCTG	TCTTGGAAGA
consensus	CAGAACTTCC	CAGATGGAAA	CCTGAGCATG	CTGGCAGCTG	TCTTGGAAGA
	1551				3.500
UNC5C	AATGGGAAGA	CATGAAACGG	TGGTGTCCTT	AGCAGCAGAA	1599
UNC5C8	AATGGGAAGA	CATGAAACGG	TGGTGTCCTT	AGCAGCAGAA	
UNC5Cc	AATGGGAAGA	CATGAAACGG	TGGTGTCCTT		GGGCAGTAT
UNCSCd	AATGGGAAGA	CATGAAACGG		AGCAGCAGAA	GGGCAGTAT
Consensus	AATGGGAAGA		TGGTGTCCTT	AGCAGCAGAA	GGGCAGTAT
00110011303	MANUOUNA	CATGAAACGG	TGGTGTCCTT	AGCAGCAGAA	GGGCAGTAT

Consensus

F/G. 2.

```
Multalin version 5.3.3
Copyright I.N.R.A. France 1989, 1991, 1994, 1996
Published research using this software should cite
Multiple sequence alignment with hierarchical clustering
F. CORPET, 1988, Nucl. Acids Res., 16 22, 10881-10890
Symbol comparison table: blosum62
Gap weight: 12
Gap length weight: 2
Consensus levels: high=90% low=50%
Consensus symbols:
 ! is anyone of IV
 $ is anyone of LM
 % is anyone of FY
 # is anyone of NDQEBZ
 MSF:
        2908
               Check:
                         0
 Name: ratunc5h1 Len: 2908 Check: 8912 Weight:
                                                           0.87
 Name: ym97d12 Len: 2908 Check: 4745 Weight: 0.87
Name: 1G Len: 2908 Check: 1058 Weight: 1.05
 Name: lJrc
                     Len: 2908 Check: 508 Weight: 1.04
                     Len: 2908 Check: 6768 Weight: 1.04
Len: 2908 Check: 8193 Weight: 1.13
 Name: 2Brc
 Name: 3D
 Name: Consensus Len: 2908 Check: 6031 Weight:
                                                           6.00
11
                                                                    50
           ATGGCCGTCC GGCCCGGCCT GTGGCCAGTG CTCCTGGGCA TAGTCCTCGC
 ratunc5h1
   ym97d12
        1G
      1Jrc
      2Brc
        3D
 Consensus
            CGCCTGGCTT CGTGGTTCGG GTGCCCAGCA GAGTGCCACG GTGGCCAATC
 ratunc5h1
   ym97d12
        1G
      1Jrc
      2Brc
        3D
 Consensus
           CAGTGCCGG TGCCAACCC GACCTGCTGC CCCACTTCCT GGTAGAGCCT
 ratunc5h1
   ym97d12
         1G
       1Jrc
       2Brc
         3D
 Consensus
 ratunc5h1
            GAGGACGTGT ACATTGTCAA GAACAAGCCG GTGTTGTTGG TGTGCAAGGC
   ym97d12
         1G
       1Jrc
       2Brc
         3D
```

# FIG. 2 (CONTINUED 1).

ratunc5hl ym97d12 1G 1Jrc 2Brc 3D Consensus	201 TGTGCCTGCC	ACCCAGATCT	TCTTCAAGTG	CAATGGGGAA	250 TGGGTCCGCC
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	251 AGGTCGATCA	CGTAATTGAA	CGCAGCACCG	ACAGCAGCAG	300 CGGATTGCCA
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	301 ACCATGGAGG	TCCGTATCAA	CGTATCGAGG	CAGCAGGTAG	350 AGAAAGTGTT
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	351 TGGGCTGGAG	GAATACTGGT	GCCAGTGTGT	GGCATGGAGC	400 TCCTCGGGTA
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	401 CCACCAAAAG	TCAGAAGGCC	TACATCCGGA	TTGCCTATTT	450 GCGCAAGAAC
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	451 TTTGAGCAGG	AGCCACTGGC	CAAGGAAGTG	TCACTGGAGC	500 AAGGCATTGT
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	501 ACTACCTTGT	CGCCCCCAG	AAGGAATCCC	CCCAGCTGAG	550 GTGGAGTGGC

3D

Consensus

.7/18

FIG. 2 (CONTINUED 2)

	F16. 200	ONTINUED	<i>2)</i> .		
ratunc5hl ym97d12 1G 1Jrc 2Brc 3D Consensus	551			TCGATCCCAA	600 TGTGTACATC
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	601 ACGCGGGAGC	ACAGCCTAGT	CGTGCGTCAG	GCCCGCCTGG	650 CCGACACGGC
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	651 CAACTACACC	TGTGTGGCCA	AGAACATCGT	AGCCCGTCGC	700 CGAAGCACCT
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	701 CTGCAGCGGT	CATTGTTTAT	GTGAACGGTG	GGTGGTCGAC	750 GTGGACTGAG
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	751 TGGTCCGTCT	GCAGCGCCAG	CTGTGGGCGT	GGCTGGCAGA	800 AACGGAGCCG
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	801 GAGCTGCACC	AACCCGGCAC	CTCTCAACGG	GGGCGCCTTC	850 TGTGAGGGGC
ratunc5h1 ym97d12 1G 1Jrc 2Brc	851 AGAATGTCCA	GAAAACAGCC	TGCGCCACTC	TGTGCCCAGT	900 GGATGGGAGC

# FIG. 2(CONTINUED 3).

		· ·			
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	901 TGGAGTTCG	T GGAGTAAGTO	G GTCAGCCTG	F GGGCTTGACT	950 GCACCCACTG
ratunc5hl ym97dl2 1G 1Jrc 2Brc 3D Consensus	951 GCGGAGCCG	C GAGTGCTCTC	G ACCCAGCACC	C CCGCAATGGA	1000 GGTGAGGAGT
ratunc5hl ym97dl2 1G 1Jrc 2Brc 3D	1001 GTCGGGGTGC	C TGACCTGGAC	: ACCCGCAACT		1050 CCTCTGCCTG
Consensus				CAGIGA	CCICIGIGIA
ratunc5h1 ym97d12 1G 1Jrc	1051 CACACCGCTT	CTTGCCCCGA	GGACGTGGCT	CTCTAC <u>ATCG</u>	1100 GCCTTGTCGC
2Brc 3D Consensus	CACACTGCTT	CTGGCCCTGA	GGACGTGGCC	CTCTATGTGG	GCCTNATCGC
		Dredicted	+		
	1101		transmembr	_	1150
ratunc5h1 ym97d12 1G 1Jrc 2Brc	TGTGGCTGTG	TGCCTCTTCT	TGCTGTTGCT	GGCCCTTGGA	CTCATTTACT
3D Consensus	CGTGGCCGNN	TGCCTGGTCC t t	TGCTGCTGCT c g	TGTCCTCATC CC C	CTCGTTTATT c c tt a
ratunc5h1 ym97d12 1G 1Jrc 2Brc	1151 <u>GT</u> CGCAAGAA	GGAAGGGCTG	GACTCCGATG	TGGCCGACTC	1200 GTCCATCCTC
3D Consensus	GCCGGAAGAA gcc aa	GGAGGGGCTG 99 9		TGGCTGACTC t c ga c	GTCCATTCTC t t tc
ratunc5h1 ym97d12 1G 1Jrc 2Brc	1201 ACCTCGGGCT	TCCAGCCTGT	CAGCATCAAG	CCCAGCAAAG	1250 CAGACAACCC
3D Consensus	ACCTCAGGCT cc a t	TCCAGCCCGT t g cc t	CAGCATCAAG agc a	CCCAGCAAAG ca g	

### FIG. 2 (CONTINUED 4).

	10.2 (20)	VIIVUED	· /·		
ratunc5h1 ym97d12 1G	1251 CCACCTGCTC	ACCATCCAGC	CAGACCTCAG	CACCACCACT	1300 ACCACCTACC
1Jrc 2Brc 3D Consensus	ACTTGGGTTC	- CCNTCAAGT	TGTCAATG	GGGTGGCCCT GGGNGCCCCT CACCACCACC	GAATCA
		_	5		
ratunc5h1 ym97d12 1G 1Jrc 2Brc	1301 AGGGCAGTCT	ATGTTCGAGG	CAGGATGGAC	CCAGCCCCAA	1350 GTTCCAGCTC
3D Consensus	AGGGCAGTCT ag a t	NTGTCCCCGG tgt gg	CAGGATGGGC gg tgg	CCAGCCCCAA c agc c	GTTCCAGCTC ccag
	1351				1400
ratunc5h1 ym97d12					ACACTGCA
1G 1Jrc 2Brc		TCAG	CCCCCTGGGT	GGCGGCCGCC	ACACACTGCA
3D Consensus	ACCAATGGGC aa g c	ACCTGCTCAG cct tcag	CCCCCTGGGT ccc cctggg	g ggccgCC	
	1401				1450
ratunc5hl ym97d12 1G 1Jrc	CCACAGCTCT	CCCACCTCTG	AGGCCGAGGA	CTTCGTCTCC GTTCGTCTCC GTTCGTCTCC	CGCCTCTCCA CGCCTCTCCA
2Brc					
3D Consensus	CCACAGCTCT cCacagCtct	CCAACCTNTG cCcacctctG	AGGCCNAGGA aggcc AGGa	GTTCGNNTCC gttCg tcc	CGCCTTTCCA cGccT Tcca
ratunc5h1 ym97d12 1G 1Jrc 2Brc	CCCAGAACTA	CTT-CCGCTC	CCTGCCCCGA	GGCACCAGCA GGCACCAGCA GGCACCAGCA	ACATGACCTA
3D Consensus	CCCAGAACTA cccagaacTa	CTTNCGGTTC ctT cgGttC	CTTGCCCCCA ctTgccCcga	GGCNCCAGCA GGc ccagca	ACATGACCTT acAtGaCCT
ratunc5h1 ym97d12 1G 1Jrc 2Brc	TGGGACCT	TCA-ACTTCC	TCGGGGG-CC	GGCTGATGAT GGCTGATGAT GGCTGATGAT	CCCTAATA
3D Consensus	ATGGGGACCT gGGaCCT	TTAAATTTCT t acTTCc	TCGGGGGNCC TcggggG CC	GGNTTATGAA Gg t atga	NCCCTAATTC cc atTc
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	CAGGAATC CAGGAATC CAGGAATC CAGGAATC CAGGGAATTA	AGCCTCCT-C AGCCTCCT-C AGCCTCCT-C AACCTTCTTA	ATCCCCCAG ATCCCCCAG ATCCCCCAG ATCCCCCAA	ATGCCATCCC ATGCCATACC ATGCCATACC ATGCCATACC ATGCCATACC ATGCCANACC ATGCCALACC	CC-GAGGGAA CC-GAGGGAA CC-GAGGGAA CC-GAGGGAA CCCGANGGAA

Consensus

### FIG. 2 (CONTINUED 5).

ratunc5h1 ym97d12 1G	GATCT-ATGA GATCT-ATGA	A GATCTACCTC A GATCTGCCTC	: ACGCTGCACA : ACGCTGCACA	AGCCGGAAGA AGCCGGAAGA	1650 CGTGAGGTTG CGTGAGGTTG
1Jrc	GATCT-ATGA	GATCTACCTC	ACGCTGCACA	AGCCGGAAGA	CGTGAGGTTG
2Brc	GATCT-ATGA	GATCTACCTC	' ACGCTGCGCA	AGCCGGAAGA	CGTGAGGTTG
3 D.	NATCINTIGN	NAACTACCTT	' AA	ANCTTGANNA	AGCCCGGAAA
Consensus	gATCT atGa	gAtCTaCCTc	AcgctgcacA	AgCcgGAagA	cGtgaGGttg
					Jacoby
_,	1651				1700
ratunc5h1	CCCCTAGCTG	GCTGTCAGAC	CCTGCTGAGT	CCAGTCGTTA	GCTGTGGGCC
ym97d12	CCCCTAGCTG	GCTGTCAGAC	CCTGCTGAGT	CCCATCGTTA	GCTGTGGACC
1G	CCCCTAGCTG	GCTGTCAGAC	CCTGCTGAGT	CCCATCGTTA	GCTGTGGACC
1Jrc	CCCCTAGCTG	GCTGTCAGAC	CCTGCTGAGT	CCCATCGTTA	GCTGTGGACC
2Brc	CCCCTAGCTG	GCTGTCAGAC	CCTGCTGAGT	CCCATCGTTA	GCTGTGGACC
3D	AACC				
Consensus	cccctagctg	gctgtcagac	cctgctgagt	cccatcgtta	gctgtggacc
	1701				
ratunc5h1		CCTCCTCT	666661		1750
ym97d12	CCCA-GGAGI	CCTGCTCACC	CGGCCAGTCA	T-CCTTG-CA	ATGGACCACT
7	CCCT-GGCGT	CCTGCTCACC	CGGCCAGTCA	T-CCTGG-CT	ATGGACCACT
lJrc	CCCT-GGCGT	CCTGCTCACC	CGGCCAGTCA	T-CCTGG-CT	ATGGACCACT
2Brc	CCCT-GGCGT	CCTGCTCACC	CGGCCAGTCA	T-CCTGG-CT	ATGGACCACT
3D	CCC1-GGCG1	CCTGCTCACC	CGGCCAGTCA	T-CCTGG-CT	ATGGACCACT
Consensus	ccct ageat	cctactaca	caaaaaataa	<b>.</b>	
	cece ggege	cctgctcacc	eggeeagtea	t cetgg et	atggaccact
	1751				1000
ratunc5h1		CCCA-GCCCT	-GACAGCT	GGAGTC-TGC	1800
ym97d12	GT GGGGAG	CCCA-GCCCT	-GACAGC - T	GGAGCC-TGC	CCCT CAA
1G		CCCA-GCCCT	-GACAGC - T	GGAGCC-TGC	CCCT CAA
1Jrc		CCCA-GCCCT	-GACAGC - T	GGAGCC-TCC	GCCI CAA
2Brc	GT GGGGAG	CCCA-GCCCT	-GACAGC - T	GGAGCC-TGC	CCCT - CAA
3D			4	odridee 100	GCC1CAA
Consensus	gt ggggag	ccca gccct	gacage t	ggagee tge	gcct caa
		J	<b>.</b> .	22-346 696	geee caa
	1801				1850
ratunc5h1	AAAGCAG-TC	CTGC-GAGGG	CAGTTGGG	-AGGATGTGC	
ym97d12	AAAGCAG-TC	GTGC-GAGGG	CAGCTGGG	-AGGATGTGC	-TGCACCT-G
1G	AAAGCAG-TC	GTGC-GAGGG	CAGCTGGG	-AGGGTGTGC	
1Jrc	AAAGCAG-TC	GTGC-GAGGG	CAGCTGGG	-AGGATGTGC	
2Brc	AAAGCAG-TC	GTGC-GAGGG	CAGCTGGG	-AGGATGTGC	
3D					
Consensus	aaagcag tc	tgc gaggg	cagctggg	aggatgtgc	tgcacct q
					- 5
ratunc5h1	1851	G1 GG======			1900
	GGTGAGGAGT	CACCTTCCCA	CCTCTACTAC	TGCCAGCTGG	AGGCCGGGGC
ym97d12	GGCGAGGAGG	CGCCCTCCCA	CCTCTACTAC	TGCCAGCTGG	AGGCCAGTGC
1G	GGCGAGGAGG	CGCCCTCCCA	CCTCTACTAA	NTAAANCCCN	AA-TTNTTGC
1Jrc 2Brc		CGCCCTCCCA			
2B1C 3D	GGCGAGGAGG	CGCCCTCCCA	CCTCTACTAA	G	
Consensus	~~~~				
Consensus	ggcgaggag	cgccctccca	cctctacta		
	1901				
ratunc5h1		TTCXCCCXCC	A COMOCOCO	amma.c	1950
ym97d12	CTGCTAIGIC	TTCACGGAGC	ACCTCCCCCC	CTTTGCCCTG	GTAGGAGAGG
1G	AAAAATCCNT	TTCACCGAGC TTAAAATTGT	MC - CMCCCC	CITIGCCCTG	GTGGGAGAGG
1Jrc		ITUUUMIIGI	MGGNCCCN	IINAAACCTN	
2Brc					
3D					
Conconsus					


## FIG. 2 (CONTINUED 6).


ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	CCCTCAGCGT	' GGCTGCCGCC	AAGCGCCTCA AAGCGCCTCA TTCCNCCTNT	AGCTGCTTCT	GTTTGCGCCG
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	GTGGCCTGCA	CCTCCCTCGA	GTACAACATC GTACAACATC AAACNNNCGA	CGGGTCTACT	GCCTGCATGA
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	2051 CACCCACGAC CACCCACGAT	GCTCTCAAGG GCACTCAAGG	AGGTGGTGCA AGGTGGTGCA	GCTGGAGAAG GCTGGAGAAG	2100 CAGCTAGGTG CAGCTGGGGG
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	2101 GACAGCTGAT GACAGCTGAT	CCAGGAGCCT CCAGGAGCCA	CGCGTCCTGC CGGGTCCTGC	ACTTCAAAGA ACTTCAAGGA	2150 CAGTTACCAC CAGTTACCAC
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	2151 AACCTACGTC AACCTGCGCC	TCTCCATCCA TATCCATCCA	CGACGTGCCC CGATGTGCCC	AGCTCCCTGT AGCTCCCTGT	2200 GGAAGAGCAA GGAAGAGTAA
ratunc5hl ym97d12 1G 1Jrc 2Brc 3D Consensus	2201 GCTACTTGTC GCTCCTTGTC	AGCTACCAGG AGCTACCAGG	AGATCCCTTT AGATCCCCTT	TTACCACATC TTATCACATC	2250 TGGAACGGCA TGGAATGGCA
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	2251 CCCAGCAGTA CGCAGCGGTA	CTTGCACTGC	ACCTTCACCC ACCTTCACCC  TUTE SHEET (RU	TGGAGCGTGT	2300 CAACGCCAGC CAGCCCCAGC

	F16.2.0	CONTINUET	71		
ratunc5h1	2301 ACCAGCGACC	TGGCCTGCAA	GGTGTGGGTG	TGGCAGGTGG	2350 AGGGAGATGG
ym97d12 1G 1Jrc 2Brc 3D Consensus	ACTAGTGACC	TGGCCTGCAA	. GCTGTGGGTG	TGGCAGGTGG	AGGGCGACGG
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	2351 GCAGAGCTTC GCAGAGCTTC	AACATCAACT AGCATCAACT	TCAACATCAC TCAACATCAC	TAAGGACACA CAAGGACACA	2400 AGGTTTGCTG AGGTTTGCTG
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	2401 AATTGTTGGC AGCTGCTGGC	TCTGGAGAGT TCTGGAGAGT	GAAGGGGGG GAAGCGGGGG	TCCCAGCCCT TCCAAGCCCT	2450 GGTGGGCCCC GGTGGGCCCC
ratunc5hl ym97dl2 lG lJrc 2Brc 3D Consensus	2451 AGTGCCTTCA AGTGCCTTCA	AGATCCCCTT AGATCCCCTT	CCTCATTCGG CCTCATTCGG	CAAAAGATCA CAGAAGATAA	2500 TCGCCAGTCT TTTCCAGCCT
ratunc5hl ym97d12 1G 1Jrc 2Brc 3D Consensus	2501 GGACCCACCC GGACCCACCC	TGCAGCCGGG TGTAGGCGGG	GCGCCGACTG GTGCCGACTG	GAGAACTCTA GCGGACTCTG	2550 GCCCAGAAAC GCCCAGAAAC
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	2551 TTCACCTGGA TCCACCTGGA	CAGCCATCTT CAGCCATCTC	AGCTTCTTTG AGCTTCTTTG	CCTCCAAGCC CCTCCAAGCC	2600 CAGCCCTACA CAGCCCCACA
ratunc5hl ym97dl2 1G 1Jrc 2Brc 3D	2601 GCCATGATCC GCCATGATCC	TCAACCTGTG	GGAGGCGCGG	CACTTCCCCA CACTTCCCCA	2650 ACGGCAACCT ACGGCAACCT
Consensus		SORSTI	TUTE SHEET (RU	LE 26)	


### FIG. 2 (CONTINUED 8).

ratunc5hl ym97d12 1G 1Jrc 2Brc 3D Consensus				GGGCCAACCA GGGCCAGCCA	
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus		GTCGGAGGCC GTCGGAGGCT		GCCGGCCAGG	2750 CCCGACACCT
ratunc5h1	2751				2800
ym97d12 1G 1Jrc 2Brc 3D Consensus	ACACTCTCAC	CAGCTTTGGC	ACCCACCAAG	GACAGGCAGA	AGCCGGACAG
	2801				2850
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	GGGCCCTTCC	CCACACCGGG	GAGAGCTGCT	CGGACAGGCC	CCCTCCCGGC
51.8	2851				2900
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	CGAAGCTGTC	CCTTAATGCT	GGTCCTTCAG	ACCCTGCCCC	CTCGTGCCGA
	2901				
ratunc5h1 ym97d12 1G 1Jrc 2Brc 3D Consensus	ATTCTGGC				





165



### F1G. 6.

gi|205715 (M96376) neurexin II-alpha-b [Rattus norvegicus] 31 7.4

 $gi \mid 205715$  (M96376) neurexin II-alpha-b [Rattus norvegicus] Length = 1728

Score = 31.3 bits (69), Expect = 7.4 Identities = 16/38 (42%), Positives = 20/38 (52%)

Query: 337 KACSVCXAGRRALMGKLLEEQGXGVGGRGKANADIYYR 224

KAC VC + GK LEE+G G G G+ IY +

Sbjct: 1690 KACCVCRCRATCIAGKPLEERGGG-RGEGERQMQIYIK 1726

### F1G. 7

gi|1644455 (U72520) mena protein [Mus musculus] Length = 541


Score = 34.0 bits (76), Expect = 0.77
Identities = 14/23 (60%), Positives = 15/23 (64%)
Frame = +1

Query: 31 PPPPCTCPAGRHRVSALPPPAGP 99


PPPP P+G SALPPP GP

Sbjct: 284 PPPPPPLPSGPAYASALPPPPGP 306





F1G.9.



#### 1 SEQUENCE LISTING

```
<110> DEVGEN NV
<120> UNC-5 constructs and screening methods
<130> SCB/52877/002
<140>
<141>
<160> 96
<170> PatentIn Ver. 2.0
<210> 1
<211> 1393
<212> DNA
<213> Homo sapiens
<400> 1
ttgtttgtgt atcggaagaa tcatcgtgac tttgagtcag atattattga ctcttcggca 60
ctcaatgggg gctttcagcc tgtgaacatc aaggcagcaa gacaagatct gctggctgta 120
ccccagacc tcacgtcagc tgcagccatg tacagaggac ctgtctatgc cctgcatgac 180
gtotoagaca aaatoccaat gaccaactot coaattotgg atocactgcc caacetgaaa 240
atcaaagtgt acaacacctc aagtgctgtc accccccaag atgacctctc tgagtttacg 300
tccaagctgt cccctcagat gacccagtcg ttgttggaga atgaagccct cagcctgaag 360
aaccagagtc tagcaaggca gactgatcca teetgtaceg catttggcag ettcaacteg 420
ctgggaggtc accttattgt tcccaattca ggagtcagct tgctgattcc cgctggggcc 480
attccccaag ggagagtcta cgaaatgtat gtgactgtac acaggaaaga aactatgagg 540
ccacccatgg atgactetca gacacttttg acccetgtgg tgagetgtgg geecccagga 600
getetgetea ecogeocegt egtecteact atgeateact gegeagacee caatacegag 660
gactggaaaa tactgctcct cgctggagta cagcatccga gtctactgtc tggatgacac 720
ccaggatgcc ctgaaggaaa ttttacatct tgagagacag acgggaggac agctcctaga 780
agaacctaag gctcttcatt ttaaaggcag cacccacaac ctgcgcctgt caattcacga 840
tatcgcccat tccctctgga agagcaaatt gctggctaaa tatcaggaaa ttccatttta 900
ccatgtttgg agtggatctc aaagaaacct gcactgcacc ttcactctgg aaagatttag 960
cctgaacaca gtggagctgg tttgcaaact ctgtgtgcgg caggtggaag gagaagggca 1020
gatottocag otcaactgca cogigtoaga ggaacctact ggcatogati igocgcigot 1080
ggatcctgcg aacaccatca ccacggtcac ggggcccagt gctttcagca tccctctcc 1140
tatccggcag aagctctgta gcagcctgga tgcccccag acgagaggcc atgactggag 1200
gatgctggcc cataagctga acctggacag gtacttgaat tactttgcca ccaaatccag 1260
cccaactggc gtaatcctgg atctttggga agcacagaac ttcccagatg gaaacctgag 1320
catgctggca gctgtcttgg aagaaatggg aagacatgaa acggtggtgt ccttagcagc 1380
                                                                   1393
agaagggcag tat
<210> 2
<211> 238
 <212> PRT
<213> Homo sapiens
 <400> 2
Leu Phe Val Tyr Arg Lys Asn His Arg Asp Phe Glu Ser Asp Ile Ile
                                      10
Asp Ser Ser Ala Leu Asn Gly Gly Phe Gln Pro Val Asn Ile Lys Ala
                                  25
              20
```

Ala Arg Gln Asp Leu Leu Ala Val Pro Pro Asp Leu Thr Ser Ala Ala 40 Ala Met Tyr Arg Gly Pro Val Tyr Ala Leu His Asp Val Ser Asp Lys 60 55 Ile Pro Met Thr Asn Ser Pro Ile Leu Asp Pro Leu Pro Asn Leu Lys Ile Lys Val Tyr Asn Thr Ser Ser Ala Val Thr Pro Gln Asp Asp Leu 90 Ser Glu Phe Thr Ser Lys Leu Ser Pro Gln Met Thr Gln Ser Leu Leu 105 110 Glu Asn Glu Ala Leu Ser Leu Lys Asn Gln Ser Leu Ala Arg Gln Thr 120 115 Asp Pro Ser Cys Thr Ala Phe Gly Ser Phe Asn Ser Leu Gly Gly His 140 135 Leu Ile Val Pro Asn Ser Gly Val Ser Leu Leu Ile Pro Ala Gly Ala 155 145 150 Ile Pro Gln Gly Arg Val Tyr Glu Met Tyr Val Thr Val His Arg Lys 170 165 Glu Thr Met Arg Pro Pro Met Asp Asp Ser Gln Thr Leu Leu Thr Pro 185 Val Val Ser Cys Gly Pro Pro Gly Ala Leu Leu Thr Arg Pro Val Val 200 195 Leu Thr Met His His Cys Ala Asp Pro Asn Thr Glu Asp Trp Lys Ile 210 215 Leu Leu Ala Gly Val Gln His Pro Ser Leu Leu Ser Gly 230 <210> 3

<211> 1438

<212> DNA

<213> Homo sapiens

<400> 3

ttgtttgtgt atcggaagaa tcatcgtgac tttgagtcag atattattga ctcttcggca 60 ctcaatgggg gctttcagcc tgtgaacatc aaggcagcaa gacaagatct gctggctgta 120 cccccagacc tcacgtcagc tgcagccatg tacagaggac ctgtctatgc cctgcatgac 180 gtctcagaca aaatcccaat gaccaactct ccaattctgg atccactgcc caacctgaaa 240 atcaaagtgt acaacacctc aggtgctgtc acctattgtt cccaattcag gagtcagctt 300 gctgattccc gctggggcca ttccccaagg gagagtctac gaaatgtatg tgactgtaca 360 caggaaagaa actatgaggc cacccatgga tgactctcag acacttttga cccctgtggt 420 gagctgtggg cccccaggag ctctgctcac ccgcccgtc gtcctcacta tgcatcactg 480 cgcagacccc aataccgagg actggaagat actgctcaag acacttcacc acccctgct acattcagc ggagtgaggat gtggtggtgg tcggggagga aaacttcacc accccctgct acattcagct 600 ggatgcagag gcctgccaca tcctcacaga gaacctcagc acctacgcc tggtaggaca 660

```
ttccaccacc aaagcggctg caaagcgcct caagctggcc atctttgggc ccctgtgctg 720
ctcctcgctg gagtacagca tccgagtcta ctgtctggat gacacccagg gtgccctgaa 780
ggaaatttta catcttgaga gacagacggg aggacagete etagaagaae etaaggetet 840
tcattttaaa ggcagcaccc acaacctgcg cctgtcaatt cacgatatcg cccgttccct 900
ctggaagage aaattgctgg ctaaatatca ggaaattcca ttttaccatg tttggagtgg 960
atotoaaaga aacotgoact goacottoac totggaaaga titagootga acacagtgga 1020
getggtttgc asactetgtg tgcggcaggt ggaaggagaa gggcagatet tecagetcaa 1080
etgeacegig teagaggaae etactggeat egattigeeg etgetggate etgegaacae 1140
catcaccacg gtcacgggc ccagtgcttt cagcatccct ctccctatcc ggcagaagct 1200
ctgtagcago otggatgcco occagacgag aggocatgac tggaggatgc tggcccataa 1260
getgaacetg gacaggtact tgaattactt tgecaceaaa tecageecaa etggegtaat 1320
cctggatett tgggaageae agaaetteee agatggaaae etgageatge tggeagetgt 1380
cttggaagaa atgggaagac atgaaacggt ggtgtcctta gcagcagaag ggcagtat 1438
<210> 4
<211> 130
<212> PRT
<213> Homo sabiens
<400> 4
Leu Phe Val Tyr Ara Lys Asn His Arg Asp Phe Glu Ser Asp Ile Ile
Asp Ser Ser Ala Leu Asr. Gly Gly Phe Gln Pro Val Asn Ile Lys Ala
Ala Arg Gln Asp Leu Leu Ala Val Pro Pro Asp Leu Thr Ser Ala Ala
Ala Met Tyr Arg Gly Pro Val Tyr Ala Leu His Asp Val Ser Asp Lys
 Ile Pro Met Thr Asn Ser Pro Ile Leu Asp Pro Leu Pro Asn Leu Lys
 65
 Ile Lys Val Tyr Asn Thr Ser Gly Ala Val Thr Tyr Cys Ser Gln Phe
                                      90
 Arg Ser Gln Leu Ala Asp Ser Arg Trp Gly His Ser Pro Arg Glu Ser
                                                     110
             100
 Leu Arg Asn Val Cys Asp Cys Thr Gln Glu Arg Asn Tyr Glu Ala Thr
                             120
 His Gly
     130
 <210> 5
 <211> 1575
 <212> DNA
 <213> Homo sapiens
 <400> 5
 ttgtttgtgt atcggaagaa tcatcgtgac tttgagtcag atattattga ctcttcggca 60
 ctcaatgggg gctttcagcc tgtgaacatc aaggcagcaa gacaagacct cacgtcagct 120
 gcagccatgt acagaggacc tgtctatgcc ctgcatgacg tctcagacaa aatcccaatg 180
```

accaactete caattetgga tecaetgeee aacetgaaaa teaaagtgta caacacetea 240

WO 00/73328

```
ggtgctgtca ccccccaaga tgacctctct gagtttacgt ccaagctgtc ccctcagatg 300
acccagtcgt tgttggagaa tgaagccctc agcctgaaga accagagtct agcaaggcag 360
actgatecat cetgtacege atttggcage tteaactege tgggaggtea cettattgtt 420
cccaattcag gagtcagctt gctgattccc gctggggcca ttccccaagg gagagtctac 480
gaaatqtatg tgactgtaca caggaaagaa actatgaggc cacccatgga tgactctcag 540
acentitinge occordiggt gagotytogg occopaggag ototyptical obgobologic 600
greateasta tgeateactg egeagaeeee aatacegagg aetggaaaat aetgeteaag 660
aschangeag cacagggaca gtgggaggat gtggtggtgg ccggggagga aaacttcacc 720
.... Tringer acattaaget ggatgeagag geetgeeaca teeteacaga gaaceteage 780
inclarated tggtaggaca ttocaccaco aaagoggotg caaagogoot caagotggoo 840
utinitiands ecctgtgetg etectogetg gagtacagea toogagteta etgtetggat 900
taliatitaga atgocotgaa ggaaatttta catottgaga gannnnnnnn nnnnnnnnn 960
make animake nanaggittit idattitaaag dangdandon ndaaatgago digidaatto 1020
manufacture coattocoto tgaaagagoa aattgotggo taaatatoag gaaattooat 1080
the arms traggaging a content and the contract of the contract
**...: cacagtggag ctggtttgca aactctgtgt cggcaggtgg aaggagaagg 1200
remitter ageteaactg caccgtgtea gaggaaceta etggeatega titgeogetg 1260
control of acceptance 
and the agaagetety tageageety gatgeeece agaegagag ceatgaetgg 1380
and that he occataaget gaacetggae gggtaettga attactttge caccaaatee 1440
ANY Transfil degraateet ggatettigg gaageacaga acticecaga tiggaaacetig 1500
haselasian cagotytott ggaagaaaty ggaagacaty aaacygtygt ytoottagca 1560
dolinaagddo agtat
<1105 €
<211> 526
K1112 PRT
<213> Homo sapiens
<400> €
Leu Phe Val Tyr Arg Lys Asn His Arg Asp Phe Glu Ser Asp Ile Ile
Asp Ser Ser Ala Leu Asn Gly Gly Phe Gln Pro Val Asn Ile Lys Ala
                                   20
Ala Arg Gir. Asp Leu Thr Ser Ala Ala Ala Met Tyr Arg Gly Pro Val
Tyr Ala Leu His Asp Val Ser Asp Lys Ile Pro Met Thr Asn Ser Pro
Ile Leu Asp Pro Leu Pro Asn Leu Lys Ile Lys Val Tvr Asn Thr Ser
  65
                                                          70
Gly Ala Val Ser Pro Gln Asp Asp Leu Ser Glu Phe Thr Ser Lys Leu
Ser Pro Gln Met Thr Gln Ser Leu Leu Glu Asn Glu Ala Leu Ser Leu
                                 100
                                                                                        105
                                                                                                                                                110
Lys Asn Gln Ser Leu Ala Arg Gln Thr Asp Pro Ser Cys Thr Ala Phe
                      115
                                                                             120
                                                                                                                                     125
Gly Ser Phe Asn Ser Leu Gly Gly His Leu Ile Val Pro Asn Ser Gly
                                                                  135
Val Ser Leu Leu Ile Pro Ala Gly Ala Ile Pro Gln Gly Arg Val Tyr
```

									9						
145					150					155					160
Glu	Met	Tyr	Val	Thr 165	Val	His	Arg	Lys	Glu 170	Thr	Met	Arg	Pro	Pro 175	Met
Asp	Asp	Ser	Gln 180	Thr	Leu	Leu	Thr	Pro 185	Val	Val	Ser	Cys	Gly 190	Prc	Pro
Gly	Alā	Leu 195	Leu	Thr	Arg	Pro	Val 200	Val	Leu	Thr	Met	His 205	His	Cys	Ala
Asp	Pro 210	Asn	Thr	Glu	Asp	Trp 215	Lys	Ile	Leu	Leu	Lys 220	Asn	Gln	Ala	Ala
Gln 225	Gly	Gln	Trp	Glu	Asp 230	Val	Val	Val	Vāl	Gly 235	Glu	Glu	Asn	Phe	Thr 240
Thr	Pro	Cys	Tyr	Ile 245	Lys	Leu	Asp	Ala	Glu 250	Ala	Cys	His	Ile	Leu 255	Thr
Glu	Asn	Leu	Ser 260	Thr	Tyr	Ala	Leu	Val 265	Gly	His	Ser	Thr	Thr 270	Lys	Ala
Ala	Ala	Lys 275	Arg	Leu	Lys	Leu	Ala 280	Ile	Phe	Gly	Pro	Leu 285	Cys	Суѕ	Ser
Ser	Leu 290	Glu	Tyr	Ser	Ile	Arg 295	Val	Tyr	Cys	Leu	300	Asp	Thr	Gln	Asp
Ala 305		Lys	Glu	Ile	Leu 310	His	Leu	Glu	Arç	Glr 315	Thr	Gly	Gly	Gln	Leu 320
Leu	Glu	Glu	Pro	Lys 325	Ala	Leu	His	Phe	330	s Gly	y Ser	Thr	His	335	Leu
Arç	Leu	ı Ser	Il∈ 340		s Asp	Ile	e Ala	His 345	s Sei	r Lei	ı Trp	Lys	s Ser 350	Lys	Leu
Lev	ı Ala	a Lys 355	s Tyr 5	Glr	n Glu	ılle	e Pro 360	> Ph∈	∋ Ту:	r Hi	s Val	1 Trp 365	ser S	: Gly	/ Ser
Glr	n Arg		n Lev	ı His	s Cys	375	Phe	e Thi	r Le	u Gl	u Arg 38	g Phe	e Sei	c Lev	a Asn
Th:	r Val	l Gl	u Lei	u Val	1 Cys 390	s Lys )	s Leu	ı Cy:	s Va	1 Ar 39	g Gl: 5	n Val	l Glı	u Gl	y Glu 400
Gl	y Gl:	n Il	e Ph	e Gli 40	n Lei 5	ı Ası	n Cy:	s Th	r Va 41	l Se O	r Gl	u Gl	u Pro	o Th.	r Gly 5
I1	e As	p Le	u Pr 42		u Lei	u Asj	p Pr	o Al 42	a As 5	n Th	r Il	e Th	r Th 43	r Va O	l Thi
Gl	y Pr	o Se 43	r Al 5	a Ph	e Se	r Il	e Pr 44	o Le O	u Pr	o Il	e Ar	g Gl 44	n Ly 5	s Le	u Cys
Se	r Se		u As	p Al	a Pr	o Gl 45	n Th 5	r Ar	g Gl	y Hi	s As 46	p Tr	p Ar	g Me	t Le

Ala His Lys Leu Asn Leu Asp Arg Tyr Leu Asn Tyr Phe Ala Thr Lys Ser Ser Pro Thr Gly Val Ile Leu Asp Leu Trp Glu Ala Gln Asn Phe 490 Fro Asp Gly Asn Leu Ser Met Leu Ala Ala Val Leu Glu Glu Met Gly 505 Arg His Glu Thr Val Val Ser Leu Ala Ala Glu Gly Gln Tyr 515 520 <210> 7 <211> 813 <212> DNA <213> Homo sapiens <400> 7 cagtgacete tgtgtacaca etgettetgg ecetgaggae gtggeeetet atgtgggeet 60 nategoogtg goognntgoo tggtootgot gotgottgto otoatootog tttattgcog 120 .caaqaaqqaq qqqctqqact canatqtqqc tqactcqtcc attctcacct caggettcca 180 geoegicage atcaagecea geaaageaga caaceeceat etgeteacea tecageegga 240 cotcagoaco accaccacca cotaccaggg cagtototgt coccggcagg atgggcccag 300 ccccaagttc cagetcacca atgggcacct gctcageccc ctgggtggcg gccgccacac 360 actiquadeac agetetecca ectetique equagrage equagrage general de teceseca 420 gaactactto ogotoootgo ooogaggoac cagcaacatg acctatggga cottoaactt 480 cctcgggggc cggctgatga tccctaatac aggaatcaag cctcctcatc cccccagatg 540 ccataccccg agggaagatc tatgagatct acctcacgct tgcacaagcc ggaagacgtg 600 aggitgcccc tagctggctg tcagaccctg ctgagtccca tcgttagctt gtggaccccc 660 tggegteetg etcaceegge cagteateet ggetatggae caetgtgggg ageceageee 720 tgacagetgg ageetgegee teaaaaagea gtegtgegag ggeagetggg aggatgtget 780 gcacctgggc gaggaggcgc cctcccactc act <210> 8 <211> 265 <212> PRT <213> Homo sapiens <400> 8 Gln Pro Leu Cys Thr His Cys Phe Trp Pro Gly Arg Gly Pro Leu Cys 10 Gly Pro Xaa Arg Arg Gly Xaa Xaa Pro Gly Pro Ala Ala Ala Cys Pro His Pro Arg Leu Leu Pro Glu Glu Gly Gly Ala Gly Leu Xaa Cys Gly Leu Val His Ser His Leu Arg Leu Pro Ala Arg Gln His Gln Ala Gln 55 Gln Ser Arg Gln Pro Pro Ser Ala His His Pro Ala Gly Pro Gln His 65 70 His His His Leu Pro Gly Gln Ser Leu Ser Pro Ala Gly Trp Ala 90 85

									7						
Gln	Pro	G]n	Val 100	Pro	Ala	His	Gln	Trp 105	Ala	Pro	Ala	Gln	Pro 110	Pro	Gly
grT	Arg	Pro 115	Pro	His	Thr	Ala	Pro 120	Gln	Leu	Ser	His	Leu 125	Gly	Arg	Gly
٠. د. د	Arg 130	Leu	Pro	Pro	Leu	His 135	Pro	Glu	Leu	Leu	Pro 140	Leu	Pro	Ala	Pro
A: 1 147	His	Gln	Gln	His	Asp 150	Leu	Trp	Asp	Leu	Gln 155	Leu	Pro	Arg	Gly	Pro 160
m. i	As;	Asp	Pro	Tyr 165	Arg	Asn	Gln	Ala	Ser 170	Ser	Ser	Pro	Gln	Met 175	Pro
- ';	Fr.	Glu	Gly 180	Arg	Ser	Met	Arg	Ser 185	Thr	Ser	Arg	Leu	His 190	Lys	Pro
er a fa	Asp	Val 198	Arg	Leu	Pro	Leu	Ala 200	Gly	Cys	Gln	Thr	Leu 205	Leu	Ser	Pro
114	Val 210		Leu	Trp	Thr	Pro 215	Trp	Arg	Pro	Ala	His 220	Pro	Ala	Ser	His
Fro 225	Gly	Tyr	Gly	Pro	Leu 230	Trp	Gly	Ala	Gln	Pro 235	Gln	Leu	Glu	Pro	Ala 240
Fro	Gìn	Lys	. Ala	Val 245	Val	Arg	Gly	Gln	Leu 250	Gly	Gly	Cys	Ala	Ala 255	Pro
Gly	Arg	g Gly	: Gly 260		Leu	Pro	Leu	Thr 265							
£21	0> 9	à													

<210> 9 <211> 266

<212> PRT

<213> Homo sapiens

Ser Asp Leu Cys Val His Thr Ala Ser Gly Pro Glu Asp Val Ala Leu

Tyr Val Giy Xaa Ile Ala Val Ala Xaa Cys Leu Val Leu Leu Leu

Val Leu Ile Leu Val Tyr Cys Arg Lys Lys Glu Gly Leu Asp Ser Xaa 35

Val Ala Asp Ser Ser Ile Leu Thr Ser Gly Phe Gln Pro Val Ser Ile

Lys Pro Ser Lys Ala Asp Asn Pro His Leu Leu Thr Ile Gln Pro Asp

Leu Ser Thr Thr Thr Thr Tyr Gln Gly Ser Leu Cys Pro Arg Gln 95 . 90 85

Asp Gly Pro Ser Pro Lys Phe Gln Leu Thr Asn Gly His Leu Leu Ser 105 100 Pro Leu Gly Gly Gly Arg His Thr Leu His His Ser Ser Pro Thr Ser 120 Glu Ala Glu Glu Phe Val Ser Arg Leu Ser Thr Gln Asn Tyr Phe Arg Ser Leu Pro Arg Gly Thr Ser Asn Met Thr Tyr Gly Thr Phe Asn Phe 150 155 Leu Gly Gly Arg Leu Met Ile Pro Asn Thr Gly Ile Lys Pro Pro His 170 Pro Pro Arg Cys His Thr Pro Arg Glu Asp Leu Asp Leu Pro His Ala 185 Cys Thr Ser Arg Lys Thr Gly Cys Pro Leu Ala Val Arg Pro Cys Val Pro Ser Leu Ala Cys Gly Pro Pro Gly Val Leu Leu Thr Arg Pro Val 210 Ile Leu Ala Met Asp His Cys Gly Glu Pro Ser Pro Asp Ser Trp Ser Leu Arg Leu Lys Lys Gln Ser Cys Glu Gly Ser Trp Glu Asp Val Leu 250 His Leu Gly Glu Glu Ala Pro Ser His Ser 260 <210> 10

<211> 266

<212> PRT

<213> Homo sapiens

<400> 10

Val Thr Ser Val Tyr Thr Leu Leu Leu Ala Leu Arg Thr Trp Pro Ser 1 5 10 15

Met Trp Ala Xaa Ser Pro Trp Pro Xaa Ala Trp Ser Cys Cys Cys Leu 20 25 30

Ser Ser Ser Phe Ile Ala Gly Arg Arg Arg Gly Trp Thr Xaa Met 35 40 45

Trp Leu Thr Arg Pro Phe Ser Pro Gln Ala Ser Ser Pro Ser Ala Ser

Ser Pro Ala Lys Gln Thr Thr Pro Ile Cys Ser Pro Ser Ser Arg Thr 65 70 75 80

Ser Ala Pro Pro Pro Pro Thr Arg Ala Val Ser Val Pro Gly Arg 85 90 95

PCT/EP00/05108

Met (	Gĺy	Pro	Ala 100	Pro	Ser	Ser	Ser	Ser 105	Pro	Met	Gly	Thr	Cys 110	Ser	Ala
Pro '		Val 115	Ala	Ala	Ala	Thr	His 120	Cys	Thr	Thr	Ala	Leu 125	Pro	Pro	Leu
Arg	Pro 130	Arg	Ser	Ser	Ser	Pro 135	Ala	Ser	Pro	Pro	Arg 140	Thr	Thr	Ser	Ala
Pro 145	Cys	Pro	Glu	Ala	Pro 150	Ala	Thr	Pro	Met	Gly 155	Pro	Ser	Thr	Ser	Ser 160
Gly	Ala	Gly	Ser	Leu 165	Ile	Gln	Glu	Ser	Ser 170	Leu	Leu	Ile	Pro	Pro 175	Asp
Ala	lle	Pro	Arg 180	Gly	Lys	Ile	Tyr	Glu 185	Ile	Tyr	Leu	Thr	Leu 190	Ala	Gln
Ala	Gly	Arg 195	Arg	Glu	Val	Ala	Pro 200	Ser	Trp	Leu	Ser	Asp 205	Pro	Ala	Glu
Ser	His 210	Arg	Leu	Val	Asp	Pro 215	Leu	Ala	Ser	Cys	Ser 220	Pro	Gly	Gln	Ser
Ser 225	Trp	Leu	Trp	Thr	Thr 230	Val	Gly	Ser	Pro	Ala 235	Leu	Thr	Ala	Gly	Ala 240
Cys	Ala	Ser	Lys	Ser 245	Ser	Arg	Ala	Arg	Ala 250	Ala	Gly	Arg	Met	Cys 255	Cys
Thr	Trp	Ala	Arg 260		Arg	Pro	Pro	Thr 265	His	5					
<210> 13															

<210> 11

<211> 6981

<212> DNA

<213> Caenorhabditis elegans

<400> 11 atgtcgtcgg tggatgacga gcatcatcct tcaattgaag ttgatattcc tgacgtttat 60 gaaagtgcat ctgactgtga aaaaactgaa gactgcacct atctaggatc tattctcaag 120 gcgaaaaaat cattgcgaaa aaccaagaaa gtcgctagtc ctggtatcta tccgggctcg 180 gcgggtgctc tttcatctct ttcaaatggc ctagccgatg agaatagatc gccaactagt 240 gctgaagttt ctgattcagt atgtggacaa aaatctataa attcagttga cttgaggttc 300 agaggattga gagatgaacg tgaactcgtg caaaagaaaa catttacaaa atgggtcaac 360 tcacacttgg ttcgagtcag ctgcaaagta caagacctct acatggatat gcgagacgga 420 aaaatgetee teegacteet egeagttett teeggtgaae gtetgeegaa accgaegeeg 480 ggaaaaatgc gtatccactg tcttgagaac gttgagaaag gtttgcaatt cttgcgcaat 540 caacacgtgc atctcgaaaa cttgggttca cacgatatcg ttgacggaaa ttcacgcctc 600 acgttgggtc tcatctggac gatcatcctt cgattccaga tccaagatat cacatttgaa 660 gacgctgaca atcacgagac acgttcagcg aaggaggcct tgttactgtg gtgccagatg 720 aaaactgctg gatatccaaa tgtcaacgtc aagaacttct caaccagttg gagagatggt 780 cttgcattca atgcacttat tcataaacat agacctgatc tcgtagacta cgataattta 840 caaaaatcga atgctcttta caatttgcaa tctgcttttg ataccgcaga aaatcaattg 900 ggattggcca agitcctcga tgccgaagat gtgaacgttg accaacctga tgagaaatcc 960 attatcactt atgtagttac atattatcat tacttcaaca aactgaaaca agataacatc 1020 caaggaaaac gtatcggaaa agtgattaat gagttgatgg agaacgacaa aatgatcaat 1080 cqatacqaaa ctctttcatc tqatttqctc gaatggatca atgccaagat ccaacttctc 1140 aacgaacgtc attttgagaa taatttggaa ggtgttcaaa gacagctcac cgagttcaac 1200 gactacegta etcaggagaa accaceaaag ttegatgaaa agggagaget egaagtaett 1260 ctgttcactc ttcaatcagc tatgcgtgcc aacaatcaga gacctttcgt gccgagagaa 1320 ggaaaactga tigcigatai caaccgagca iggcaatccc tigagaaggc agaacacgaa 1380 cgagaacttg teetgaaaga ggaacteatt egteaagaga aactegaaca actegeagee 1440 cgattcaaca gaaaggccga gatgcgagag acttggctca cagaaaacca acggcttgtc 1500 agtcaggaca atttcggaaa cgacttgtct tcggtggaag ctgccaccaa aaagcacgaa 1560 gccatcgaga cggacatctt tgcttacgag gagcgtgttc aagccgtcgt cgctgttgct 1620 ggagagcttg aagccgagaa ctaccatgat caagccaaaa tcaatgagag aaaggagaat 1680 gttcttcaac tctggaacta tcttttccaa cttcttttgg ctcgcagagt tcgattggag 1740 ttgtcaatgg ccattcaaaa gatcttccac gatatgcttc ttactctcga tctcatggat 1800 gatattaaga gcagactttt aagcgaggat cttggagccc atcttatgga cgtagaagat 1860 ttgcttcaaa agcacgctct tcttgagtct gatattaata ttattggaga acgagttaac 1920 aattctattg ctcaagctca acgcttccga aatccagatg gaccagatgg aagtggatac 1980 aagccagttg aaccaggaac cattgatgag agaagtgatg ttctacaaaa acgttacaag 2040 gagettettg atttggetge tgaacgtaag egtegteteg aagacaacaa gagaetttge 2100 cagttctggt gggatgttgc tgagcttgaa catggtatta aggaacaaga gcaagttctt 2160 tcgtccactg atactggccg tgatattgtc actgtttcgc atttgttggc caaacataag 2220 aacgctgaga acaaccttcg cgacttggag aagtacctcg atcgtcttga tgtttctgga 2280 aaagaattgc aagatgaaag catcccagga agtgacaaca ttcctccaag gcttgccgag 2340attcgtgatt acatcaacaa gctcaaggaa ctctctgctt ctcgcaaaga aagacttgcc 2400 ggtggagtcg aatactacca attettcace gacgeegacg atgtegateg ctaettgtat 2460 gatactetee gegteatgte ateegaagae gttggaaaag acgagggaae tgttcaactt 2520 ctcctcaaga agcacgacga tgtccatgac gagctccaga actttgacca acacatcaag 2580 gttcttcacg ccaaggccga gtctcttcca caggaagcca gagaacatcc agatatcaga 2640 caacgattgg acacaactct caagcagaag gccgaactcg aaaacctttc tcaacttcgc 2700 aagcagagac ttatcgatgc tctctccctg tacaagttgt actcggatgc cgattcagtc 2760 gagtettgga tegatgagaa gggaaaaett ttggcaacat tggteeetgg acgegatate 2820 qaaqaqqttq aqatcatqaa qcatcqtttc qatactcttg agcaagatat gaagaatcaa 2880 gaagctaagg ttactaacgt caatgacttg gctcgtcaat tgcttaatgt ggaacatcca 2940 aactccgacg acattcttca ccgtcaaaac aagctcaacg ctcgctgggc tcaacttcgc 3000 gacatggtcg atcaaaagag aaacgagctc gagagagctc accgcctcga aactttccgc 3060 atcgattgcc aagaaacagt tacttggatc gaggacaaga ctcgtgtact cgaggattcg 3120 gacgcgttga ccaacgatct ttccggtgtc atgaaacttc aaagaagatt gtccatgatg 3180 gaacgcgatt tgggagcgat tcaagccaag ctcgactcgc ttcacaaaga agccgatgac 3240 atcgaaagag aacgaccaca agaagctcaa gccattcgtg aagatatcaa gagaatccac 3300 caagtctggg atatccttaa caagaaagtt cgtgagcacg aagctaaact cgatgaagct 3360 ggagatette aacgetteet cegtgatttg gateaettee aageetgget tactgecace 3420 cagagacaag ttgcctcaga ggaagagcca caatccttgg ctgaagctga gcaacttctc 3480 aatcaacacg ctgccatccg tgaagagatt gacggatacg ctgaggatta caagaagatg 3540 cgtgcaatgg gagatcgtgt cactcaagat caaaccgatc cacaatacat gttccttcgt 3600 caacgtcttg ctggacttca agaaggatgg gaagagttgc agcgaatgtg ggacaacaga 3660 caacatttgc tttctcaagg actcaacctt caaatgttcc ttcgcgatgc caaacaagca 3720 gaggttatgc tctctcaaca agaaaactat ctcgccaagg acgatatccc acaatctttq 3780 gagcaagccg agaaccaact caagagacac caagacttca tcaccactat ggatgccaac 3840 gacgaaaaga ttcgcgccgt cggaatgttc ggtgatcagc tctgccaaga tggtcactat 3900 gccgctgaca agatccataa gaaggctaga aacattgatg aacgtcgtgg agccaaccgc 3960 gagaaggete aagaagtact caagaagetg aaggaegeet tgteteteea acaattettg 4020 tccgactgcg acgagctgag agaatggatc gaggagaaga tgatccgtgc tcaagatgag 4080 acttacagag acgccaagac tatcacctcc aaattcgtcc gacatcaagc attccaatcc 4140 gaacttgctg ctaacaagga acgtcttgac caacttaaac atgctgccat caaccttggt 4200 gacgacaagc cagagtacca cggaaccatt gatccacaga tcgaggaact cgctactcaa 4260 tgggatgagt tggaaaagac tacagaggag aagggacaga agttgtttga tgctaaccgc 4320 caacaacttt acqtacaaaq tattqctqac atqaaggaat gggcaaccca acttgagaac 4380 gagatgactc gtgaagacca accaggagat cttaccactg tcaatgtggc catgcaaaaa 4440 caacatttga tcgaaactga aatgatcaag aaggctcaac acattgatca actcatggag 4500

```
atggagccac agctcgagga acttcaccca gacgagcttg aaaacattaa ggctcatcgt 4560
ttggcagttc aagaacaact tcaaagactc caggctccat tggacgaccg acgtaaggca 4620
ttggaacgca agaaggccgc cttccaattt ggtcgcgatg ttgatgacga gaaattgtgg 4680
atttctgaga gacttgttct cgctaaagct caaaatcttg gagaaagcct tccagattgt 4740
catcgtetee agaagaacet acaacttett tecaatgaaa tegacaacea egaaceatgg 4800
atcaaccaga totgtaataa tggtcaagag ttgattgacg aaggacatgo taacggacca 4860
gcattcgaga agaagattca agaactgcgc agtgcttggc aagagttgaa ggaagccgtc 4920
aaagacagaa agggagatet tggagaaage gagaaggete atcaattett gtatgattge 4980
ggagaggetg aageetggat gagegaacaa gaattgtaca tgatgcaaga egaaagagga 5040
aaagacgagt totcaaccaa gaaccaaatc aagaaacacg aacgcottca atcogatatt 5100
gacaaatttg ctgatacgat ccgtgctctt gccaccaagg ctcacaagtt cgtcgaagag 5160
aagtcaccac tcaccgaaca gatccaagtt cgtcaagctc aaatcgagaa gctctacgca 5220
ggtcttcaag atttgtcgaa ggagcgcaga aagagactcg aagagacctt ggaactttac 5280
gctcttcatc gtgaaatcga cgatcttctt caatggatcg ccgacaagga agttgttgca 5340
ggaagtcaag agaacggaca agactacgaa cacgtccaaa tgcttcaaga gagattccaa 5400
cagtitgete gigacacega aaacategga teegaaegtg tigecaatge taatgatgga 5460
tgtgatactc tcattggtca cggacacact gacgctccga ctatagcatt gtggaaggat 5520
togttgaatg aggootggga gaatottotg gagttgatgg acactogtgo coaaattoto 5580
gaggetteta gaettettea caagttetae caegaetgee gtgattgett gteaagaate 5640
atggaaaaga ctcatgctat gcctgatgat cttggacgtg actcaagcag tgttggtgca 5700
ctctccagaa aacatcagaa ctatctcaag gatattgctg caattggaga acaagttgct 5760
caaatcgaaa gagatgccgc agagcttcga gatggttacg ctggagacaa ggctcttgat 5820
atcggatete gegaaagega ggttgteaag geatggagge ateteegegg actetgtgae 5880
gcccgtacat ctcgtctcat ggatacttct gatcttttca agttcatgaa tatggtccgt 5940
gatttgttgt tgtggatgga tgaggtgaag agagaaatga actcacaaga acgtccgaag 6000
gatgtgagcg gagtcgagtt gctcatgaac aatcatcaat cgctcaaggc tgaaatcgat 6060
gctcgcgagg agaacttcaa cgcgtgcatc tcattgggac gagatctgct caacagaaaa 6120
cactacgcat caagtgaaat cgagaagaag ctgatcaagt tgacaaccga aagagccgaa 6180
atgatgcgca gatgggaaga tcgttgggaa tatcttcagc tcattctgga agtgtaccaa 6240
ttcgcccgcg acgctgctgt cgccgaatct tggctcttcg cccaagaacc atatcttatt 6300
 tegaaggaat aeggtagaaa eetegaagaa accateaaac teateaagaa acaegaggeg 6360
 ttcgagaaat cggcattcgc acaagaagaa cgtttcttgg cgctcgagaa attgacaacg 6420
 ttcgaattga aagaaactca acaccgcgag gaggagaccg ccaagcgacg tggtccagct 6480
 catattggaa gtccttctag gtcaactcca gccgcggaaa catctttcgg cgcccaggat 6540
 gatggagcca aacaaggaga agcattcgaa ggaacgctta tcagaaagca cacttacgag 6600
 agtetegace ggaaagegge taacegetea tgggagaaac tttacgcagt gttgeggeag 6660
 aatgaactgt cattctacaa agatccgaag catagagatg aatctgtgca tggagagcca 6720
 ccaatggcac tgccaggatg ctctgtcaac gtggcatcag actatcaaaa gaagaagaac 6780
 gtactgtcgc tgaggttacc catcggcgcc gagtacctat tccaatgcgg tagcgaagaa 6840
 gacatgcagc gatggctcac cgagttgcaa gtcgccacgg ggcaagccca actggaagag 6900
 gctagtagat cacagacgct accagcagaa ggcagtgcca caaagaagaa gggaggattt 6960
                                                                   6981
 ttctctcgag gcaagaagta a
```

```
<210> 12
<211> 2326
```

<400> 12

Met Ser Ser Val Asp Asp Glu His His Pro Ser Ile Glu Val Asp Ile 1

Pro Asp Val Tyr Glu Ser Ala Ser Asp Cys Glu Lys Thr Glu Asp Cys

Thr Tyr Leu Gly Ser Ile Leu Lys Ala Lys Lys Ser Leu Arg Lys Thr

<sup>&</sup>lt;212> PRT

<sup>&</sup>lt;213> Caenorhabditis elegans

12 Lys Lys Val Ala Ser Pro Gly Ile Tyr Pro Gly Ser Ala Gly Ala Leu 50 Ser Ser Leu Ser Asn Gly Leu Ala Asp Glu Asn Arg Ser Pro Thr Ser Ala Glu Val Ser Asp Ser Val Cys Gly Gln Lys Ser Ile Asn Ser Val Asp Leu Arg Phe Arg Gly Leu Arg Asp Glu Arg Glu Leu Val Gln Lys 105 Lys Thr Phe Thr Lys Trp Val Asn Ser His Leu Val Arg Val Ser Cys Lys Val Gln Asp Leu Tyr Met Asp Met Arg Asp Gly Lys Met Leu Leu 135 Arg Leu Leu Ala Val Leu Ser Gly Glu Arg Leu Pro Lys Pro Thr Pro 145 Gly Lys Met Arg Ile His Cys Leu Glu Asn Val Glu Lys Gly Leu Gln 170 Phe Leu Arg Asn Gln His Val His Leu Glu Asn Leu Gly Ser His Asp 185 Ile Val Asp Gly Asn Ser Arg Leu Thr Leu Gly Leu Ile Trp Thr Ile 195 Ile Leu Arg Phe Gln Ile Gln Asp Ile Thr Phe Glu Asp Ala Asp Asn 215 His Glu Thr Arg Ser Ala Lys Glu Ala Leu Leu Trp Cys Gln Met 230 Lys Thr Ala Gly Tyr Pro Asn Val Asn Val Lys Asn Phe Ser Thr Ser 250 Trp Arg Asp Gly Leu Ala Phe Asn Ala Leu Ile His Lys His Arg Pro 265 Asp Leu Val Asp Tyr Asp Asn Leu Gln Lys Ser Asn Ala Leu Tyr Asn Leu Gln Ser Ala Phe Asp Thr Ala Glu Asn Gln Leu Gly Leu Ala Lys 295 290 Phe Leu Asp Ala Glu Asp Val Asn Val Asp Gln Pro Asp Glu Lys Ser 310 315 Ile Ile Thr Tyr Val Val Thr Tyr Tyr His Tyr Phe Asn Lys Leu Lys 325 Gln Asp Asn Ile Gln Gly Lys Arg Ile Gly Lys Val Ile Asn Glu Leu 340 Met Glu Asn Asp Lys Met Ile Asn Arg Tyr Glu Thr Leu Ser Ser Asp

		255					360	٤				365			
		355											<b>~</b> 1		
Leu	Leu 370	Glu	Trp	Ile	Asn .	Ala 375	Lys	Ile	Gln	Leu	Leu 380	Asn	GIU A	arg i	115
Phe 385	Glu	Asn	Asn	Leu	Glu 390	Gly	Val	Gln	Arg	Gln 395	Leu	Thr	Glu :	Phe .	Asn 400
Asp	Туг	Arg	Thr	Gln 405	Glu	Lys	Pro	Pro	Lys 410	Phe	Asp	Glu	Lys	Gly 415	Glu
Leu	Glu	Val	Leu 420	Leu	Phe	Thr	Leu	Gln 425	Ser	Ala	Met	Arg	Ala 430	Asn	Asn
Gln	Arg	Pro 435	Phe	Val	Pro	Arg	Glu 440	Gly	Lys	Leu	Ile	Ala 445	Asp	Ile	Asn
Arg	Ala 450		Gln	Ser	Leu	Glu 455	Lys	Ala	Glu	His	Glu 460	Arg	Glu	Leu	Val
Leu 465	Lys	Glu	Glu	Leu	Ile 470	Arg	Gln	Glu	Lys	Leu 475	Glu	Gln	Leu	Ala	Ala 480
Arg	P'ne	Asn	Arg	Lys 485	Ala	Glu	Met	Arg	Glu 490	Thr	Trp	Leu	Thr	Glu 495	Asn
Gln	Arg	Lev	Val 500	Ser	Gln	Asp	Asn	Phe 505	Gly	Asn	Asp	Leu	Ser 510	Ser	Val
Glu	Ala	Ala 515	Thr	Lys	Lys	His	Glu 520	Ala	Ile	e Glu	Thr	Asp 525	Ile	Phe	Ala
Tyr	Glu 530		ı Arg	Val	Gln	Ala 535	Val	Val	Ala	a Val	L Ala 540	Gly	Glu	Leu	Glu
Ala 545		ı Ası	n Tyr	His	550	Gln	Ala	Lys	s Ile	e Asr 555	n Glu 5	ı Arg	Lys	Glu	Asn 560
Val	L Le	u <b>Gl</b> :	n Lei	1 Trp 565	Asn	Tyr	: Leu	ı Phe	e Gli 57	n Lei	u Leu	ı Lev	ı Ala	Arg 575	Arg
Va:	l Ar	g Le	u Gli 580	ı Lei	ı Ser	Met	. Ala	a Ile 585	e Gli	n Ly	s Ile	e Phe	His 590	Asp	Met
Le	u Le	u Th 59		ı Ası	p Let	ı Met	Asp 600	o Ası	o Il	e Ly	s Se:	r Arc	g Leu 5	Leu	Ser
Gl	u As 61		u Gl	y Al	a His	s Le	u Me <sup>.</sup> 5	t As	p Va	l Gl	u Ası 62	p Lei 0	ı Let	ı Glr	n Lys
Hi 62		a Le	u Le	u Gl	u Se:	r Asj	p Il	e As	n Il	e Il 63	e Gl	y Gl	u Arç	y Val	640
As	n Se	er Il	e Al	a Gl 64	n Al	a Gl	n Ar	g Ph	e Ar 65	g As	n Pr	o As	p Gly	/ Pro 65!	Asp
Gl	y Se	er Gi	Lу Ту 66	r Ly	s Pr	o Va	l Gl	u Pr 66	o G1	y Th	nr Il	e As	p Glu 670	ı Ard	g Ser

Asp	Va <u>l</u>	Leu 675	Gln	Lys	Arg	Tyr	Lys 680	Glu	Leu	Leu	Asp	Leu 685	Ala	Ala	Glu
Arg	Lys 690	Arg	Arg	Leu	Glu	Asp 695	Asn	Lys	Arg	Leu	Cys 700	Gln	Phe	Trp	Trp
Asp 705	Val	Ala	Glu	Leu	Glu 710	His	Gly	Ile	Lys	Glu 715	Gln	Glu	Gln	Val	Leu 720
Ser	Ser	Thr	Asp	Thr 725	Gly	Arg	Asp	Ile	Val 730	Thr	Val	Ser	His	Leu 735	Leu
Ala	Lys	His	Lys 740	Asn	Ala	Glu	Asn	Asn 745	Leu	Arg	Asp	Leu	Glu 750	Lys	Tyr
Leu	Asp	Arg 755	Leu	Asp	Val	Ser	Gly 760	Lys	Glu	Leu	Gln	Asp 765	Glu	Ser	Ile
Pro	Gly 770	Ser	Asp	Asn	Tie	Pro 775	Pro	Arg	Leu	Ala	Glu 780	Ile	Arg	Asp	Tyr
Ile 785	Asn	Lys	Leu	Lys	Glu 790	Leu	Ser	Ala	Ser	Arg 795	Lys	Glu	Arg	Leu	Ala 800
Gly	Gly	Val	Glu	Tyr 805	Tyr	Gln	Phe	Phe	Thr 810	Asp	Ala	Asp	Asp	Val 815	Asp
Arg	Tyr	Leu	Tyr 820	Asp	Thr	Leu	Arg	Val 825	Met	Ser	Ser	Glu	Asp 830	Val	Gly
Lys	Asp	Glu 835	Giy.	Thr	Val	Gln	Leu 840	Leu	Leu	Lys	Lys	His 845	Asp	Asp	Val
His	Asp 850	Glu	Leu	Gln	Asn	Phe 855	Asp	Gln	His	Ile	Lys 860	Val	Leu	His	Ala
Lys 865	Ala	Glu	Ser	Leu	Pro 870	Gln	Glu	Ala	Arg	Glu 875	His	Pro	Asp	Ile	Arg 880
Gln	Arg	Leu	Asp	Thr 885	Thr	Leu	Lys	Gln	Lys 890	Ala	Glu	Leu	Glu	Asn 895	Leu
Ser	Gln	Leu	Arg 900	Lys	Gln	Arg	Leu	Ile 905	Asp	Ala	Leu	Ser	Leu 910	Tyr	Lys
Leu	Tyr	Ser 915	Asp	Ala	Asp	Ser	Val 920	Glu	Ser	Trp	Ile	Asp 925	Glu	Lys	Gly
Lys	Leu 930	Leu	Ala	Thr	Leu	Val 935	Pro	Gly	Arg	Asp	Ile 940	Glu	Glu	Val	Glu
Ile 945	Met	Lys	His	Arg	Phe 950	Asp	Thr	Leu	Glu	Gln 955	Asp	Met	Lys	Asn	Gln 960
Glu	Ala	Lys	Val	Thr 965	Asn	Val	Asn	Asp	Leu 970	Ala	Arg	Gln	Leu	Leu 975	Asn

15

Val Glu His Pro Asn Ser Asp Asp Ile Leu His Arg Gln Asn Lys Leu 980 985 990

- Asn Ala Arg Trp Ala Gln Leu Arg Asp Met Val Asp Gln Lys Arg Asn 995 1000 1005
- Glu Leu Glu Arg Ala His Arg Leu Glu Thr Phe Arg Ile Asp Cys Gln 1010 1015 1020
- Glu Thr Val Thr Trp Ile Glu Asp Lys Thr Arg Val Leu Glu Asp Ser 1025 1030 1035 1040
- Asp Ala Leu Thr Asn Asp Leu Ser Gly Val Met Lys Leu Gln Arg Arg 1045 1050 1055
- Leu Ser Met Met Glu Arg Asp Leu Gly Ala Ile Gln Ala Lys Leu Asp 1060 1065 1070
- Ser Leu His Lys Glu Ala Asp Asp Ile Glu Arg Glu Arg Pro Gln Glu 1075 1080 1085
- Ala Gln Ala Ile Arg Glu Asp Ile Lys Arg Ile His Gln Val Trp Asp 1090 1095 1100
- Ile Leu Asn Lys Lys Val Arg Glu His Glu Ala Lys Leu Asp Glu Ala 1105 1110 1115 1120
- Gly Asp Leu Gln Arg Phe Leu Arg Asp Leu Asp His Phe Gln Ala Trp 1125 1130 1135
- Leu Thr Ala Thr Gln Arg Gln Val Ala Ser Glu Glu Glu Pro Gln Ser 1140 1145 1150
- Leu Ala Glu Ala Glu Gln Leu Leu Asn Gln His Ala Ala Ile Arg Glu 1155 1160 1165
- Glu Ile Asp Gly Tyr Ala Glu Asp Tyr Lys Lys Met Arg Ala Met Gly 1170 1175 1180
- Asp Arg Val Thr Gln Asp Gln Thr Asp Pro Gln Tyr Met Phe Leu Arg 1185 1190 1195 1200
- Gln Arg Leu Ala Gly Leu Gln Glu Gly Trp Glu Glu Leu Gln Arg Met 1205 1210 1215
- Trp Asp Asn Arg Gln His Leu Leu Ser Gln Gly Leu Asn Leu Gln Met 1220 1225 1230
- Phe Leu Arg Asp Ala Lys Gln Ala Glu Val Met Leu Ser Gln Gln Glu 1235 1240 1245
- Asn Tyr Leu Ala Lys Asp Asp Ile Pro Gln Ser Leu Glu Gln Ala Glu 1250 1255 1260
- Asn Gln Leu Lys Arg His Gln Asp Phe Ile Thr Thr Met Asp Ala Asn 1265 1270 1275 1280
- Asp Glu Lys Ile Arg Ala Val Gly Met Phe Gly Asp Gln Leu Cys Gln

16 1285 1290 1295

Asp Gly His Tyr Ala Ala Asp Lys Ile His Lys Lys Ala Arg Asn Ile 1300 1305 1310

Asp Glu Arg Arg Gly Ala Asn Arg Glu Lys Ala Gln Glu Val Leu Lys 1315 1320 1325

Lys Leu Lys Asp Ala Leu Ser Leu Gln Gln Phe Leu Ser Asp Cys Asp 1330 1340

Glu Leu Arg Glu Trp Ile Glu Glu Lys Met Ile Arg Ala Gln Asp Glu 1345 1350 1355 1360

Thr Tyr Arg Asp Ala Lys Thr Ile Thr Ser Lys Phe Val Arg His Gln 1365 1370 1375

Ala Phe Gln Ser Glu Leu Ala Ala Asn Lys Glu Arg Leu Asp Gln Leu 1380 1385 1390

Lys His Ala Ala Ile Asn Leu Gly Asp Asp Lys Pro Glu Tyr His Gly 1395 1400 1405

Thr Ile Asp Pro Gln Ile Giu Glu Leu Ala Thr Gln Trp Asp Glu Leu 1410 1415 1420

Glu Lys Thr Thr Glu Glu Lys Gly Gln Lys Leu Phe Asp Ala Asn Arg 1425 1430 1435 1440

Gln Gln Leu Tyr Val Gln Ser Ile Ala Asp Met Lys Glu Trp Ala Thr 1445 1450 1455

Gln Leu Glu Asn Glu Met Thr Arg Glu Asp Gln Pro Gly Asp Leu Thr 1460 1465 1470

Thr Val Asn Val Ala Met Gln Lys Gln His Leu Ile Glu Thr Glu Met 1475 1480 1485

Ile Lys Lys Ala Gln His Ile Asp Gln Leu Met Glu Met Glu Pro Gln 1490 1495 1500

Leu Glu Glu Leu His Pro Asp Glu Leu Glu Asn Ile Lys Ala His Arg 1505 1510 1515 1520

Leu Ala Val Gln Glu Gln Leu Gln Arg Leu Gln Ala Pro Leu Asp Asp 1525 1530 1535

Arg Arg Lys Ala Leu Glu Arg Lys Lys Ala Ala Phe Gln Phe Gly Arg 1540 1545 1550

Asp Val Asp Asp Glu Lys Leu Trp Ile Ser Glu Arg Leu Val Leu Ala 1555 1560 1565

Lys Ala Gln Asn Leu Gly Glu Ser Leu Pro Asp Cys His Arg Leu Gln 1570 1575 1580

Lys Asn Leu Gln Leu Leu Ser Asn Glu Ile Asp Asn His Glu Pro Trp 1585 1590 1595 1600

- Ile Ash Gln Tle Cys Ash Ash Gly Gln Glu Leu Ile Asp Glu Gly His 1605 1610
- Ala Asn Gly Pro Ala Phe Glu Lys Lys Ile Gln Glu Leu Arg Ser Ala 1625
- Trp Gln Glu Leu Lys Glu Ala Val Lys Asp Arg Lys Gly Asp Leu Gly 1640
- Glu Ser Glu Lys Ala His Gln Phe Leu Tyr Asp Cys Gly Glu Ala Glu 1655
- Ala Trp Met Ser Glu Gln Glu Leu Tyr Met Met Gln Asp Glu Arg Gly 1675 1670
- Lys Asp Glu Phe Ser Thr Lys Asn Gln Ile Lys Lys His Glu Arg Leu 1690 1685
- Gln Ser Asp lie Asp Lys Phe Ala Asp Thr Ile Arg Ala Leu Ala Thr 1705
- Lys Ala His Lys Fne Val Glu Glu Lys Ser Pro Leu Thr Glu Gln Ile 1720
- Gln Val Arg Gln Ala Gln Ile Glu Lys Leu Tyr Ala Gly Leu Gln Asp 1735
- Leu Ser Lys Glu Arg Arg Lys Arg Leu Glu Glu Thr Leu Glu Leu Tyr 1755 1750
- Ala Leu His Arg Glu Ile Asp Asp Leu Leu Gln Trp Ile Ala Asp Lys 1765 1770
- Glu Val Val Ala Gly Ser Gln Glu Asn Gly Gln Asp Tyr Glu His Val 1785
- Gln Met Leu Gln Glu Arg Phe Gln Gln Phe Ala Arg Asp Thr Glu Asn 1800
- Ile Gly Ser Glu Arg Val Ala Asn Ala Asn Asp Gly Cys Asp Thr Leu 1815
- Ile Gly His Gly His Thr Asp Ala Pro Thr Ile Ala Leu Trp Lys Asp 1835 1830 1825
- Ser Leu Asn Glu Ala Trp Glu Asn Leu Leu Glu Leu Met Asp Thr Arg 1850
- Ala Gin Ile Leu Glu Ala Ser Arg Leu Leu His Lys Phe Tyr His Asp
- Cys Arg Asp Cys Leu Ser Arg Ile Met Glu Lys Thr His Ala Met Pro 1880
- Asp Asp Leu Gly Arg Asp Ser Ser Ser Val Gly Ala Leu Ser Arg Lys 1900 1895

18

His Gln Asn Tyr Leu Lys Asp Ile Ala Ala Ile Gly Glu Gln Val Ala 1905 1910 1915 1920

- Gln Ile Glu Arg Asp Ala Ala Glu Leu Arg Asp Gly Tyr Ala Gly Asp 1925 1930 1935
- Lys Ala Leu Asp Ile Gly Ser Arg Glu Ser Glu Val Val Lys Ala Trp 1940 1945 1950
- Arg His Leu Arg Gly Leu Cys Asp Ala Arg Thr Ser Arg Leu Met Asp 1955 1960 1965
- Thr Ser Asp Leu Phe Lys Phe Met Asn Met Val Arg Asp Leu Leu Leu 1970 1975 1980
- Trp Met Asp Glu Val Lys Arg Glu Met Asn Ser Gln Glu Arg Pro Lys 1985 1990 1995 2000
- Asp Val Ser Gly Val Glu Leu Leu Met Asn Asn His Gln Ser Leu Lys  $2005 \hspace{1cm} 2010 \hspace{1cm} 2015$
- Ala Glu Ile Asp Ala Arg Glu Glu Asn Phe Asn Ala Cys Ile Ser Leu 2020 2025 2030
- Gly Arg Asp Leu Leu Asn Arg Lys His Tyr Ala Ser Ser Glu Ile Glu 2035 2040 2045
- Lys Lys Leu Ile Lys Leu Thr Thr Glu Arg Ala Glu Met Met Arg Arg 2050 2055 2060
- Trp Glu Asp Arg Trp Glu Tyr Leu Gln Leu Ile Leu Glu Val Tyr Gln 2065 2070 2075 2080
- Phe Ala Arg Asp Ala Ala Val Ala Glu Ser Trp Leu Phe Ala Gln Glu 2085 2090 2095
- Pro Tyr Leu Ile Ser Lys Glu Tyr Gly Arg Asn Leu Glu Glu Thr Ile 2100 2105 2110
- Lys Leu Ile Lys Lys His Glu Ala Phe Glu Lys Ser Ala Phe Ala Gln 2115 2120 2125
- Glu Glu Arg Phe Leu Ala Leu Glu Lys Leu Thr Thr Phe Glu Leu Lys 2130 2135 2140
- Glu Thr Gln His Arg Glu Glu Glu Thr Ala Lys Arg Arg Gly Pro Ala 2145 2150 2155 2160
- His Ile Gly Ser Pro Ser Arg Ser Thr Pro Ala Ala Glu Thr Ser Phe 2165 2170 2175
- Gly Ala Gln Asp Asp Gly Ala Lys Gln Gly Glu Ala Phe Glu Gly Thr 2180 2185 2190
- Leu Ile Arg Lys His Thr Tyr Glu Ser Leu Asp Arg Lys Ala Ala Asn 2195 2200 2205
- Arg Ser Trp Glu Lys Leu Tyr Ala Val Leu Arg Gln Asn Glu Leu Ser

PCT/EP00/05108 WO 00/73328

19 2220 2215 2210

Phe Tyr Lys Asp Pro Lys His Arg Asp Glu Ser Val His Gly Glu Pro 2235 2230

Pro Met Ala Leu Pro Gly Cys Ser Val Asn Val Ala Ser Asp Tyr Gln 2245

Lys Lys Asn Val Leu Ser Leu Arg Leu Pro Ile Gly Ala Glu Tyr 2265

. .: Fine Glin Cys Gly Ser Glu Glu Asp Met Glin Arg Trp Leu Thr Glu 2280

Lie C.: Val Ala Thr Gly Gln Ala Gln Leu Glu Glu Ala Ser Arg Ser 2295 1391

in The Leu Pro Ala Glu Gly Ser Ala The Lys Lys Lys Gly Gly Phe 2315 2310

end Ser Ard Gly Lys Lys 2325

-210-13

<011> 2192

1212> DNA

<400> 13

<213> Caenorhabditis elegans

gaacttgctg ctaacaagga acgtcttgac caacttaaac atgctgccat caaccttggt 60 çacçacaago cagagtacca eggaaccatt gatecacaga tegaggaact egetacteaa 120 tgggatgagt tggaaaagac tacagaggag aagggacaga agttgtttga tgctaaccgc 180 caacaacttt acgtacaaag tattgctgac atgaaggaat gggcaaccca acttgagaac 240 gagatgacic gtgaagacca accaggagat cttaccactg tcaatgtggc catgcaaaaa 300 caacatttga togaaactga aatgatcaag aaggotcaac acattgatca actcatggag 360 atggagccac agetegagga aetteaceca gaegagettg aaaacattaa ggeteategt 420 ttggcagttc aagaacaact tcaaagactc caggctccat tggacgaccg acgtaaggca 480 ttggaacgca agaaggccgc cttccaattt ggtcgcgatg ttgatgacga gaaattgtgg 540 atttctgaga gacttgttct cgctaaagct caaaatcttg gagaaagcct tccagattgt 600 catcgtctcc agaagaacct acaacttctt tccaatgaaa tcgacaacca cgaaccatgg 660 atcaaccaga totgtaataa tggtcaagag ttgattgacg aaggacatgo taacggacca 720 gcattcgaga agaagattca agaactgcgc agtgcttggc aagagttgaa ggaagccgtc 780 aaagacagaa agggagatet tggagaaage gagaaggete atcaattett gtatgattge 840 ggagaggetg aageetggat gagegaacaa gaattgtaca tgatgcaaga egaaagagga 900 aaagacgagt totcaaccaa gaaccaaatc aagaaacacg aacgcottca atocgatatt 960 gacaaatttg ctgatacgat ccgtgctctt gccaccaagg ctcacaagtt cgtcgaagag 1020 aagtcaccac tcaccgaaca gatccaagtt cgtcaagctc aaatcgagaa gctctacgca 1080 ggtcttcaag atttgtcgaa ggagcgcaga aagagactcg aagagacett ggaactttac 1140 getetteate gtgaaatega egatettett caatggateg eegacaagga agttgttgca 1200 ggaagtcaag agaacggaca agactacgaa cacgtccaaa tgcttcaaga gagattccaa 1260 cagtttgctc gtgacaccga aaacatcgga tccgaacgtg ttgccaatgc taatgatgga 1320 tgtgatactc tcattggtca cggacacact gacgctccga ctatagcatt gtggaaggat 1380 togttgaatg aggootggga gaatottotg gagttgatgg acactogtgo coaaattoto 1440 gaggetteta gaettettea caagttetae caegaetgee gtgattgett gteaagaate 1500 atggaaaaga ctcatgctat gcctgatgat cttggacgtg actcaagcag tgttggtgca 1560

ctctccagaa aacatcagaa ctatctcaag gatattgctg caattggaga acaagttgct 1620 caaatcgaaa gagatgccgc agagcttcga gatggttacg ctggagacaa ggctcttgat 1680

ateggatete gegaaagega ggttgteaag geatggagge ateteegegg actetgtgae 1740 geeegtacat etegteteat ggataettet gatettttea agtteatgaa tatggteegt 1800 gatttgttgt tgtggatgga tgaggtgaag agagaaatga aceteaaga acgteegaag 1860 gatgtgageg gagtegagtt geteatgaae aateateaat egeteaagge tgaaategat 1920 getegegagg agaaetteaa egegtgeate teattgggae gagatetget eaacagaaaa 1980 caetaegeat eaagtgaaat eggtggaa tegtteggaa tatetteage teattetgga agtgtaeeaa 2040 atgatgegea gaegetgetgt egeegaatet tggetetteg eecaagaace atatettatt 2160 tegaaggaat aeggtagaaa eetegaagaa ae

<211> 731

<212> PRT

<213> Caenorhabditis elegans

<400> 14

Glu Leu Ala Ala Asn Lys Glu Arg Leu Asp Gln Leu Lys His Ala Ala 1 5 10 15

Ile Asn Leu Gly Asp Asp Lys Pro Glu Tyr His Gly Thr Ile Asp Pro 20 25 30

Gln Ile Glu Glu Leu Ala Thr Gln Trp Asp Glu Leu Glu Lys Thr Thr 35 40 45

Glu Glu Lys Gly Gln Lys Leu Phe Asp Ala Asn Arg Gln Gln Leu Tyr 50 55 60

Val Gln Ser Ile Ala Asp Met Lys Glu Trp Ala Thr Gln Leu Glu Asn 65 70 75 80

Glu Met Thr Arg Glu Asp Gln Pro Gly Asp Leu Thr Thr Val Asn Val 85 90 95

Ala Met Gln Lys Gln His Leu Ile Glu Thr Glu Met Ile Lys Lys Ala 100 105 110

Gln His Ile Asp Gln Leu Met Glu Met Glu Pro Gln Leu Glu Glu Leu 115 120 125

His Pro Asp Glu Leu Glu Asn Ile Lys Ala His Arg Leu Ala Val Gln
130 135 140

Glu Gln Leu Gln Arg Leu Gln Ala Pro Leu Asp Asp Arg Arg Lys Ala 145 150 155 160

Leu Glu Arg Lys Lys Ala Ala Phe Gln Phe Gly Arg Asp Val Asp Asp 165 170 175

Glu Lys Leu Trp Ile Ser Glu Arg Leu Val Leu Ala Lys Ala Gln Asn 180 185 190

Leu Gly Glu Ser Leu Pro Asp Cys His Arg Leu Gln Lys Asn Leu Gln
. 195 200 205

Leu Leu Ser Asn Glu Ile Asp Asn His Glu Pro Trp Ile Asn Gln Ile 210 215 220

WO 00/73328 21 Cys Asn Asn Gly Gln Glu Leu Ile Asp Glu Gly His Ala Asn Gly Pro 230 Ala Phe Glu Lys Lys Ile Gln Glu Leu Arg Ser Ala Trp Gln Glu Leu Lys Glu Ala Val Lys Asp Arg Lys Gly Asp Leu Gly Glu Ser Glu Lys Ala His Gln Phe Leu Tyr Asp Cys Gly Glu Ala Glu Ala Trp Met Ser Glu Gln Glu Leu Tyr Met Met Gln Asp Glu Arg Gly Lys Asp Glu Phe 295 Ser Thr Lys Asn Gln Ile Lys Lys His Glu Arg Leu Gln Ser Asp Ile 315 Asp Lys Phe Ala Asp Thr Ile Arg Ala Leu Ala Thr Lys Ala His Lys Phe Val Glu Glu Lys Ser Pro Leu Thr Glu Gln Ile Gln Val Arg Gln 345 Ala Gln Ile Glu Lys Leu Tyr Ala Gly Leu Gln Asp Leu Ser Lys Glu Arg Arg Lys Arg Leu Glu Glu Thr Leu Glu Leu Tyr Ala Leu His Arg Glu Ile Asp Asp Leu Leu Gln Trp Ile Ala Asp Lys Glu Val Val Ala Gly Ser Gln Glu Asn Gly Gln Asp Tyr Glu His Val Gln Met Leu Gln Glu Arg Phe Gln Gln Phe Ala Arg Asp Thr Glu Asn Ile Gly Ser Glu Arg Val Ala Asn Ala Asn Asp Gly Cys Asp Thr Leu Ile Gly His Gly His Thr Asp Ala Pro Thr Ile Ala Leu Trp Lys Asp Ser Leu Asn Glu Ala Trp Glu Asn Leu Leu Glu Leu Met Asp Thr Arg Ala Gln Ile Leu 465 Glu Ala Ser Arg Leu Leu His Lys Phe Tyr His Asp Cys Arg Asp Cys 490 Leu Ser Arg Ile Met Glu Lys Thr His Ala Met Pro Asp Asp Leu Gly 500 Arg Asp Ser Ser Ser Val Gly Ala Leu Ser Arg Lys His Gln Asn Tyr

Leu Lys Asp Ile Ala Ala Ile Gly Glu Gln Val Ala Gln Ile Glu Arg

530 535 540

Asp Ala Ala Glu Leu Arg Asp Gly Tyr Ala Gly Asp Lys Ala Leu Asp 555 550 Ile Gly Ser Arg Glu Ser Glu Val Val Lys Ala Trp Arg His Leu Arg 565 Gly Leu Cys Asp Ala Arg Thr Ser Arg Leu Met Asp Thr Ser Asp Leu 585 580 Phe Lys Phe Met Asn Met Val Arg Asp Leu Leu Trp Met Asp Glu 605 600 Val Lys Arg Glu Met Asn Ser Gln Glu Arg Pro Lys Asp Val Ser Gly 615 610 Val Glu Leu Leu Met Asn Asn His Gln Ser Leu Lys Ala Glu Ile Asp 635 630 Ala Arg Glu Glu Asn Phe Asn Ala Cys Ile Ser Leu Gly Arg Asp Leu 645 Leu Asn Arg Lys His Tyr Ala Ser Ser Glu Ile Glu Lys Lys Leu Ile 665 660 Lys Leu Thr Thr Glu Arg Ala Glu Met Met Arg Arg Trp Glu Asp Arg 680 Trp Glu Tyr Leu Gln Leu Ile Leu Glu Val Tyr Gln Phe Ala Arg Asp 690 695 Ala Ala Val Ala Glu Ser Trp Leu Phe Ala Gln Glu Pro Tyr Leu Ile 710 715 Ser Lys Glu Tyr Gly Arg Asn Leu Glu Glu Thr

<210> 15

<211> 3561

<212> DNA

<213> Caenorhabditis elegans

<400> 15

atgageteta gtagtagtga tgaaaatgaa acaacgatac acagaacagg atcaaatacc 60 ggtggaagtg gaatetacte acaacetega geaggateat caaaaagaac ategaatgtg 120 cgacatgatg ttagtgatgt agatgatgaa gaagageatt atgeaagatt tegegaagat 180 acaggegateg aggttgacga tgetataaca gttettett catetetaca tttegaacae 240 aaaegtgata ttgtteegae egatgaagat gataataaac tteegagaact teaegaaaag 300 atttttgeat tgataacgag tgaatetgat gttaacagaa aaagaegget gaaaaaaaget 360 etteetgegt caaaetgtgt tagagaacaa gtatattate tteegaaggaa accateaaca 420 ecaecagett ettattatea tegaetaaat geagetette acacaategt taaggaatea 480 gtttaatte ttgaagga aatategaa agttgetaca gtattaggae ttgttgaage gettgeagaa 540 gttttaatte ttgaagtea cacatttgga atcaatgaga ceaateetgg agageatega 600 aatattegaa aacttattge caatgetett acgaatttaa cataeggtea aatteaetet 660 aaaegeegge tatgeteata tgatggatte attegatgeg ttgttegaat tgtgategaa 720 teteeaaata taaeteaagt ataegetgga etaateagaa ateeetetag gaaegeeggt 780

```
tcaggaatga gtgaagctct tcaaccaaca gttcatgcac tttcaattgc tgcagtacat 840
gcacatacac atagattcga tgttacagca acattatctg ctttgtggaa tcttgctggt 900
cactcagtag agaataaacg aactattīgt gatactccga attgītīaaa agtaītagcc 960
agocttotat otootgatgo aagattoaog toacttgttg attoagotac tggaattotg 1020
aagtatgtat cacaatatet egegaataet tecaegeatt tagagetaag aagettgete 1080
atcactogaa tgotcacttt gotcaagagt gootogttoa ottgigttac aaataciota 1140
ggagetattg caaacetaat tgtcaaagat ecceacatge agcaaatgat teggeaggat 1200
atggctgcag tacagcaact caacgtactc cgaaactcga atcgtgatga tattcggaca 1260
gcagtgaagt ctgtgctgaa tactcttaat caaccgtgta gtcatcgtta tggtgatatg 1320
tcacattctg ttggaggagg agccacaggg atgcaaatgc tttcggagcc acaacttcag 1380
atgcaaacat ctcatcatgc ttatcatgga actgcgtcac caagattact atcactgaga 1440
gcaactcgag catcacctgg aaaatatata caaccacagg ctcaacaaca gttgatacag 1500
actocacaag ttgatcaaag atotagtagt otgocaagac attttgcogt tcaacgaaat 1560
ggatttgtga tggcacagtc ctacaatcaa caaatggatc aacatcagca acaacaaatg 1620
atctatcaat tgcagcaaca acaacaaatt atgacggagg atcaagcgca aatggaacat 1680
catcaacaaa tcatgtacct tcagcagcaa caacaacaat ttcatcaaat tcaacaacag 1740
caacaaatge aaaaagetea ggaagetgat ecagtteete etaeggatga egatetagat 1800
attoccacat ctaccgtaat gggaacacga agtaacagtg aaagaagtot cggctcgatg 1860
aatootggaa gtgttatgac aaactggaat tottototgg atactgcage caacagttot 1920
cgtgctcttt ctcctgtatc atacaatgat attccagctt ctccaacaat gtgtgctcag 1980
gtgttcaatt tacctaaatc cactgaatcg gaacatcatc aattgacgtc tcaacagcag 2040
aacactacac attatagcag tggatcagct aacactatga ctcggagtga tggtgcaact 2100
actgtgccaa tggataacat tattacacca acttatgcta ttttgaatcc aatattggta 2160
cacgaacaga caccgaacgg gacagttcca cgaaagactt cagaagagtt ggatagtcct 2220
gatgatgttc tcccaggtcc atctcttgag gaggaagaag gtgattatgc tataatagga 2280
ggtgccgcac aaaagacaga tgacgagctt ttgactcgtt ctattcaatc tgaaatgcct 2340
acttegtegt etacteegaa gatgaaagte tegeetegee ttaatggatt ettetetea 2400
actcagaaaa caacatcgtc tcctgcatgg tctcatccag atacctcacc gattccaaag 2460
tcatcttctc atcgaactca acctaatcgt cgtcaagatg cttctgatgc agatcgtctt 2520
ttaatggaat caataatgtc agagatgcca aaaagtcgaa ttatatctcc acgacttgct 2580
ggtacacaac aatatettga accegageca gagagaagaa gteatteaaa aaacgaggaa 2640
gccgatcgcc gcgacgcatt caccgcatcg catgagccca gcgatcataa cggcattgat 2700
gtggcaagag gctcagactg gtctccacaa caacaattac atcgaatgga gtcattggaa 2760
agccaagcta gtagtgaaga tagttttgga ttaactgctg aagaaccaaa ttcatcaact 2820
totggtgctg otgcaaacac tatgagattt gacgatgaga togatgcato tottocaatg 2880
gattgtgtcg atgatgatga ttacgactat acttatgatc atttcgaaga ttatgaagat 2940
gaggaggate etgatgegae teagtttgat gatggagttg atgeacaact aactategat 3000
tgttcaatga tttctagtgg aageggttca tcgcaaagaa atgaaactac gacaacgtca 3060
 cgagattcaa aagctttagc tacttccaca ccaaaaggat ctgcatcttc actcccagga 3120
 gttcgacaag ccacccgagt atcaacgaat ggaaagtcaa gactgcctgt tccaaaaacg 3180
 aatggatcac ttgttgataa gaatcccaag ccaatcatcg cttcccggcg gccacgattg 3240
 ccaccgaage cgacactttt aaaagataag cactatecag aagaggatte gattgagaat 3300
 cagacgagag atgatacgat atatgtgaat gctccagttg ttgaggcaga acaagaacga 3360
 atttatatga atgcattgaa gcaacagaag aacattgagc aatcaccgtc aattggaaac 3420
 ggatcaccta tagctaaatc tgcaattgta acgccctaca attatcagaa accgcctttc 3480
 actggtcgaa ataatggtga aatgagcaac gagaagagtg tgacaccgaa tcctaaacaa 3540
                                                                    3561
 atgcttgtaa caatagtcta a
```

```
<210> 16
```

```
Met Ser Ser Ser Ser Ser Asp Glu Asn Glu Thr Thr Ile His Arg Thr 1 5 10
```

Gly Ser Asn Thr Gly Gly Ser Gly Ile Tyr Ser Gln Pro Arg Ala Gly

<sup>&</sup>lt;211> 1186

<sup>&</sup>lt;212> PRT

<sup>&</sup>lt;213> Caenorhabditis elegans

<sup>&</sup>lt;400> 16

Ser Ser Lys Arg Thr Ser Asn Val Arg His Asp Val Ser Asp Val Asp Asp Glu Glu Glu His Tyr Ala Arg Phe Arg Glu Asp Thr Ala Ile Glu 55 Val Asp Asp Ala Ile Thr Val Leu Leu Ser Ser Leu His Phe Glu His Lys Arg Asp Ile Val Pro Thr Asp Glu Asp Asp Asn Lys Leu Arg Glu 90 8.5 Leu His Glu Lys Ile Phe Ala Leu Ile Thr Ser Glu Ser Asp Val Asn 100 105 Arg Lys Arg Arg Leu Lys Lys Ala Leu Pro Ala Ser Asn Cys Val Arg 120 Glu Gln Val Tyr Tyr Leu Arg Arg Lys Pro Ser Thr Pro Pro Ala Ser 135 Tyr Tyr His Arg Leu Asn Ala Ala Leu His Thr Ile Val Lys Glu Ser 155 150 Phe Gly Glu Glu Tyr Arg Lys Val Ala Thr Val Leu Gly Leu Val Glu 170 Ala Leu Ala Glu Val Leu Ile Leu Glu Val His Thr Phe Gly Ile Asn 185 180 Glu Thr Asn Pro Gly Glu His Arg Asn Ile Arg Lys Leu Ile Ala Asn 200 Ala Leu Thr Asn Leu Thr Tyr Gly Gln Ile His Ser Lys Arg Arg Leu 210 215 Cys Ser Tyr Asp Gly Phe Ile Arg Cys Val Val Arg Ile Val Ile Glu 230 Ser Pro Asn Ile Thr Gln Val Tyr Ala Gly Leu Ile Arg Asn Leu Ser 250 Trp Asn Ala Asp Ser Gly Met Ser Glu Ala Leu Gln Pro Thr Val His 260 Ala Leu Ser Ile Ala Ala Val His Ala His Thr His Arg Phe Asp Val 275 280 Thr Ala Thr Leu Ser Ala Leu Trp Asn Leu Ala Gly His Ser Val Glu 300 295 Asn Lys Arg Thr Ile Cys Asp Thr Pro Asn Cys Leu Lys Val Leu Ala 305 310 Ser Leu Leu Ser Pro Asp Ala Arg Phe Thr Ser Leu Val Asp Ser Ala 330 325

Thr	Gly	Ile	Leu 340	Lys	Tyr	Val	Ser	Gln 345	Tyr	Leu	Ala	Asn	Thr 350	Ser	Thr
His	Leu	Glu 355	Leu	Arg	Ser	Leu	Leu 360	Ile	Thr	Arg	Met	Leu 365	Thr	Leu	Leu
Lys	Ser 370	Ala	Ser	Phe	Thr	Cys 375	Val	Thr	Asn	Thr	Leu 380	Gly	Ala	Ile	Ala
Asn 385	Leu	Ile	Val	Lys	Asp 390	Pro	His	Met	Gln	Gln 395	Met	Ile	Arg	Gln	Asp 400
Met	Ala	Ala	Val	Gln 405	Gln	Leu	Asn	Val	Leu 410	Arg	Asn	Ser	Asn	Arg 415	Asp
Asp	Ile	Arg	Thr 420	Ala	Val	Lys	Ser	Val 425	Leu	Asn	Thr	Leu	Asn 430	Gln	Pro
Cys	Ser	His 435	Arg	Tyr	Gly	Asp	Met 440	Ser	His	Ser	Val	Gly 445	Gly	Gly	Ala
Thr	Gly 450	Met	Gln	Met	Leu	Ser 455	Glu	Pro	Gln	Leu	Gln 460	Met	Gln	Thr	Ser
His 465		Ala	Tyr	His	Gly 470	Thr	Ala	Ser	Pro	Arg 475	Leu	Leu	Ser	Leu	Arg 480
Ala	Thr	Arg	Ala	Ser 485	Pro	Gly	Lys	Tyr	Ile 490	Gln	Pro	Gln	Ala	Gln 495	Gln
Gln	Leu	Ile	Gln 500		Pro	Gln	Val	Asp 505	Gln	Arg	Ser	Ser	Ser 510	Leu	Pro
Arg	His	Ph∈ 515		ı Val	Gln	Arg	Asn 520	Gly	Phe	Val	Met	Ala 525	Gln	Ser	Tyr
Asn	Gln 530	Glr	n Met	. Asp	Gln	His 535	Gln	. Gln	Gln	Gln	Met 540	Ile	Tyr	Gln	Leu
Glr 545		n Glr	n Glr	n Glr	ı Ile 550	Met	Thr	Glu	a Asp	555	Ala	Gln	Met	Glu	His 560
His	s Glr	n Gli	n Ile	e Met 565		Leu	ı Glr	n Glr	Glr 570	n Glr	Gln	Glr	n Phe	His 575	Gln
Ile	e Gl:	n Gli	n Gli 580		n Glr	n Met	: Glr	Lys 585	s Alā	a Glr	n Glu	ı Ala	590	Pro	Val
Pro	o Pro	o Th 59		p Ası	p Asp	Le	Asp 600	o Ile	e Pro	o Thi	r Sei	605	val	L Met	Gly
Th	r Ar		r As	n Se	r Glı	u Aro 61	g Sei 5	r Lei	u Gly	y Se	r Met	t Ası	n Pro	o G1 <u>s</u>	y Ser
Va 62		t Th	r As	n Tr	p As: 63	n Se	r Se	r Le	u Ası	p Th.	r Ala	a Al	a Asi	n Se:	r Ser 640

26 Arg Ala Leu Ser Pro Val Ser Tyr Asn Asp Ile Pro Ala Ser Pro Thr 650 Met Cys Ala Gln Val Phe Asn Leu Pro Lys Ser Thr Glu Ser Glu His His Gln Leu Thr Ser Gln Gln Gln Asn Thr Thr His Tyr Ser Ser Gly Ser Ala Asn Thr Met Thr Arg Ser Asp Gly Ala Thr Thr Val Pro Met Asp Asn Ile Ile Thr Pro Thr Tyr Ala Ile Leu Asn Pro Ile Leu Val 715 710 His Glu Gin Thr Pro Asn Gly Thr Val Pro Arg Lys Thr Ser Glu Glu 730 Leu Asp Ser Pro Asp Asp Val Leu Pro Gly Pro Ser Leu Glu Glu Glu Glu Gly Asp Tyr Ala lie lie Gly Gly Ala Ala Gln Lys Thr Asp Asp 760 Glu Leu Leu Thr Arg Ser Ile Gln Ser Glu Met Pro Thr Ser Ser Ser Thr Pro Lys Met Lys Val Ser Pro Arg Leu Asn Gly Phe Phe Ser Pro 790 Thr Gln Lys Thr Thr Ser Ser Pro Ala Trp Ser His Pro Asp Thr Ser 810 Pro Ile Pro Lys Ser Ser Ser His Arg Thr Gln Pro Asn Arg Arg Gln 825 820 Asp Ala Ser Asp Ala Asp Arg Leu Leu Met Glu Ser Ile Met Ser Glu 840 Met Pro Lys Ser Arg Ile Ile Ser Pro Arg Leu Ala Gly Thr Gln Gln 855 Tyr Leu Glu Pro Glu Pro Glu Arg Arg Ser His Ser Lys Asn Glu Glu 865 Ala Asp Arg Arg Asp Ala Phe Thr Ala Ser His Glu Pro Ser Asp His 890 Asn Gly Ile Asp Val Ala Arg Gly Ser Asp Trp Ser Pro Gln Gln Gln 905 Leu His Arg Met Glu Ser Leu Glu Ser Gln Ala Ser Ser Glu Asp Ser 915 Phe Gly Leu Thr Ala Glu Glu Pro Asn Ser Ser Thr Ser Gly Ala Ala 935 930 Ala Asn Thr Met Arg Phe Asp Asp Glu Ile Asp Ala Ser Leu Pro Met

•		, 3320													
								:	27						
945					950					955					960
Asp	Cys	Val	Asp	Asp 965	Asp	Asp	Tyr	Asp	Tyr 970	Thr	Tyr	Asp	His	Phe 975	Glu
Asp	Tyr	Glu	Asp 980	Glu	Glu	Asp	Pro	Asp 985	Ala	Thr	Gln	Phe	Asp 990	Asp	Gly
Val	Asp	Ala 995	Gln	Leu	Thr	Ile 1	qaA 000	Cys	Ser	Met	Ile	Ser 1005	Ser	Gly	Ser
	Ser L010	Ser	Gln	Arg	Asn	Glu 1015	Thr	Thr	Thr	Thr	Ser 1020	Arg	Asp	Ser	Lys
Ala 1025		Ala	Thr	Ser	Thr 1030	Pro	Lys	Gly	Ser	Ala 1035	Ser	Ser	Leu	Pro	Gly 1040
Val	Arg	Gln	Ala	Thr 1045	Arg	Val	Ser	Thr	Asn 1050	Gly	Lys	Ser	Arg	Leu 1055	Pro
Val	Pro		Thr 1060	Asn	Gly	Ser	Leu	Val 1065	Asp	Lys	Asn	Pro	Lys 1070	Pro	Ile
Ile		Ser 1075		Arg	Pro	Arg	Leu 1080	Pro	Pro	Lys	Pro	Thr 1085	Leu	Leu	Lys
	Lys 1090		Tyr	Pro	Glu	Glu 1095	Asp	Ser	Ile	Glu	Asn 1100	Gln	Thr	Arg	Asp
Asp 110	Thr 5	Ile	e Tyr	Val	Asn 1110	Ala	Pro	Val	. Val	. Glu 1115	a Ala	Glu	Gln	Glu	Arg 1120
Ile	Tyr	Met	. Asn	Ala 1125	Leu	Lys	Glr	Glr	1130	s Asr	ı Ile	e Glu	ı Glr	Ser 1135	Pro
Ser	: Ile	e Gly	y Asr 1140		/ Ser	Pro	ıle	Ala 1145	a Lys	s Sei	c Ala	ı Ile	val 1150	Thr	Pro
Tyr	Asr	ту: 115	r Glr 5	ı Lys	s Pro	) Pro	Phe 1160	e Thi	r Gl	y Ar	g Asr	116:	n Gly 5	y Glu	ı Met
Sei	Asr 1170		u Lys	s Se:	r Val	1 Thi	r Pro	o Ası	n Pr	o Ly:	s Gl: 1180	n Mei	t Lei	ı Vai	l Thi
Ile 118	e Val	l													
<2 <2	10> : 11> 12> :	1742 DNA	orha	bdit	is e	lega	ns						-		

<400> 17
atgagctcta gtagtagtga tgaaaatgaa acaacgatac acagaacagg atcaaatacc 60
ggtggaagtg gaatctactc acaacctcga gcaggatcat caaaaagaac atcgaatgtg 120
cgacatgatg ttagtgatgt agatgatgaa gaagagcatt atgcaagatt tcgcgaagat 180
acggcgatcg aggttgacga tgctataaca gttcttcttt catctctaca tttcgaacac 240

```
28
aaacgtgata ttgttccgac cgatgaagat gataataaac ttcgagaact tcacqaaaag 300
atttttgcat tgataacgag tgaatctgat gttaacagaa aaagacggct gaaaaaagct 360
cttcctgcgt caaactgtgt tagagaacaa gtatattatc ttcgaaggaa accatcaaca 420
ccaccagett ettattatea tegaetaaat geagetette acacaategt taaggaatea 480
tttggagaag aatatcgaaa agttgctaca gtattaggac ttgttgaagc gcttgcagaa 540
gttttaattc ttgaagttca cacatttgga atcaatgaga ccaatcctgg agagcatcga 600
aatattogaa aacttattgo caatgotott acgaatttaa cataoggtoa aattoactot 660
aaacgccggc tatgctcata tgatggattc attcgatgcg ttgttcgaat tgtgatcgaa 720
totocaaata taactoaagt atacgotgga otaatoagaa atototoatg gaacgoogat 780
tcaggaatga gtgaagctct tcaaccaaca gttcatgcac tttcaattgc tgcagtacat 840
gcacatacac atagattega tgttacagea acattatetg etttgtggaa tettgetggt 900
cactcagtag agaataaacg aactatttgt gatactccga attgtttaaa agtattagcc 960
agocttotat otootgatgo aagattoacg toacttgttg attoagotac tggaattotg 1020
aagtatgtat cacaatatct cgcgaatact tccacgcatt tagagctaag aagcttgctc 1080
atcactcgaa tgctcacttt gctcaagagt gcctcgttca cttgtgttac aaatactcta 1140
ggagctattg caaacctaat tgtcaaagat ccccacatgc agcaaatgat tcggcaggat 1200
atggctgcag tacagcaact caacgtactc cgaaactcga atcgtgatga tattcggaca 1260
gcagtgaagt ctgtgctgaa tactcttaat caaccgtgta gtcatcgtta tggtgatatg 1320
tcacattctg ttggaggagg agccacaggg atgcaaatgc tttcggagcc acaacttcag 1380
atgcaaacat ctcatcatgc tratcatgga actgcgtcac caagattact atcactgaga 1440
gcaactcgag catcacctgg aaaatatata caaccacagg ctcaacaaca gttgatacag 1500
actocacaag ttgatcaaag atotagtagt ctgccaagac attttgccgt tcaacgaaat 1560
ggatttgtga tggcacagtc ctacaatcaa caaatggatc aacatcagca acaacaaatg 1620
atctatcaat tgcagcaaca acaacaaatt atgacggagg atcaagcgca aatggaacat 1680
catcaacaaa tcatgtacct tcagcagcaa caacaacaat ttcatcaaat tcaacaacag 1740
                                                                   1742
<210> 18
```

```
<211> 509
<212> PRT
```

<213> Caenorhabditis elegans

<400> 18 Met Ser Ser Ser Ser Asp Glu Asn Glu Thr Thr Ile His Arg Thr 10

Gly Ser Asn Thr Gly Gly Ser Gly Ile Tyr Ser Gln Pro Arg Ala Gly

Ser Ser Lys Arg Thr Ser Asn Val Arg His Asp Val Ser Asp Val Asp 40

Asp Glu Glu Glu His Tyr Ala Arg Phe Arg Glu Asp Thr Ala Ile Glu 50 55

Val Asp Asp Ala Ile Thr Val Leu Leu Ser Ser Leu His Phe Glu His 65

Lys Arg Asp Ile Val Pro Thr Asp Glu Asp Asp Asn Lys Leu Arg Glu 90

Leu His Glu Lys Ile Phe Ala Leu Ile Thr Ser Glu Ser Asp Val Asn 110 105 100

Arg Lys Arg Arg Leu Lys Lys Ala Leu Pro Ala Ser Asn Cys Val Arg 125 120 115

Glu Gln Val Tyr Tyr Leu Arg Arg Lys Pro Ser Thr Pro Pro Ala Ser

								2	29						
	131					135					140				
Tyr 145	Туг	His	Arg	Leu	Asn 2	Ala	Ala	Leu	His	Thr 155	Ile	Val	Lys	Glu	Ser 160
Phe	Gly	Glu	Glu	Tyr 165	Arg	Lys	Val	Ala	Thr 170	Val	Leu	Gly	Leu	Val 175	Glu
Ala	Leu	Ala	Glu 180	Val	Leu	Ile	Leu	Glu 185	Val	His	Thr	Phe	Gly 190	Ile	Asn
Glu	Thr	Asn 195	Pro	Gly	Glu	His	Arg 200	Asn	Ile	Arg	Lys	Leu 205	Ile	Ala	Asn
Ala	Leu 210	Thr	Asr.	Leu	Thr	Tyr 215	Gly	Gln	Ile	His	Ser 220	Lys	Arg	Arg	Leu
Cys 225	Ser	Tyr	Asp	Gly	Phe 230	Ile	Arg	Cys	Val	Val 235	Arg	Ile	Val	Ile	Glu 240
Ser	Pro	Asn	ile	Thr 245	Gin	Val	Tyr	Ala	Gly 250	Leu	Ile	Arg	Asn	Leu 255	Ser
Trp	Asn	Ala	Asp 260	Ser	Giy	Met	Ser	Glu 265	Ala	Leu	Gln	Pro	Thr 270	Val	His
Ala	Leu	Ser 275	lle	Ala	Ala	Val	His 280	Ala	His	Thr	His	Arg 285	Phe	Asp	Val
Thr	Ala 290		r Leu	Ser	Ala	Leu 295	Trp	Asn	Let	ı Ala	Gly 300	His	Ser	Val	Glu
Asn 305	Lys	Arg	g Thr	īle	Cys 310	Asp	Thr	Pro	Ası	n Cys 315	s Lev	Lys	. Val	Leu	Ala 320
Ser	Lev	: Le	u Sei	Pro 325	Asp	Ala	Arç	, Phe	330	r Sei	r Leu	ı Val	. Asp	Ser 335	Ala
Thr	Gly	/ Il	e Lei 34(		s Tyr	Val	Ser	Glr 345	n Ty:	r Le	u Ala	a Asr	Thr 350	s Ser	Thr
His	s Lev	Gl 35		u Arç	g Ser	Leu	ı Lei 360	ı Ile	e Th	r Ar	g Met	Let 36	u Thi	r Lei	ı Leu
Lys	s Se:		a Se	r Phe	e Thr	Cys	s Val	l Th	r As	n Th	r Lei 38	u Gl	y Ala	a Ile	e Ala
As:		u Il	e Va	l Ly:	s Asp 390	Pro	o Hi:	s Me	t Gl	n Gl 39	n Me	t Il	e Ar	g Gli	n Asp 400
		a Al	a Va	1 Gl:	n Glr 5	n Le	u As:	n Va	l Le 41	u Ar	g As	n Se	r As	n Ar	g Asp 5
As	p Il	e Ar	g Th	r Al	-	l Ly	s Se	r Va 42	l Le 5	eu As	n Th	r Le	u As 43	n Gl O	n Pro
Су	s Se	r Hi			r Gly	y As	р Ме 44	t Se	r Hi	s Se	er Va	l Gl 44	y Gl 5	y Gl	y Ala

30

3.40 / 19 ditactores togotyctot caactitigt ggagaagatt cgatgotott tgaatcagtt 120 materitria tateaactga ttetttagae teteaacagt ttegagagag atgteaaatg 180 asaaasgaag attttcaatt agcattogca gactotggac attggcaato aggtataaat 240 gataaictga caacttgggg teggattegg acatetgaac cattggatga aegtaetgee 300 agtgctccag atgtttggaa tgtaaaaaga agtgatagtg ctcgatcacc aaatcgtcca 360 aatteastga ttgecaactt tgttteegga gatgetaete gattegtega tgtaaatgat 420 aatgaaatto gogaggoaaa tgaagaaata attogtaaag atogttggag aagagattoa 480 acgagacgat geteatetgg aggacaaaat cagaaacgaa catttgegga tattetggaa 540 aagaatgtaa cagcaccaac ttcaatggca atcacatcgt ctgataatga aaagcctccg 600 aaattagact teetggeaat geateatgag atgecatete tetgegagte atteaceget 660 togttoogtg atgotattat taaaatgoag aaatgtgago cactacogto gattactica 720 accaatgatt ttccgctctt ctttcaagaa gactctcccg actcaggact cggttgtagt 780 ggtccgagcc acattgaaga ttggcaatct ctatctgttc ttctgcccaa acacgtcgca 840 gaagcatgtt cattetteaa gagcaacace caattattaa catcaagtae atcaaaaca 900 gcaccccaaa catcaacaaa catcgtatca aattgcattg atcgccgtat ctctggtatt 960 tragratrag caaatgaage atgregaacg tgttategag tacgaaggag gatacaccca 1020 ccagttiggg ctcaaactgc ccaatcaaag acggttcttt gtgactgcgc atcaacaccc 1080 acggatacga atttctcatt tgcaccaaca acttcaacga ctcgccatca actgcgcgca 1140 aaagagetet caattgtegg attgeegatt tatgeageaa ageggaeact egttgagaat 1200 gttgttgaag gcgttgctgc aatttcaaga ggggatggaa gtgatttgct tgtcatcgcc 1260 atgagatget taattgaaga tggtetteaa gaaaatgtat eggeatggae aatgatteag 1320 acggtracet caaaaggeee ageracaaaa gatgtreatt caattgtaaa acaattggaa 1380 gaatgttcaa agactgacaa cgtcaaagtt gaaatcttct ttgaggagct tatcagagaa 1440 aactcattgg actgctggct gtgctatatt gtgttgaaag agaaggtgct gaaaacattg 1500 tattetgaaa atgeatteet tetttetgeg agttetgaat acagaaetet tetttggaga 1560 atggtcgaca gtttgtctct tttgccagtg atcgaagctc gcagtgattc agttcaccaa 1620 cagttcaaat caatgcaaca atggggcgga gcatccagaa tagcttctga ctcaagagtt 1680 ccaaagagtt catcgttccc agcaagatta tcaactgctc catcaagaag atcaaggata 1740 ccattgtcaa caagtcgcat cagtatcagc tcaacaactt caacacctcg atcagctcga 1800 tcaccttcaa cgacatctcg tattcgagtt gcatctataa tgggtgactt cacacttgcc 1860 aattictccc teteagacgg agaaaaagtt agtgttetat caactegtgg aggaettget 1920 cgatgtgtcc gtttaacgac tictcattca aaaatcaaca atggagttat tccgattgaa 1980 catcttcttt tccagtga

<210> 20 <211> 665 <212> PRT

31 <213> Caenorhabditis elegans <400> 20 Met Val Glu Leu Cys Glu Leu His Met Met Pro Glu Glu Asp Gln Trp Pro Asp Asp Ile Asp Ala Arg Ile Ala Ala Leu Asn Phe Cys Gly Glu Asp Ser Met Leu Phe Glu Ser Val Asp Pro Ser Val Ser Thr Asp Ser 40 Leu Asp Ser Gln Gln Phe Arg Glu Arg Cys Gln Met Lys Lys Glu Asp Phe Gln Leu Ala Phe Ala Asp Ser Gly His Trp Gln Ser Gly Ile Asn Asp Asn Leu Thr Trp Gly Arg Ile Arg Thr Ser Glu Pro Leu Asp Glu Arg Thr Ala Ser Ala Pro Asp Val Trp Asn Val Lys Arg Ser Asp 105 Ser Ala Arg Ser Pro Asn Arg Pro Asn Ser Leu Ile Ala Asn Phe Val 120 Ser Gly Asp Ala Thr Arg Phe Val Asp Val Asn Asp Asn Glu Ile Arg 135 130 Glu Ala Asn Glu Glu Ile Ile Arg Lys Asp Arg Trp Arg Arg Asp Ser Ala Arg Arg Cys Ser Ser Gly Gly Gln Asn Gln Lys Arg Thr Phe Ala

Asp Ile Leu Glu Lys Asn Val Thr Ala Pro Thr Ser Met Ala Ile Thr 180

Ser Ser Asp Asn Glu Lys Pro Pro Lys Leu Asp Phe Leu Ala Met His 200

His Glu Met Pro Ser Leu Cys Glu Ser Phe Thr Ala Ser Phe Arg Asp 215

Ala Ile Ile Lys Met Gln Lys Cys Glu Pro Leu Pro Ser Ile Thr Ser 230 225

Thr Asn Asp Phe Pro Leu Phe Phe Gln Glu Asp Ser Pro Asp Ser Gly 250

Leu Gly Cys Ser Gly Pro Ser His Ile Glu Asp Trp Gln Ser Leu Ser 265

Val Leu Leu Pro Lys His Val Ala Glu Ala Cys Ser Phe Phe Lys Ser 285 275

Asn Thr Gln Leu Leu Thr Ser Ser Thr Ser Lys Thr Ala Pro Gln Thr

	290					295		;	32		300				
Ser 305	Thr	Asn	Ile	Val	Ser 310	Asn	Cys	Ile	Asp	Arg 315	Arg	Ile	Ser	Gly	Ile 320
Ser	Ala	Ser	Ala	Asn 325	Glu	Ala	Cys	Arg	Thr 330	Cys	Tyr	Arg	Val	Arg 335	Arg
Arg	Ile	His	Pro 340	Pro	Val	Trp	Ala	Gln 345	Thr	Ala	Gln	Ser	Lys 350	Thr	Val
Leu	Cys	Asp 355	Cys	Ala	Ser	Thr	Pro 360	Thr	Asp	Thr	Asn	Phe 365	Ser	Phe	Ala
Pro	Thr 370	Thr	Ser	Thr	Thr	Arg 375	His	Gln	Leu	Arg	Ala 380	Lys	Glu	Leu	Ser
Ile 385	Vāl	Gly	Leu	Pro	Ile 390	Tyr	Ala	Ala	Lys	Arg 395	Thr	Leu	Val	Glu	Asn 400
Val	Val	Gìu	Gly	Val 405	Ala	Ala	Ile	Ser	Arg 410	Gly	Asp	Gly	Ser	Asp 415	Leu
Leu	Val	Ile	Ala 420	Met	Arg	Cys	Leu	Ile 425	Glu	Asp	Gly	Leu	Gln 430	Glu	Asn
Val	Ser	Ala 435	Trp	Thr	Met	Ile	Gln 440	Thr	Val	Thr	Ser	Lys 445	Gly	Pro	Ala
Thr	Lys 450	Asp	Val	His	Ser	Ile 455	Val	Lys	Gln	Leu	Glu 460	Glu	Cys	Ser	Lys
Thr 465		Asn	Val	Lys	Val 470	Glu	Ile	Phe	Phe	Glu 475	Glu	Leu	Ile	Arg	Glu 480
Asn	Ser	Leu	Asp	Cys 485	Trp	Leu	Cys	Tyr	Ile 490	Val	Leu	Lys	Glu	Lys 495	Val
Leu	Lys	Thr	Leu 500	Tyr	Ser	Glu	Asn	Ala 505	Phe	Leu	Leu	Ser	Ala 510	Ser	Ser
Glu	Tyr	Arg 515		Leu	Leu	Trp	Arg 520	Met	Val	Asp	Ser	Leu 525	Ser	Leu	Leu
Pro	Val 530		Glu	Ala	Arg	Ser 535		Ser	Val	His	Gln 540	Gln	Phe	Lys	Ser
Met 545		Gln	Trp	Gly	Gly 550		Ser	Arg	Ile	Ala 555	Ser	Asp	Ser	Arg	Val 560
Pro	Lys	Ser	Ser	Ser 565		Pro	Ala	Arg	Leu 570	ser	Thr	Ala	Pro	Ser 575	Arg
Arç	ser Ser	Arg	Ile 580		Leu	Ser	Thr	Ser 585	Arç	; I <b>l</b> e	e Ser	Ile	Ser 590	Ser	Thr
Thr	Ser	Thr 595	Pro	Arç	Ser	Ala	Arg 600	Ser	Pro	Ser	Thr	Thr 605	Ser	Arg	; Ile

```
33
Arg Val Ala Ser Ile Met Gly Asp Phe Thr Leu Ala Asn Phe Ser Leu
    610
                        615
Ser Ase Gly Glu Lys Val Ser Val Leu Ser Thr Arg Gly Gly Leu Ala
                                         635
                    630
Ard Cys Val Arg Leu Thr Thr Ser His Ser Lys Ile Asn Asn Gly Val
                                                         655
                                     650
i.. iri Ile Glu His Leu Leu Phe Gln
            660
 11.41.
51141539
11145MA
 11. Chemorhabditis elegans
.411 - 21
titoquaaqu gatgicaaat gaaaaaagaa gattitcaat tagcattogo agactotgga 60
mitigicaat caggiataaa igataatotg acaactiggg gioggatiog gacatotgaa 120
coattogatg aacgtactge cagtgeteca gatgtttgga atgtaaaaag aagtgatagt 180
patagatous canatogtoc anattoactg attgccaact ttgtttccgg agatgctact 240
squttsques atgtaaatga taatgaaatt cgcgaggcaa atgaagaaat aattcgtaaa 300
dategingga gaagagatte agegagaega tgeteatetg gaggaeaaaa teagaaaega 360
acattigega atattetgga aaagaatgta acagcaccaa etteaatgge aateacateg 420
totgataatg aaaagcotoc gaaattagac ttootggcaa tgcatcatga gatgccatct 480
ctotgogagi cattoacogo ttogttocgt gatgotatta ttaaaatgoa gaaatgtgag 540
ccactacegt cgattactic aaccaatgat ittccgctct tctttcaaga agacteteee 600
gactcaggac toggttgtag tggtccgagc cacattgaag attggcaatc totatotgtt 660
cttctccca aacacgtcgc agaagcatgt tcattcttca agagcaacac ccaattatta 720
acatcaagta catcaaaaac agcacccaa acatcaacaa acatcgtatc aaattgcatt 780
gategorata tetetggtat ticageatea geaaatgaag catgtegaae gtgttatega 840
 gtacgaagga ggatacaccc accagtttgg gctcaaactg cccaatcaaa gacggttctt 900
 tgtgactgcg catcaacacc cacggatacg aatttctcat ttgcaccaac aacttcaacg 960
 actogocato aactgogogo aaaagagoto toaattgtog gattgoogat ttatgoagoa 1020
 aagcggacac tcgttgagaa tgttgttgaa ggcgttgctg caatttcaag aggggatgga 1080
 agtgatttgc ttgtcatcgc catgagatgc ttaattgaag atggtcttca agaaaatgta 1140
 toggoatgga caatgattoa gaoggttaco toaaaaggoo cagotacaaa agatgttoat 1200
 tcaattgtaa aacaattgga agaatgttca aagactgaca acgtcaaagt tgaaatcttc 1260
 tttgaggage ttatcagaga aaactcattg gactgetgge tgtgetatat tgtgttgaaa 1320
 gagaaggige tgaaaacatt gtattetgaa aatgeattee ttetteetge gagtteigaa 1380
 tacagaacto ttotttggag aatggtogac agtitgtoto ttttgccagt gaiogaagot 1440
 cgcagtgatt cagttcacca acagttcaaa tcaatgcaac aatggggcgg agcatccaga 1500
 atagettetg acteaagagt tecaaagagt teategttee cageaagatt ateaactget 1560
 ccatcaagaa gatcaaggat accattgtca acaagtcgca tcagtatcag ctcaacaact 1620
 tcaacacete gatcageteg atcacettca acgacatete gtattegagt tgcatetata 1680
 atgggtgact toacacttgo caatttotoo ototoagacg gagaaaaagt tagtgttota 1740
 tcaactegtg gaggacttgc tcgatgtgtc cgtttaacga cttctcattc aaaaatcaac 1800
                                                                    1839
 aatggagtta ttccgattga acatcttctt ttccagtga
```

<210> 22

<211> 612

<212> PRT

<213> Caenorhabditis elegans

34 Phe Arg Glu Arg Cys Gln Met Lys Lys Glu Asp Phe Gln Leu Ala Phe 10 Ala Asp Ser Gly His Trp Gln Ser Gly Ile Asn Asp Asn Leu Thr Thr Trp Gly Arg Ile Arg Thr Ser Glu Pro Leu Asp Glu Arg Thr Ala Ser Ala Pro Asp Val Trp Asn Val Lys Arg Ser Asp Ser Ala Arg Ser Pro Asn Arg Pro Asn Ser Leu Ile Ala Asn Phe Val Ser Gly Asp Ala Thr Arg Phe Val Asp Val Asn Asp Asn Glu Ile Arg Glu Ala Asn Glu Glu Ile Ile Arg Lys Asp Arg Trp Arg Arg Asp Ser Ala Arg Arg Cys Ser 100 Ser Gly Gly Gln Asn Gln Lys Arg Thr Phe Ala Asp Ile Leu Glu Lys 120 Asn Val Thr Ala Pro Thr Ser Met Ala Ile Thr Ser Ser Asp Asn Glu 135 Lys Pro Pro Lys Leu Asp Phe Leu Ala Met His His Glu Met Pro Ser 155 150 Leu Cys Glu Ser Phe Thr Ala Ser Phe Arg Asp Ala Ile Ile Lys Met 170 165 Gln Lys Cys Glu Pro Leu Pro Ser Ile Thr Ser Thr Asn Asp Phe Pro 185 Leu Phe Phe Gln Glu Asp Ser Pro Asp Ser Gly Leu Gly Cys Ser Gly 195 Pro Ser His Ile Glu Asp Trp Gln Ser Leu Ser Val Leu Leu Pro Lys 220 215 His Val Ala Glu Ala Cys Ser Phe Phe Lys Ser Asn Thr Gln Leu Leu 230 225 Thr Ser Ser Thr Ser Lys Thr Ala Pro Gln Thr Ser Thr Asn Ile Val 250 Ser Asn Cys Ile Asp Arg Arg Ile Ser Gly Ile Ser Ala Ser Ala Asn 265 Glu Ala Cys Arg Thr Cys Tyr Arg Val Arg Arg Arg Ile His Pro Pro 285 Val Trp Ala Gln Thr Ala Gln Ser Lys Thr Val Leu Cys Asp Cys Ala 295 290 Ser Thr Pro Thr Asp Thr Asn Phe Ser Phe Ala Pro Thr Thr Ser Thr

320 315 305 310 Thr Arg His Gln Leu Arg Ala Lys Glu Leu Ser Ile Val Gly Leu Pro 330 Ile Tyr Ala Ala Lys Arg Thr Leu Val Glu Asn Val Val Glu Gly Val 345 Ala Ala Ile Ser Arg Gly Asp Gly Ser Asp Leu Leu Val Ile Ala Met Arg Cys Leu Ile Glu Asp Gly Leu Gln Glu Asn Val Ser Ala Trp Thr 375 Met Ile Gln Thr Val Thr Ser Lys Gly Pro Ala Thr Lys Asp Val His 385 Ser Ile Val Lys Gln Leu Glu Glu Cys Ser Lys Thr Asp Asn Val Lys 405 Val Glu Ile Phe Phe Glu Glu Leu Ile Arg Glu Asn Ser Leu Asp Cys 425 Trp Leu Cys Tyr Ile Val Leu Lys Glu Lys Val Leu Lys Thr Leu Tyr 435 Ser Glu Asn Ala Phe Leu Leu Ser Ala Ser Ser Glu Tyr Arg Thr Leu 460 455 Leu Trp Arg Met Val Asp Ser Leu Ser Leu Leu Pro Val Ile Glu Ala 470 Arg Ser Asp Ser Val His Gln Gln Phe Lys Ser Met Gln Gln Trp Gly 490 Gly Ala Ser Arg Ile Ala Ser Asp Ser Arg Val Pro Lys Ser Ser Ser Phe Pro Ala Arg Leu Ser Thr Ala Pro Ser Arg Arg Ser Arg Ile Pro 515 Leu Ser Thr Ser Arg Ile Ser Ile Ser Ser Thr Thr Ser Thr Pro Arg 535 530 Ser Ala Arg Ser Pro Ser Thr Thr Ser Arg Ile Arg Val Ala Ser Ile 555 550 Met Gly Asp Phe Thr Leu Ala Asn Phe Ser Leu Ser Asp Gly Glu Lys 570 565 Val Ser Val Leu Ser Thr Arg Gly Gly Leu Ala Arg Cys Val Arg Leu 585 Thr Thr Ser His Ser Lys Ile Asn Asn Gly Val Ile Pro Ile Glu His 600 Leu Leu Phe Gln

610

```
<210> 23
<211> 3435
<212> DNA
<213> Caenorhabditis elegans
```

<400> 23 atgcaggcga tagatgaatc caagcgaaat caaaaagtgc cgcctgcaaa acgaaagcgg 60 atatatttgt ctgacgagga agaggaagat tttgctgaag cggcgcacgt tgagaacaca 120 gtccccgagc gtgcaactcg acgtagcacc agaagacgtt catcaatgca cgaagaactt 180 ggagtttcag aacaggaaga gtcgccggtt cgcaggactc gcaaagccgc caagcgcctt 240 ggaagtgagc aaccagagga aaatctagca gcagatgatc cgttgccaat ggaaggaggt 300 ggcgagattg tgctaccaat tgctgaaatt gatggaatgg ctgaacaaga aaatgaggac 360 ttgattgaga aaattggaag ggaagaagag gaggaaggcg ctgaagaaga tgagcaaagc 420 ggtgaaaaag atccagaaga agaagaggat gatagcagca atgcagaaag ttcagaggaa 480 tcaactgctc cacgtcaata cagtcttcgc cgccgtcaac cagttgtcca gttcaatgca 540 tcagaagctc gtgaaaatcg acgggctcgt cttgaacatc atcgggttgc aaatcaaaac 600 agacatcacc gcaatcgaaa tggatctcgt cgaagacgaa gcgattcgga ttctgatagt 660 gatgatatgg tgcttccgag acctgataaa cgtcaatcga ggcctcatat gcataaccgt 720 ggagaacgtg aacgtggtcg atttatgccg atcaatatga ccgaaaaaga attgcagtct 780 gcccaacaca ttctgatgga tcgaatgaga aaaactgatg ctggtcaagg tgcaagtgac 840 attgatccaa tgagtgttga ttcgtcggtt ggtttcgatc aagttggagg actcggtcat 900 catattcaat ctctcaaaga agttgtcctt ttcccaatgc tttatcctga agtatttgaa 960 aagttcagaa taaatccgcc aaaaggtgtc gtattctatg ggcccccagg aaccggaaaa 1020 actottgttg cacgtgctct tgcgaatgaa tgccgaagag gagccaacaa agttgcattc 1080 tttatgcgaa aaggagctga ttgtttgagt aaatgggtcg gagagtctga aagacaactt 1140 cgactattgt ttgatcaagc atatgccatg cgtccatcaa ttatctttt tgatgaaatc 1200 gatggtttag ctccagttcg ttcttcgaaa caagatcaaa ttcatgcgag catagtgagt 1260 acattgttag cactgatgga cggattagat ggtcgaggag aagttgttgt aattggagct 1320 acaaatcgat tagatactct tgatccagct ctacgaagac caggacgttt tgatagggaa 1380 ctccgttttt cccttcctga tttgaatgcc cgacgacaaa ttttagatat tcacacttcc 1440 aaatgggagg aaaacaaacc gattccggaa acactcgatg ctattgcaga gagaactagt 1500 ggatattgcg gtgccgattt gaaattcttg tgcacagaag cagttcttat tggattgaga 1560 totogatato otoatatota catgigitot gaaaggoiga aactogaogi igocaccati 1620 aaaatcactt ctgagcattt tggacatgca atgcggagga tcacacctgc ttccagacga 1680 gatettacaa ttecategag accattggat gaacgaactt caattttact tggagatact 1740 gtgagcaact tgatttcgtt gagaattcca caaggatatc gatgcgtgga aaatgcaatg 1800 gcgacagett caagegaact ggaacaagtt gttagggeat tggaacetaa tecaacegtg 1860 cotgotatto gtottottot atgtggatot gagcaactog oggacggtgg acaaacgtot 1920 tacgttcttc ccgccattct agcaaaactg gatcatctac cggtgttctc tctttctgtt 1980 tcaagtcttt taacagatgg acgtccagaa gaagcatttt caaatgcaat tcagtcggca 2040 atgcgtgcat cagcaaccgg cccatgtatc atgcttcttc catcaatcga tgaatggatt 2100 aaagtcattc ctgtatcagt tcaacatatg cttatcacat gtctggaatc aatgactggt 2160 ttcacgccga ttctttcct atcgacgctt gacacttcgt ttgaagatgc gcctgaatat 2220 gtcacggaaa ttttcagaca tgcaaactgt atcactttga atccttcccg ccgaacaatt 2280 cgtcaaaaat atttcgagca cgttattgag aagattaaca ctccaccaaa agtatttgat 2340 ccacgtetta tgcgagateg tcgattegtt gaatttgteg agecegtgga teeggatgag 2400 gctgaggact attatgagat tatcgaaaca ccgatttgta tgcaggatat tatggaaaag 2460 ctgaataatt gcgaatataa tcatgcggac aaatttgttg ctgacttgat attgattcaa 2520 acgaatgctc tcgaatataa tccgtcgaca acaaaagacg gaaaactgat tcgtcaaatg 2580 gcaaatacac ttcgagatgc aattgatgat ctgatcgagt gtgaacttga cgaatcgttt 2640 gtcgaacgaa ttgaaacagt ttcacgaatg ctacaagacg ctggagtaac tccaacctct 2700 gataaattac tcacagaaat tcccaaaggt tttgcccgaa aaaaggcgtg gtctatgacc 2760 aattcacttg caaaagaaat tgagcaatgg acatcagagc gtgaagctga aaatcaaaaa 2820 atgttgagca agcttggtgt agctgctcca acattggaac tcgttgttgt ccctgtagaa 2880 gatatgaaaa gtgaagaagg aacgagcaca tcaactgatg gagttccagc ttctgctgga 2940 aataaaaaga aattgctcaa aaagaagaag ggtcaaaaga aaagcaaaac cggcgaatct 3000

gaagagaacg atgaagatag tacagttgaa gacgcaggag aagatacaat tgtagaaaat 3060 cttgaaatca agaaaaatca ggaaactcca aacagtgaac atgatatcga gatgaaagat 3120 cttgaagcag attctacacc ttccgtgcaa atttcgattg ctgagaaaga attgatagtt 3180 tcgaagcagg caacatgcga gctgattcag tgttgtgtcg aaaagtcgga gggttggtca 3240 gtaggaacg ttggaacgttt gtcttctgtt ctatcacata caattgaacg attccgggac 3300 gatgaagaac gcgaaaatct accagcccaa cttacccaaa ttgtacgtga atggaaaca 3360 gctgacgatt cgaacaatac aattgttaat ggaaccctca acaatcgaa tggaaatctt 3420 gccaatggac actaa
<210> 24 <211> 1144 <212> PRT <213> Caenorhabditis elegans
<400> 24 Met Gin Ala Ile Asp Glu Ser Lys Arg Asn Gln Lys Val Pro Pro Ala 1 5 10 15
Lys Arg Lys Arg Ile Tyr Leu Ser Asp Glu Glu Glu Glu Asp Phe Ala 20 25 30
Glu Ala Ala His Val Glu Asn Thr Val Pro Glu Arg Ala Thr Arg Arg 35 40 45
Ser Thr Arg Arg Ser Ser Met His Glu Glu Leu Gly Val Ser Glu 50 55 60
Gln Glu Glu Ser Pro Val Arg Arg Thr Arg Lys Ala Ala Lys Arg Leu 65 70 75 80
Gly Ser Glu Gln Pro Glu Glu Asn Leu Ala Ala Asp Asp Pro Leu Pro 85 90 95
Met Glu Gly Gly Glu Ile Val Leu Pro Ile Ala Glu Ile Asp Gly 100 105 110
Met Ala Glu Glu Asn Glu Asp Leu Ile Glu Lys Ile Gly Arg Glu 115 120 125
Glu Glu Glu Gly Ala Glu Glu Asp Glu Gln Ser Gly Glu Lys Asp 130 135 140
Pro Glu Glu Glu Asp Asp Ser Ser Asn Ala Glu Ser Ser Glu Glu 145 150 155 160
Ser Thr Ala Pro Arg Gln Tyr Ser Leu Arg Arg Arg Gln Pro Val Val 165 170 175
Gln Phe Asn Ala Ser Glu Ala Arg Glu Asn Arg Arg Ala Arg Leu Giu 180 185 190
His His Arg Val Ala Asn Gln Asn Arg His His Arg Asn Arg Asn Gly 195 200 205
Ser Arg Arg Arg Ser Asp Ser Asp Ser Asp Ser Asp Met Val 210 215 220

Leu Pro Arg Pro Asp Lys Arg Gln Ser Arg Pro His Met His Asn Arg

240 235 230 225 Gly Glu Arg Glu Arg Gly Arg Phe Met Pro Ile Asn Met Thr Glu Lys 250 Glu Leu Gln Ser Ala Gln His Ile Leu Met Asp Arg Met Arg Lys Thr 265 Asp Ala Gly Gln Gly Ala Ser Asp Ile Asp Pro Met Ser Val Asp Ser 280 Ser Val Gly Phe Asp Gln Val Gly Gly Leu Gly His His Ile Gln Ser Leu Lys Glu Val Val Leu Phe Pro Met Leu Tyr Pro Glu Val Phe Glu 310 Lys Phe Arg Ile Asn Pro Pro Lys Gly Val Val Phe Tyr Gly Pro Pro 330 Gly Thr Gly Lys Thr Led Val Ala Arg Ala Leu Ala Asn Glu Cys Arg 340 345 Arg Gly Ala Asn Lys Val Ala Phe Phe Met Arg Lys Gly Ala Asp Cys 360 Leu Ser Lys Trp Val Gly Glu Ser Glu Arg Gln Leu Arg Leu Leu Phe 375 Asp Gln Ala Tyr Ala Met Arg Pro Ser Ile Ile Phe Phe Asp Glu Ile 385 Asp Gly Leu Ala Pro Val Arg Ser Ser Lys Gln Asp Gln Ile His Ala 410 405 Ser Ile Val Ser Thr Leu Leu Ala Leu Met Asp Gly Leu Asp Gly Arg 425 Gly Glu Val Val Ile Gly Ala Thr Asn Arg Leu Asp Thr Leu Asp 440 435 Pro Ala Leu Arg Arg Pro Gly Arg Phe Asp Arg Glu Leu Arg Phe Ser 455 Leu Pro Asp Leu Asn Ala Arg Arg Gln Ile Leu Asp Ile His Thr Ser 470 Lys Trp Glu Glu Asn Lys Pro Ile Pro Glu Thr Leu Asp Ala Ile Ala 490 Glu Arg Thr Ser Gly Tyr Cys Gly Ala Asp Leu Lys Phe Leu Cys Thr 505 Glu Ala Val Leu Ile Gly Leu Arg Ser Arg Tyr Pro His Ile Tyr Met 515 Cys Ser Glu Arg Leu Lys Leu Asp Val Ala Thr Ile Lys Ile Thr Ser 540 530 535

Glu 545	His	Phe	ĞĴĀ	His	Ala 550	Met	Arg	Arg	Ile	Thr 555	Pro .	Ala	Ser	Arg .	Arg 560
Asp	Leu	Thr	Ile	Pro 565	Ser	Arg	Pro	Leu	Asp 570	Glu	Arg	Thr	Ser	Ile 575	Leu
Leu	Gly	Asp	Thr 580	Val	Ser	Asn	Leu	Ile 585	Ser	Leu	Arg	Ile	Pro 590	Gln	Gly
Tyr	Arg	Cys <b>59</b> 5	Val	Glu	Asn	Ala	Met 600	Ala	Thr	Ala	Ser	Ser 605	Glu	Leu	Glu
Gln	Val 610	Val	Arg	Ala	Leu	Glu 615	Pro	Asn	Pro	Thr	Val 620	Pro	Ala	Ile	Arg
Leu 625	Leu	Leu	Cys	Gly	Ser 630	Glu	Gln	Leu	Ala	Asp 635	Gly	Gly	Gln	Thr	Ser 640
Tyr	Val	Leu	Pro	Ala 645	Ile	Leu	Ala	Lys	Leu 650	Asp	His	Leu	Pro	Val 655	Phe
Ser	Leu	Ser	Val 660	Ser	Ser	Leu	Leu	Thr 665	Asp	Gly	Arg	Pro	Glu 670	Glu	Ala
Phe	Ser	Asn 675	Ala	Ile	Gln	Ser	Ala 680	Met	Arg	Ala	Ser	Ala 685	Thr	Gly	Pro
Cys	Ile 690	Met	Leu	Leu	Pro	Ser 695	Ile	Asp	Glu	Trp	11e 700	Lys	Val	Ile	Pro
Val 705		Val	Gln	n His	Met 710	Leu )	Ile	Thr	Cys	Leu 715	Glu	Ser	Met	Thr	Gly 720
Phe	Thr	Pro	) Il∈	Leu 725	n Ph∈	e Lei	ı Ser	Thr	130	Asp	Thr	Ser	Ph∈	Glu 735	Asp
Ala	Pro	Glu	ı Туі 74(		Thi	r Glu	ı Ile	Phe 745	e Arç	g His	s Ala	Asn	750	s Ile	Thr
Lev	ı Asr	n Pro 759	Sei	r Arç	g Ar	g Thi	r Ile 760	e Arç	g Glr	n Lys	s Tyr	Phe 765	Gl:	ı His	Val
Ile	e Glu 770		s Ile	e Ası	n Th	r Pro	o Pro	o Lys	s Vai	i Phe	2 Asp 780	Pro	Ar	g Leu	n Met
Arc 78		o Ar	g Ar	g Ph	e Va 79	1 G1	u Phe	e Vai	l Gl	u Pro 79	o Val	Asp	o Pro	o Asp	900 800
Al	a Glu	u As	р Ту	r Ty 80	r Gl 5	u Il	e Il	e Gl	u Th 81	r Pr	o Ile	e Cys	s Me	t Glr 815	a Asp
Il	e Me	t Gl	u Ly 82		u As	n As	n Cy	s Gl 82	и Ту 5	r As	n His	s Ala	a As 83	p Ly: 0	s Phe
Va	l Al	a As	p Le	u Il	e Le	eu Il	e Gl 84	n Th O	r As	n Al	a Le	u Gl	и Ту 5	r Ası	n Pro

Ser Thr Thr Lys Asp Gly Lys Leu Ile Arg Gln Met Ala Asn Thr Leu 850 860

Arg Asp Ala Ile Asp Asp Leu Ile Glu Cys Glu Leu Asp Glu Ser Phe 865 870 875

Val Glu Arg Ile Glu Thr Val Ser Arg Met Leu Gln Asp Ala Gly Val 885 890 895

Thr Pro Thr Ser Asp Lys Leu Leu Thr Glu Ile Pro Lys Gly Phe Ala 900 905 910

Arg Lys Lys Ala Trp Ser Met Thr Asn Ser Leu Ala Lys Glu Ile Glu 915 920 925

Gln Trp Thr Ser Glu Arg Glu Ala Glu Asn Gln Lys Met Leu Ser Lys 930 935 940

Leu Gly Val Ala Ala Pro Thr Leu Glu Leu Val Val Pro Val Glu 945 950 955 960

Asp Met Lys Ser Glu Glu Gly Thr Ser Thr Ser Thr Asp Gly Val Pro 965 970 975

Ala Ser Ala Gly Asr Lys Lys Lys Leu Leu Lys Lys Lys Gly Gln 980 985 990

Lys Lys Ser Lys Thr Gly Glu Ser Glu Glu His Asp Glu Asp Ser Thr 995 1000 1005

Val Glu Asp Ala Gly Glu Asp Thr Ile Val Glu Asn Leu Glu Ile Lys 1010 1015 1020

Lys Asn Gln Glu Thr Pro Asn Ser Glu His Asp Ile Glu Met Lys Asp 1025 1030 1035 1040

Ala Ser Lys Asp Ser Thr Pro Ser Val Gln Ile Ser Ile Ala Glu Lys 1045 1055

Glu Leu Ile Val Ser Lys Pro Ala Thr Cys Glu Leu Ile Gln Cys Cys 1060 1065 1070

Val Glu Lys Ser Glu Gly Trp Ser Val Ser Glu Leu Glu Arg Leu Ser 1075 1080 1085

Ser Val Leu Ser His Thr Ile Glu Arg Phe Arg Asp Glu Trp Asn Arg 1090 1095 1100

Glu Asn Leu Pro Ala Gln Leu Thr Gln Ile Val Arg Glu Trp Gln Thr 1105 1110 1115 1120

Ala Asp Asp Ser Asn Asn Thr Ile Val Asn Gly Thr Leu Asn Lys Ser 1125 1130 1135

Asn Gly Asn Leu Ala Asn Gly His

<210> 25

```
<211> 1908
<212> DNA
<213> Caenorhabditis elegans
<400> 25
gaagaagaag aggatgatag cagcaatgca gaaagttcag aggaatcaac tgctccacgt 60
caatacagto trogcogoog toaaccagtt gtocagttoa argoatcaga agotogtgaa 120
aatcgacggg ctcgtcttga acatcatcgg gttgcaaatc aaaacagaca tcaccgcaat 180
cgaaatggat ctegtegaag acgaagegat teggattetg atagtgatga tatggtgett 240
ccgagacetg ataaacgtca ategaggeet catatgeata accgtggaga acgtgaacgt 300
ggtcgattta tgccgatcaa tatgaccgaa aaagaattgc agtctgccca acacattctg 360
atggatogaa tgagaaaaac tgatgctggt caaggtgcaa gtgacattga tccaatgagt 420
gttgattegt eggttggttt egateaagtt ggaggaeteg gteateatat teaatetete 480
aaagaagtig toottitooc aatgotttat cotgaagtat ttgaaaagtt cagaataaat 540
ccgccaaaag gtgtcgtatt ctatgggccc ccaggaaccg gaaaaactct tgttgcacgt 600
gctcttgcga atgaatgccg aagaggagcc aacaaagttg cattctttat gcgaaaagga 660
gotgatigit tgagtaaatg ggtoggagag totgaaagac aacttogact attgtttgat 720
caagcatatg coatgogtee arcaattate ttttttgatg aaatcgatgg tttageteea 780
gttcgttctt cgaaacaaga tcaaattcat gcgagcatag tgagtacatt gttagcactg 840
atggacggat tagatggtog aggagaagtt gttgtaattg gagctacaaa tcgattagat 900
actottgate cageteracg aagaccagga egttttgata gggaacteeg ttttteectt 960
cotgatitga atgoccgacg acaaattita gatattoaca ottocaaatg ggaggaaaac 1020
aaaccgattc cggaaacact cgatgctatt gcagagagaa ctagtggata ttgcggtgcc 1080
gatttgaaat tottgtgcac agaagcagtt cttattggat tgagatctcg atatcctcat 1140
atctacatgt grictgaaag gorgaaacto gacgttgoca coattaaaat cacttotgag 1200
cattttggac atgcaatgcg gaggatcaca cctgcttcca gacgagatct tacaattcca 1260
togagaccat togatgaacg aacttcaatt ttacttggag atactgtgag caacttgatt 1320
togttgagaa ttocacaagg atatogatgo gtggaaaatg caatggogac agottcaago 1380
gaactggaac aagttgttag ggcattggaa cctaatccaa ccgtgcctgc tattcgtctt 1440
 cttctatgtg gatctgagca actcgcggac ggtggacaaa cgtcttacgt tcttcccgcc 1500
 attotagoaa aactggatca totacoggtg ttototottt ctgtttcaag tottttaaca 1560
 gatggacgtc cagaagaagc attttcaaat gcaattcagt cggcaatgcg tgcatcagca 1620
 accggcccat gratcatgct tcttccatca atcgatgaat ggattaaagt cattcctgta 1680
 toagttoaac atatgottat cacatgtotg gaatcaatga otggtttoac googattott 1740
 ttoctatoga ogottgacas ttogtttgaa gatgogootg aatatgtoac ggaaatttto 1800
 agacatgcaa actgtatcae tttgaateet teeegeegaa caattegtea aaaatattte 1860
 gagcacgtta ttgagaagat taacactcca ccaaaagtat ttgatcca
 <210> 26
 <211> 636
 <212> PRT
 <213> Caenorhabditis elegans
 <400> 26
 Glu Glu Glu Asp Asp Ser Ser Asn Ala Glu Ser Ser Glu Glu Ser
                                      10
 Thr Ala Pro Arg Gln Tyr Ser Leu Arg Arg Gln Pro Val Val Gln
 Phe Asn Ala Ser Glu Ala Arg Glu Asn Arg Arg Ala Arg Leu Glu His
 His Arg Val Ala Asn Gln Asn Arg His His Arg Asn Arg Asn Gly Ser
                           55
       50
 Arg Arg Arg Ser Asp Ser Asp Ser Asp Ser Asp Met Val Leu
```

65					70					75					80
Pro	Arg	Pro	Asp	Lys 85	Arg	Gln	Ser	Arg	Pro 90	His	Met	His	Asn	Arg 95	Gly
Giu	Arç	Glu	Arg 100	Gly	Arg	Phe	Met	Pro 105	Ile	Asn	Met	Thr	Glu 110	Lys	Glu
24.4	51:.	Ser 115	Ala	Gln	His	Ile	Leu 120	Met	Asp	Arg	Met	Arg 125	Lys	Thr	Asp
· ·.	,	Gln	Gly	Ala	Ser	Asp 135	Ile	Asp	Pro	Met	Ser 140	Val	Asp	Ser	Ser
. 4	: - ,	F:.=	Asp	Gln	Val 150	Gly	Gly	Leu	Gly	His 155	His	Ile	Gln	Ser	Leu 160
772	1	13.1	Val	Leu 165	Phe	Pro	Met	Leu	Tyr 170	Pro	Glu	Val	Phe	Glu 175	Lys
Fne	).E3	ile	Asn 180	Pro	Pro	Lys	Gly	Val 185	Val	Phe	Tyr	Gly	Pro 190	Pro	Gly
Thr	G. <u>;</u>	lys 195	Thr	Leu	Val	Ala	Arg 200	Ala	Leu	Ala	Asn	Glu 205	Cys	Arg	Arg
Gly	Ala 210	Asn	Lys	Val	Ala	Phe 215	Phe	Met	Arg	Lys	Gly 220	Ala	Asp	Cys	Leu
Ser 225		Trp	Val	Gly	Glu 230	Ser	Glu	Arg	Gln	Leu 235	Arg	Leu	Leu	Phe	Asp 240
Sìn	Ala	Tyr	Ala	Met 245	Arg	Pro	Ser	Ile	Ile 250	Phe	Phe	Asp	Glu	Ile 255	Asp
Gly	Leu	ř.la	Pro 260		Arg	Ser	Ser	Lys 265	Gln	Asp	Gln	Ile	His 270	Ala	Ser
ĭle	Vāl	Ser 275		Leu	Leu	Ala	Leu 280	Met	Asp	Gly	Leu	Asp 285	Gly	Arg	Gly
Glu	Val 290		. Val	Ile	Gly	Ala 295	Thr	Asn	Arg	Leu	300	Thr	Leu	. Asp	Pro
Ala 305		ı Arç	; Arç	pro	Gly 310		Phe	Asp	Arg	Glu 315	Leu )	Arg	Phe	Ser	Leu 320
Pro	Asp	Leu	a Asr	n Ala 325	Arg	Arg	Gln	Ile	Leu 330	Asp	o Ile	His	Thr	335	Lys
Trp	o Glu	i Glu	Asr 340		s Pro	Ile	Pro	Glu 345	Thr	: Leu	ı Asp	Ala	350	e Ala	Glu
Arç	g Thi	Se : 35!		у Туг	Cys	Gly	Ala 360	Asp	Lev	ı Lys	s Phe	e Leu 365	ı Cys	s Thr	Glu
Ala	a Val		u Ile	e Gly	y Leu	Arg 375	Ser	Arg	туг	Pro	His 380	s Ile	е Туі	Met	Cys

Ser 385	Glu	Arg	Leu	Lys	Leu 390	Asp	Val	Ala	Thr	Ile 395	Lys	Ile	Thr	Ser	Glu 400
His	Phe	Gly	His	Ala 405	Met	Arg	Arg	Ile	Thr 410	Pro	Ala	Ser	Arg	Arg 415	Asp
Leu	Thr	Ile	Pro 420	Ser	Arg	Pro	Leu	Asp 425	Glu	Arg	Thr	Ser	Ile 430	Leu	Leu
Gly	Asp	Thr 435	Val	Ser	Asn	Leu	11e 440	Ser	Leu	Arg	Ile	Pro 445	Gln	Gly	Tyr
Arg	Cys 450	Val	Glu	Asn	Ala	Met 455	Ala	Thr	Ala	Ser	Ser 460	Glu	Leu	Glu	Gln
Val 465	Val	Arg	Ala	Leu	Glu 470	Pro	Asn	Pro	Thr	Val 475	Pro	Ala	Ile	Arg	Leu 480
Leu	Leu	Cys	Gly	Ser 485	Glu	Gln	Leu	Ala	Asp 490	Gly	Gly	Gln	Thr	Ser 495	Tyr
Val	Leu	Pro	Ala 500		Leu	Ala	Lys	Leu 505	Asp	His	Leu	Pro	Val 510	Phe	Ser
Leu	Ser	Val 515	Ser	Ser	Leu	Leu	Thr 520	Asp	Gly	Arg	Pro	Glu 525	Glu	Ala	Phe
Ser	Asn 530		Ile	Gln	Ser	Ala 535	Met	Arg	Ala	Ser	Ala 540	Thr	Gly	Pro	Cys
Ile 545		Leu	Leu	Pro	Ser 550	Ile	Asp	Glu	Trp	Ile 555	Lys	Val	Ile	Pro	Val 560
Ser	Val	Glr	n His	Met 565	Leu	Ile	. Thr	Суз	570	Glu	Ser	Met	Thr	Gly 575	Phe
Thr	Pro	· Ile	Leu 580	ı Ph∈ )	e Let	ser	Thr	Leu 585	a Asp	Thr	Ser	Phe	Gl: 590	Asp	Ala
Pro	Glu	1 Ty1 595	r Val	Thi	Glu	ı Ile	Ph∈ 600	e Arg	g His	s Ala	Asn	Cys 605	Ile	e Thr	Leu
Asn	Pro 610		r Arg	g Arg	g Thi	615	e Arg	g Glr	n Lys	s Tyr	Phe 620	e Glu	n His	s Val	l Ile
Glu 625		s Ile	e Asr	n Thi	r Pro 630		o Lys	s Vai	l Phe	e Asp 635	Pro				

<sup>&</sup>lt;210> 27

<sup>&</sup>lt;211> 3024

<sup>&</sup>lt;212> DNA

<sup>&</sup>lt;213> Caenorhabditis elegans

<sup>&</sup>lt;400> 27

atggaacgac acggttcaga attacaagga gaagtggttt tcactacgac gagtactgcg 60 aataacaatg tgaaacgage cgtcgaatat ttcgaagatg ataatcaaga tgatgcacta 120

44

```
acatecaett cateeggeaa cagtacaeag aaggaategt eteegtteae agattttgat 180
gatgiteege egecaceagt ggeteeagaa acteeggete eageceaaaa eegeegagaa 240
totgogtoco ocgaacgtoa attocttgat gagagtoaco toggoggaat tggatotoog 300
ttatcacaga gtacaaggct cgatgagacg tttattgagg aatactctat tgagttggac 360
acctetggga aaaacaacat tteeteegca getteacetg gteecaagte teeatttgae 420
gatgatttta ctgatacage tgccccggta gccccgccae cagcacctae aaaagetgce 480
gaggaatato googgoaaco acatoagaat cogtttgatg aggaagagga agaagaatoa 540
cagitinggag ggggaactor gtooggtaga gaccoattig atgaagatto tggaaactor 600
aacgaaaacc ageteegega gaagaagete cacaaaaaag agcaactage teaceggete 660
tectectett ecgaagaaat tgtggaagee teaatteaeg aggatgagee aattgtgatg 720
gotcaaatto cagaggagaa goccaaacog aaggotatoo oggotttiga taacgootat 780
gacgccgact ttgacaattc cccaccactt catcattact cggcggttca tttggaaact 840
gggeteteae egettgagga ggeteagaga geteteegag eeaacegage aaggeataag 900
ccgtcgaatg tatcgttggc agaggaggcg aagcttgctg ccagacagag atactcgaat 960
gcatcggata ttagaagaga agaggaggaa gaagtggtgg aagaagatcc agcagtggta 1020
gttccagttc tacggaagga tctggaagtt gaggaggctc cgaaatcggt acgaccgcct 1080
agatatogga agtoaaggga aattgaggaa ooggtggttg ttgatoggtt tgttgaggaa 1140
gaagttgatg agaaggagga tattgatgcg atttttgaga aatatcgaaa gacgtctgta 1200
tecgeegate caaaatetea caegeegatt ttgatggeeg acgagtacaa agaaccacag 1260
aagcaagtge etgeaceagt tgtegttget eaggagtege egatettaaa aegaagaaae 1320
tototagtac catcaaggat cagtggaagg cagtcgacgc ggcgaagtgt caccagtgtt 1380
cggagtatga gaggaaaacg gaagacccgt gcgattcccg agttcttcga cctaacccga 1440
catcagaaca troggotoog tgotocagot acgaaaaaga aacgcataag cotacacogo 1500
gtcgaggaca ccgaagtcgt cgtcgagctc ctgaacggcc aaaaagttga agtggcatgc 1560
cgaagtgacg tcatctcgcg tgacgtgttc tctcttatcg tccagaacat gaatatcaat 1620
gagcacgtgt tetteggget etegtteett egtgatggeg ageaetaett tatagaggat 1680
catcaacggc tcgaaaagtt tgcaccgtcc ggatggaaaa gtgtggcacg cgtgggcgtt 1740
aaggtgccat acgtgttgca cttacgattc aaattttatc cgcagatttt ggatttcatc 1800
aaaacagacg taacgatgaa cgagttgtat ctacaatgta gacgagacgt actcgaagag 1860
agaatccaac ccaaaagaga cgcagcattc gaactcgccg cgctcgccct ccaagccgaa 1920
tttggaaatc gaccgccacc ggtgatcacc gattatttcg atattcaaca ctacctgccc 1980
aagaagtata geteatttga agateagtea eggetgaaga acattetege egagetgeae 2040
gggcattacg cgggcacccg gatttctgag gccaagcaca aatacattca aatctgtcag 2100
cgacacccag attttggagc gcatgtgcat cgtgtgttcc gaacgaagcc aacatcagct 2160
cacggagcat ctccgttcga tcctgatact gggtcatcgc tttggattgg aattatgcca 2220
cgtggaatat cgatttatga gcagcaggga ggagcccgtg aggtgattgc cgagcatgtt 2280
tggccgcaga cgcagaccct gcaattcgat aagaagcgat ttgtgattgt tgccgttgga 2340
gctcacgatg agcaaattga gagcacattt tatacggatc atcactcgaa atcctcctat 2400
ttcgtgcgat tcgccgcctc ccaacatcgt tggatgatga agatgcgtca gtggaagagc 2460
acgctccggc acgagaatac gattcaggcg atgccagacg tgattgttga agggcagact 2520
atcccgccgg cgcctatacg gcaaggtctc gaagaatcac ctccatcaac tccactgctc 2580
gcctctgccg atcagatctt tgcgaaaatg tcagtgagcc aggaaaaacc ggcggccaac 2640
cgacccgccg aactgccacc accggcaccg tcgtcgaaat tcgcggctca atatgatacg 2700
gacaacggga acgtgacgcc acgtggcatg caatttgaca ttttgctcgt gaaagacccc 2820
gccaacggtc tgggtcttac cctagtcgac gggaatctca acggagttcc aggagtgtat 2880
gtgaagcttg tcgccgacaa tggagccgga atgaaagcgg taagaattcg aaatttcagt 2940
caatateeet titeeteggg gigtaeaeta gagiigtgia aatetaeaea taaegiitti 3000
                                                                 3024
tcgattatct ctgaaaaatc gtaa
```

```
<210> 28
```

<400> 28

Met Glu Arg His Gly Ser Glu Leu Gln Gly Glu Val Val Phe Thr Thr 1 5 10 15

<sup>&</sup>lt;211> 1007

<sup>&</sup>lt;212> PRT

<sup>&</sup>lt;213> Caenorhabditis elegans

Thr	Ser	Thr	Ala 20	Asn	Asn	Asn '	Val :	Lys 25	Arg	Ala	Val	Glu	Tyr 30	Phe	Glu
Asp	Asp	Asn 35	Gln	Asp	Asp	Ala	Leu 40	Thr	Ser	Thr	Ser	Ser 45	Gly	Asn	Ser
ī.:	3.5 1.	Lys	Glu	Ser	Ser	Pro 55	Phe	Thr	Asp	Phe	Asp 60	Asp	Val	Pro	Pro
::.	[:-	Val	Ala	Pro	Glu 70	Thr	Pro	Ala	Pro	Ala 75	Gln	Asn	Arg	Arg	Glu 80
. • :	Als	Sar	Pro	Glu 85	Arg	Gln	Phe	Leu	Asp 90	Glu	Ser	His	Leu	Gly 95	Gly
· 	Ü.,	ింద క	Pro 100	Leu	Ser	Gln	Ser	Thr 105	Arg	Leu	Asp	Glu	Thr 110	Phe	Ile
<u>.</u>	ā.	7.75 11:	Ser	Ile	Glu	Leu	Asp 120	Thr	Ser	Gly	Lys	Asn 125	Asn	Ile	Ser
. t. I	A11 131	Ala		Pro	Gly	Pro 135	Lys	Ser	Pro	Phe	Asp 140	Asp	Asp	Phe	Thr
Asp 145	Thi		a Ala	Pro	Val 150	Ala	Pro	Pro	Pro	Ala 155	Pro	Thr	Lys	Ala	Ala 160
		. Туз	r Arç	g Arg 165	Gln	Pro	His	Gln	Asn 170	Pro	) Phe	Asp	Glu	Glu 175	Glu
Glo	ı Gl.	: Gl	u Sei 180	r Glr	n Phe	Gly	Gly	Gly 185	Thr	: Let	ı Ser	Gly	Arg 190	Asp	Pro
?he	e As	o G1 19	u Ası	o Sei	c Gly	' Asn	Ser 200	Asr	ı Glu	ı Ası	n Glr	Leu 205	a Arg	g Glu	Lys
Ly	s Le		s Ly	s Ly:	s Glu	Glr 215	Leu S	Ala	a His	s Ar	g Lei 220	ı Sei	s Sei	ser	Ser
G1 22	u Gl		e Va	l Gl	u Ala 230	a Ser	: Ile	e His	s Glu	u As; 23	p Glu 5	ı Pro	o Ile	e Val	Met 240
		r. Il	e Pr	o Gl	u Glı 5	ı Lys	s Pro	Ly:	s Pro	o Ly 0	s Ala	a Ile	e Pro	o Ala 25!	a Phe
As	p As	n Al	а Ту 26	r As	p Al	a Asp	o Phe	e Asi 26	p As 5	n Se	r Pr	o Pr	o Le	u Hi: O	s His
Ту	r Se	er Al 25		al Hi	s Le	u Gl	u Th:	r Gl	y Le	u Se	r Pr	o Le 28	u Gl 5	u Gl	u Ala
Gl	n Ai 29			eu Ar	g Al	a As 29	n Ar	g Al	a Ar	g Hi	s Ly 30	s Pr	o Se	r As	n Val
			la G	Lu Gl	u Al. 31	a Ly O	s Le	u Al	a Al	.a Ar 31	g Gl 15	n Ar	g Ty	r Se	r Asn 320

46 Ala Ser Asp Ile Arg Arg Glu Glu Glu Glu Glu Val Val Glu Glu Asp 330 Pro Ala Val Val Pro Val Leu Arg Lys Asp Leu Glu Val Glu Glu 345 Ala Pro Lys Ser Val Arg Pro Pro Arg Tyr Arg Lys Ser Arg Glu Ile Glu Glu Pro Val Val Val Asp Arg Phe Val Glu Glu Glu Val Asp Glu 375 Lys Glu Asp Ile Asp Ala Ile Phe Glu Lys Tyr Arg Lys Thr Ser Val Ser Ala Asp Pro Lys Ser His Thr Pro Ile Leu Met Ala Asp Glu Tyr 410 Lys Glu Pro Gln Lys Gln Val Pro Ala Pro Val Val Ala Gln Glu Ser Pro Ile Leu Lys Arg Arg Asn Ser Leu Val Pro Ser Arg Ile Ser 440 Gly Arg Gln Ser Thr Arg Arg Ser Val Thr Ser Val Arg Ser Met Arg 455 Gly Lys Arg Lys Thr Arg Ala Ile Pro Glu Phe Phe Asp Leu Thr Arg 470 His Gln Asn Ile Arg Leu Arg Ala Pro Ala Thr Lys Lys Lys Arg Ile 490 Ser Leu His Arg Val Glu Asp Thr Glu Val Val Val Glu Leu Leu Asn 500 Gly Gln Lys Val Glu Val Ala Cys Arg Ser Asp Val Ile Ser Arg Asp Val Phe Ser Leu Ile Val Gln Asn Met Asn Ile Asn Glu His Val Phe 535 Phe Gly Leu Ser Phe Leu Arg Asp Gly Glu His Tyr Phe Ile Glu Asp His Gln Arg Leu Glu Lys Phe Ala Pro Ser Gly Trp Lys Ser Val Ala 570 565 Arg Val Gly Val Lys Val Pro Tyr Val Leu His Leu Arg Phe Lys Phe 585 Tyr Pro Gln Ile Leu Asp Phe Ile Lys Thr Asp Val Thr Met Asn Glu 600 595 Leu Tyr Leu Gln Cys Arg Arg Asp Val Leu Glu Glu Arg Ile Gln Pro 610 Lys Arg Asp Ala Ala Phe Glu Leu Ala Ala Leu Ala Leu Gln Ala Glu

								4	1 /	635					640
625					630										
Phe	Gly	Asn	Arg	Pro 645	Pro	Pro	Val	Ile	Thr 650	Asp	Tyr	Phe .	Asp	Ile 655	Gln
His	Туг	Leu	Pro 660	Lys	Lys	Tyr	Ser	Ser 665	Phe	Glu	Asp	Gln	Ser 670	Arg	Leu
Lys	Asr.	Ile 675	Leu	Ala	Glu	Leu	His 680	Gly	His	Tyr	Ala	Gly 685	Thr	Arg	Ile
Ser	Glu 690	Ala	Ĺys	His	Lys	Tyr 695	Ile	Gln	Ile	Cys	Gln 700	Arg	His	Pro	Asp
Phe 705	Gly	Ala	His	Val	His 710	Arg	Val	Phe	Arg	Thr 715	Lys	Pro	Thr	Ser	Ala 720
Eis	Gly	Ala	Ser	Pro 725	Phe	Asp	Pro	Asp	Thr 730	Gly	Ser	Ser	Leu	Trp 735	Ile
Gly	Ile	Met	Pro 740	Arg	Gly	Ile	Ser	Ile 745	Tyr	Glu	Gln	Gln	Gly 750	Gly	Ala
Arg	Glu	Val 755	Ile	Ala	Glu	His	Val 760	Trp	Pro	Gln	Thr	Gln 765	Thr	Leu	Gln
Phe	Asp 770		Ĺys	Arg	Phe	Val 775	Ile	Val	Ala	Val	Gly 780	Ala	His	Asp	Glu
Gln 785	Ile	Glu	ı Ser	Thr	Phe 790	Tyr	Thr	Asp	His	His 795	Ser	Lys	Ser	Ser	Tyr 800
Ph∈	e Val	Arg	g Phe	Ala 805	Ala	Ser	Gln	His	Arg 810	Trp	Met	Met	Lys	Met 815	Arg
Glr	n Try	Lys	s Sei 820	Thr	Leu	ı Arg	His	Glu 825	Asr	n Thr	Ile	Gln	Ala 830	Met	Pro
Asp	o Val	1 Ile 83		l Glu	ı Gly	/ Glr	Thr 840	Ile	e Pro	o Pro	) Ala	Pro 845	Ile	e Arg	g Gln
Gl	y Lei 85		u Gli	u Sei	r Pro	Pro 855	Ser	Thi	r Pro	o Lev	Leu 860	Ala	Ser	Alā	a Asp
G1 86		e Ph	e Al	a Ly:	s Met 870	sei O	r Val	l Sei	r Gli	n Gl: 87	u Lys 5	Pro	Alá	a Ala	Asn 880
Ar	g Pr	o Al	a Gl	u Le 88	u Pro 5	o Pro	o Pro	o Ala	a Pr 89	o Se O	r Ser	Lys	s Phe	e Ala 89	a Ala
Gl	n Ty	r As	р Th 90	r Va O	l As	p Gl	u Gl	y Il 90	e Va 5	l Cy	s Asp	s Sei	r Gli 91	n Ala	a Glu
As	n Ph	e Gl	u Ar	g Va	l As	p Se	r Th 92	r As O	p As	n Gl	y Ası	n Va. 92	l Th 5	r Pr	o Arg
Gl	y Me	et Gl	n Ph	ie As	p Il	e Le 93	u Le 5	u Va	l Ly	s As	p Pro 94	o Al	a As	n Gl	y Leu

```
Gly Leu Thr Leu Val Asp Gly Asn Leu Asn Gly Val Pro Gly Val Tyr
                                       955
                   950
Val Lys Leu Val Ala Asp Asn Gly Ala Gly Met Lys Ala Val Arg Ile
                                   970
Arg Asn Phe Ser Gln Tyr Pro Phe Ser Ser Gly Cys Thr Leu Glu Leu
                               985
Cys Lys Ser Thr His Asn Val Phe Ser Ile Ile Ser Glu Lys Ser
                          1000
<210> 29
<211> 1311
<212> DNA
<213> Caenorhabditis elegans
<400> 29
aaaccgaagg ctatcccggc ttttgataac gcctatgacg ccgactttga caattcccca 60
ccacttcatc attactcggc ggttcatttg gaaactgggc tctcaccgct tgaggaggct 120
cagagagete teegageeaa eegageaagg cataageegt egaatgtate gttggeagag 180
gaggaagaag tggtggaaga agatccagca gtggtagttc cagttctacg gaaggatctg 300
gaagttgagg aggctccgaa atcggtacga ccgcctagat atcggaagtc aagggaaatt 360
gaggaaccgg tggttgttga tcggtttgtt gaggaagaag ttgatgagaa ggaggatatt 420
gatgcgattt ttgagaaata tcgaaagacg tctgtatccg ccgatccaaa atctcacacg 480
ccgattttga tggccgacga gtacaaagaa ccacagaagc aagtgcctgc accagttgtc 540
gttgctcagg agtcgccgat cttaaaacga agaaactctc tagtaccatc aaggatcagt 600
ggaaggcagt cgacgcggcg aagtgtcacc agtgttcgga gtatgagagg aaaacggaag 660
accogtgcga ttcccgagtt cttcgaccta acccgacatc agaacattcg gctccgtgct 720
ccagctacga aaaagaaacg cataagccta caccgcgtcg aggacaccga agtcgtcgtc 780
gagctcctga acggccaaaa agttgaagtg gcatgccgaa gtgacgtcat ctcgcgtgac 840
gtgttctctc ttatcgtcca gaacatgaat atcaatgagc acgtgttctt cgggctctcg 900
ttccttcgtg atggcgagca ctactttata gaggatcatc aacggctcga aaagtttgca 960
ccgtccggat ggaaaagtgt ggcacgcgtg ggcgttaagg tgccatacgt gttgcactta 1020
cgattcaaat tttatccgca gattttggat ttcatcaaaa cagacgtaac gatgaacgag 1080
ttgtatctac aatgtagacg agacgtactc gaagagagaa tccaacccaa aagagacgca 1140
gcattcgaac tcgccgcgct cgccctccaa gccgaatttg gaaatcgacc gccaccggtg 1200
atcaccgatt atttcgatat tcaacactac ctgcccaaga agtatagctc atttgaagat 1260
cagtcacggc tgaagaacat tctcgccgag ctgcacgggc attacgcggg c
                                                                 1311
<210> 30
<211> 437
<212> PRT
<213> Caenorhabditis elegans
<400> 30
Lys Pro Lys Ala Ile Pro Ala Phe Asp Asn Ala Tyr Asp Ala Asp Phe
                                     10
Asp Asn Ser Pro Pro Leu His His Tyr Ser Ala Val His Leu Glu Thr
                                 25
Gly Leu Ser Pro Leu Glu Glu Ala Gln Arg Ala Leu Arg Ala Asn Arg
```

- Ala Arg His Lys Pro Ser Asn Val Ser Leu Ala Glu Glu Ala Lys Leu 50

  Ala Ala Arg Gln Arg Tyr Ser Asn Ala Ser Asp Ile Arg Arg Glu Glu 80
- Glu Glu Glu Val Val Glu Glu Asp Pro Ala Val Val Pro Val Leu 85 90 95
- Arg Lys Asp Leu Glu Val Glu Glu Ala Pro Lys Ser Val Arg Pro Pro 100 105 110
- Arg Tyr Arg Lys Ser Arg Glu Ile Glu Glu Pro Val Val Asp Arg 115 120 125
- Phe Val Glu Glu Glu Val Asp Glu Lys Glu Asp Ile Asp Ala Ile Phe 130 135 140
- Glu Lys Tyr Arg Lys Thr Ser Val Ser Ala Asp Pro Lys Ser His Thr 145 150 155 160
- Pro Ile Leu Met Ala Asp Glu Tyr Lys Glu Pro Gln Lys Gln Val Pro 165 170 175
- Ala Pro Val Val Val Ala Gln Glu Ser Pro Ile Leu Lys Arg Arg Asn 180 185 190
- Ser Leu Val Pro Ser Arg Ile Ser Gly Arg Gln Ser Thr Arg Arg Ser
- Val Thr Ser Val Arg Ser Met Arg Gly Lys Arg Lys Thr Arg Ala Ile
- Pro Glu Phe Phe Asp Leu Thr Arg His Gln Asn Ile Arg Leu Arg Ala 225 230 235 240
- Pro Ala Thr Lys Lys Lys Arg Ile Ser Leu His Arg Val Glu Asp Thr 245 250 255
- Glu Val Val Glu Leu Leu Asn Gly Gln Lys Val Glu Val Ala Cys 260 265 270
- Arg Ser Asp Val Ile Ser Arg Asp Val Phe Ser Leu Ile Val Gln Asn 275 280 285
- Met Asn Ile Asn Glu His Val Phe Phe Gly Leu Ser Phe Leu Arg Asp 290 295 300
- Gly Glu His Tyr Phe Ile Glu Asp His Gln Arg Leu Glu Lys Phe Ala 305 310 315
- Pro Ser Gly Trp Lys Ser Val Ala Arg Val Gly Val Lys Val Pro Tyr 325 330 335
- Val Leu His Leu Arg Phe Lys Phe Tyr Pro Gln Ile Leu Asp Phe Ile 340 345 350
- Lys Thr Asp Val Thr Met Asn Glu Leu Tyr Leu Gln Cys Arg Arg Asp

PCT/EP00/05108 WO 00/73328

50 365 360 355 Val Leu Glu Glu Arg Ile Gln Pro Lys Arg Asp Ala Ala Phe Glu Leu 380 375 Ala Ala Leu Ala Leu Gln Ala Glu Phe Gly Asn Arg Pro Pro Pro Val 395 Ile Thr Asp Tyr Phe Asp Ile Gln His Tyr Leu Pro Lys Lys Tyr Ser 410 405 Ser Phe Glu Asp Gln Ser Arg Leu Lys Asn Ile Leu Ala Glu Leu His 425 Gly His Tyr Ala Gly 435

<210> 31 <211> 2574 <212> DNA <213> Caenorhabditis elegans

<400> 31 atgcctgcta atgagctttt cggagattct gatccggaag gggatgaaat ttttgaaaga 60 gttcgaaagg tgcaaccaaa gtcgatcaat gtaactgaga atcaaaaggt agaccctatg 120 cgtaaagtca aaatcgagct tcaagctgtt ttggttgcgg aaaaaatacc aattagtaca 180 gaagaaatca gacggcgtct gctggattct tatggtgcat gtcctgatcc gaaaagatat 240 aactgttcga ctttggacga tcttcttcaa gcatgctcgg agtcaattgt acacactttc 300 ggccgtgatg gaatacaccg atatgggcca agaactactg aagccaacca agatattatc 360 gaaatggtcc agcagcagtc gagctcaaaa cgcccggccc gctcgttttt aggttcagga 420 gctactaata acctcagcac tcatgggtca tcattccggg cattcagagg tccgtatgcg 480 tcagaggaaa tcgctaaatc gagaggaaca cctgagcaat tcaaagcaag acacaagttg 540 ggtccagcaa aaacaatttc tcgcgtaaaa aaccttgcag aggttttgaa agaatatgct 600 gatgagatag gagtttcaca tcctgatgag ccaaatcgca agattgtaac actggcagct 660 cttgccaata agttcaaaca gttgtattgt ttaccagcat ggggaaagaa catatcggaa 720 agtgaactat acattcagct caatgttcct cctttcaacg aatatctgca tttctggcgt 780 cttagcgaaa aaggtgacat cttcgttgat tgtattgatc gtgacaatgc cgatccaact 840 caaaaaagtg aacaaaatcc gtcagcagat gtttctattc aatctgaatc ttttggcggt 900 aaaagttcag cttcagcgtt tgaacaatct gtagtatccg ctccttcaac tattagagat 960 caaacatccg attcctttga cgggttcaac agtttcgaag tgcccccaga aaatggaagc 1020 aaagattcaa aaattttcaa ctcgaatcaa gaaagcatcg atgactatcc aggaaatgct 1080 atatctcgag atcgaaccgc tgatatgacc gacattgcat tgcgctttgg aactgtctct 1140 gtggcaagcc aacaatgtcc ggtatcttcg tcactcgttc cacaaaatgg aattcttcgt 1200 cagtcgcgtg ctcaagaaga cgacaacaac acatctattc taactattca atcatctcgt 1260 cgcaatcatt cagtgcttcg tcatcgtacg atcaagcctc gcaatccaac acaaaatctt 1320 gctgaagtcg taaaaactca tggtagcatt ccttatgaag cgctttcgga ttgtgataag 1380 attatcgtcg acttaggaaa gaacattttc aaagtttatg caactcaacc tggagaaatg 1440 atggtccgcc tttgtgatcc ccacgttgac acgactacat tgccactcct agagaacaat 1500 cttcgggatc ctgtcgagtc tgatttacgt tggatgacac tgggaaattc ccatatcaag 1560 aaacaatctg ttaaagtggt caagcctgca atgtttattg cgccacgcgg atttttgttg 1620 attttaaaag atgaagaacg tgaagaaatg gacgttgaaa aggttgctac tatggggaat 1680 atattgcggg ccgtgatggt agcgcctatt gtggagctcc agcgtgaaac cgtccgcacg 1740 ggatcagctg cagtctacgt ttatcgacaa ggagcggagg tgcgctatta tagagtgttg 1800 atagttggac aagctaaaca agatggtgaa gtgttggttt tgttggctga tgtcgatgat 1860 caatatttcg tggatgtaca tctatctcat ttgttcccga ttccggaaga agccagcttc 1920 aaacactttc cctcgaatgt tgtattcgca acattgcatg gagtactggg tttgacgctt 1980 tctgagcagg atgtgatgtt cgaaaacatt gataatgatg atacaaaacg atttgtgggt 2040

51													
egtggtcaat ttgagtgget ttcacaaatt gtcaagagac gtggagcagt tacttcgtcc 2160 gatgccaaca tcattcactt tccacattct gcactcgatg tgataaagtc tgttggacca 2220 gattgttcgg tgtgctttgt cgactattca gttcgtgatg aatctgcaac atcttcattg 2280 atggaatcga ctagaattgt tcatgatagt cgtgaatcta tgacaactac ttatgttggt 2340 gagatgccaa gcccaattat cgaagaaatc gatgcaacat cttcatttga cccaaaactc 2400 ttgaatctcc attcattgt cgataagtta atcgaggaac agaatgttac tatgattgtg 2460 gggatgttcc aattcgttcg aagtttgaag gatttattcg gcgataacaa tgaatgggaa 2520 cgcttgctca cgtacatgct cacgactggt aaaaacaata acattcgtct ctga 2574													
<210> 32 <211> 857 <212> PRT <213> Caenorhabditis elegans													
<pre>&lt;400&gt; 32 Met Pro Ala Asn Glu Leu Phe Gly Asp Ser Asp Pro Glu Gly Asp Glu</pre>													
Ile Phe Glu Arg Val Arg Lys Val Gln Pro Lys Ser Ile Asn Val Thr 20 25 30													
Glu Asn Gln Lys Val Asp Pro Met Arg Lys Val Lys Ile Glu Leu Gln 35 40 45													
Ala Val Leu Val Ala Glu Lys Ile Pro Ile Ser Thr Glu Glu Ile Arg 50 55 60													
Arg Arg Leu Leu Asp Ser Tyr Gly Ala Cys Pro Asp Pro Lys Arg Tyr 65 70 75 80													
Asn Cys Ser Thr Leu Asp Asp Leu Leu Gln Ala Cys Ser Glu Ser Ile 85 90 95													
Val His Thr Phe Gly Arg Asp Gly Ile His Arg Tyr Gly Pro Arg Thr													
Thr Glu Ala Asn Gln Asp Ile Ile Glu Met Val Gln Gln Gln Ser Ser 115 120 125													
Ser Lys Arg Pro Ala Arg Ser Phe Leu Gly Ser Gly Ala Thr Asn Asn 130 135 140													
Leu Ser Thr His Gly Ser Ser Phe Arg Ala Phe Arg Gly Pro Tyr Ala 145 150 150 160													
Ser Glu Glu Ile Ala Lys Ser Arg Gly Thr Pro Glu Gln Phe Lys Ala 165 170 175													
Arg His Lys Leu Gly Pro Ala Lys Thr Ile Ser Arg Val Lys Asn Leu 180 185 190													
Ala Glu Val Leu Lys Glu Tyr Ala Asp Glu Ile Gly Val Ser His Pro 195 200 205													
Asp Glu Pro Asn Arg Lys Ile Val Thr Leu Ala Ala Leu Ala Asn Lys 210 215 220													

52 Phe Lys Gln Leu Tyr Cys Leu Pro Ala Trp Gly Lys Asn Ile Ser Glu 230 Ser Glu Leu Tyr Ile Gln Leu Asn Val Pro Pro Phe Asn Glu Tyr Leu 250 His Phe Trp Arg Leu Ser Glu Lys Gly Asp Ile Phe Val Asp Cys Ile 265 Asp Arg Asp Asn Ala Asp Pro Thr Gln Lys Ser Glu Gln Asn Pro Ser 280 Ala Asp Val Ser The Gln Ser Glu Ser Phe Gly Gly Lys Ser Ser Ala Ser Ala Phe Glu Gln Ser Val Val Ser Ala Pro Ser Thr Ile Arg Asp 315 310 Gln Thr Ser Asp Ser Phe Asp Gly Phe Asn Ser Phe Glu Val Pro Pro 330 Glu Asn Gly Ser Lys Asp Ser Lys Ile Phe Asn Ser Asn Gln Glu Ser 345 Ile Asp Asp Tyr Pro Gly Asn Ala Ile Ser Arg Asp Arg Thr Ala Asp 360 Met Thr Asp Ile Ala Leu Arg Phe Gly Thr Val Ser Val Ala Ser Gln 375 Gln Cys Pro Val Ser Ser Leu Val Pro Gln Asn Gly Ile Leu Arg Gln Ser Arg Ala Gln Glu Asp Asp Asn Asn Thr Ser Ile Leu Thr Ile 410 Gln Ser Ser Arg Arg Asn His Ser Val Leu Arg His Arg Thr Ile Lys Pro Arg Asn Pro Thr Gln Asn Leu Ala Glu Val Val Lys Thr His Gly 440 Ser Ile Pro Tyr Glu Ala Leu Ser Asp Cys Asp Lys Ile Ile Val Asp 460 455 Leu Gly Lys Asn Ile Phe Lys Val Tyr Ala Thr Gln Pro Gly Glu Met 470 465 Met Val Arg Leu Cys Asp Pro His Val Asp Thr Thr Thr Leu Pro Leu 490 Leu Glu Asn Asn Leu Arg Asp Pro Val Glu Ser Asp Leu Arg Trp Met 505 Thr Leu Gly Asn Ser His Ile Lys Lys Gln Ser Val Lys Val Lys 515 Pro Ala Met Phe Ile Ala Pro Arg Gly Phe Leu Leu Ile Leu Lys Asp 53 ·

	530					535					540				
Glu 545	Glu	Arg	Glu	Glu	Met 550	Asp	Val	Glu	Lys	Val 555	Ala	Thr	Met	Gly	Asn 560
Ile	Leu	Arg	Alâ	Val 565	Met	Val	Ala	Pro	Ile 570	Val	Glu	Leu	Gln	Arg 575	Glu
Thr	Val	Arg	Thr 580	Gly	Ser	Ala	Ala	Val 585	Tyr	Val	Tyr	Arg	Gln 590	Gly	Ala
Glu	Val	Arg 595	Tyr	Tyr	Arg	Val	Leu 600	Ile	Val	Gly	Gln	Ala 605	Lys	Gln	Asp
Gly	Glu 610	Val	Leu	Val	Leu	Leu 615	Ala	Asp	Val	Asp	Asp 620	Gln	Tyr	Phe	Val
Asp 625	Val	His	Leu	Ser	His 630	Leu	Phe	Pro	Ile	Pro 635	Glu	Glu	Ala	Ser	Phe 640
Lys	His	Ph∈	Pro	Ser 645	Asn	Val	Val	Phe	Ala 650	Thr	Leu	His	Gly	Val 655	Leu
Gly	Leu	Thr	Leu 660	Ser	Glu	Gln	Asp	Val 665	Met	Phe	Glu	Asn	Ile 670	Asp	Asn
Asp	Asp	Thr 675		Arg	Phe	Val	Gly 680	Gly	Tyr	Phe	His	Gly 685	Asn	Asp	Asp
Arg	Ile 690		Asn	Ile	Lsp	Met 695	Val	Trp	Lys	Asn	Glu 700	Arg	Gly	Gln	Phe
Glu 705		Leu	. Ser	Gln	Ile 710	Val	Lys	Arg	Arg	Gly 715	Ala	Val	Thr	Ser	Ser 720
Asp	Ala	Asn	ı Ile	1 le 725	His	Phe	Pro	His	Ser 730	Ala	Leu	Asp	Val	Ile 735	Lys
Ser	: Val	Gly	/ Pro 740	Asp	Cys	Ser	Val	Cys 745	Ph∈	e Val	Asp	Tyr	Ser 750	Val	Arg
Asp	o Glu	Sei 755		a Thi	Ser	Ser	Leu 760	Met	Glu	ı Ser	Thr	Arg 765	Ile	Val	His
Asp	Sei 77(		g Glu	ı Se:	: Met	Thr 775	Thr	Thr	ту1	r Val	Gly 780	Glu	Met	. Pro	Ser
Pro		e Ile	e Glu	u Gli	ı Il∈ 790	e Asp	Ala	a Thi	s Se	r Ser 795	Phe	e Asp	Prc	Lys	Leu 800
Le	u Asi	n Le	u Hi	s Se:	r Leu 5	ı Phe	e Asp	Ly:	s Lei 81	u Ile O	e Glu	ı Glu	ı Glr	Asr 815	Val
Th	r Me	t Il	e Va 82		y Met	z Ph∈	e Glo	n Phe 82	e Va 5	l Arq	g Ser	. Leu	Lys 830	s Asp	) Leu
Ph	e Gl	y As		n As	n Gl	ı Tr	o Gli 840	ı Ar	g Le	u Lei	u Thi	Ty:	r Met	: Lei	ı Thr

Thr Glv Lys Asn Asn Asn Ile Arg Leu

54

855 850 <210> 33 -2112 1E87 -711 - TWA -713 - Taonorhabditis elegans 4 . 33 Littiques gagticgaaa ggtgcaacca aagtcgatca atgtaactga gaatcaaaag 60 chapatrita tgcgtaaagt caaaatcgag cttcaagctg ttttggttgc ggaaaaaata 120 realtingta cagaagaaat cagacggcgt ctgctggatt cttatggtgc atgtcctgat 180 residence at a taactigtto gactitiggae gateticite aageatgete ggagteaatt 240 primative toggoogtga tggaatacac cgatatgggo caagaactac tgaagccaac 300 Taditaliatia togaaatggt coagoagoag togagotoaa aacgoooggo cogotogttt 360 tivinital gagotactaa taacotcago actoatgggt catcattccg ggcattcaga 420 egicagagga aatogotaaa togagaggaa cacotgagca attoaaagca 480 adamiisan tgggtocago aaaaacaatt totogogtaa aaaacottgo agaggttttg 540 Laugustate organizate aggagithea cateetgate agecaaatee caagatieta 600 aractifica; ctcttgccaa taagttcaaa cagttgtatt gtttaccagc atggggaaag 660 ascatatody amagigment atacattog otomatytic otootticam ognatatoty 720 catttotggo gtottagoga aaaaggtgac atottogttg attgtattga togtgacaat 780 progaticas otcassas tgascassat cogtosgosg atgittotat tosatotgas 840 tottttggcg gtaaaagttc agettcageg tttgaacaat ctgtagtatc egeteettca 900 actattagas atcaaacatc cgattccttt gacgggttca acagtttcga agtgccccca 960 qaaaatgqaa gcaaagatto aaaaatttto aactogaato aagaaagcat cgatgactat 1020 ccaggaaatg ctatatctcg agatcgaacc gctgatatga ccgacattgc attgcgcttt 1080 ggaactgtot otgtggcaag ccaacaatgt ccggtatott cgtcactcgt tccacaaaat 1140 ggaattotto gtoagtogog tgotoaagaa gaogacaaca acacatotat totaactatt 1200 caatcatoto giogoaatca ticagigoti ogicatogia ogatcaagoo togoaatoca 1260 acacaaaatc ttgctgaagt cgtaaaaact catggtagca ttccttatga agcgctttcg 1320 cattgtgata agattatcgt cgacttagga aagaacattt tcaaagttta tgcaactcaa 1380 cctggagaaa tgatggtccg cctttgtgat ccccacgttg acacgactac attgccactc 1440 ctagacaaca atetteggga teetgtegag tetgatttae gttggatgae aetgggaaat 1500 toccatatea agaaacaato tgttaaagtg gtcaagcotg caatgtttat tgcgccacgo 1560 1587 ggatttttgt tgattttaaa agatgaa <210> 34 <211> 529 <212> PRT <213> Caenorhabditis elegans <400> 34 lie Phe Glu Arg Val Arg Lys Val Gln Pro Lys Ser Ile Asn Val Thr 10 Glu Asn Gln Lys Val Asp Pro Met Arg Lys Val Lys Ile Glu Leu Gln 25 Ala Val Leu Val Ala Glu Lys Ile Pro Ile Ser Thr Glu Glu Ile Arg 45 35 Arg Arg Leu Leu Asp Ser Tyr Gly Ala Cys Pro Asp Pro Lys Arg Tyr 50 55 Asn Cys Ser Thr Leu Asp Asp Leu Leu Gln Ala Cys Ser Glu Ser Ile

65					70					75					80
Val	His	Thr	Phe	Gly 85	Arg	Asp	Gly	Ile	His 90	Arg	Tyr	Gly	Pro	Arg 95	Thr
Thr	Glu	Ala	Asn 100	Gln	Asp	Ile	Ile	Glu 105	Met	Val	Gln	Gln	Gln 110	Ser	Ser
Ser	Lys	Arg 115	Pro	Ala	Arg	Ser	Phe 120	Leu	Gly	Ser	Gly	Ala 125	Thr	Asn	Asn
Leu	Ser 130	Thr	His	Gly	Ser	Ser 135	Phe	Arg	Ala	Phe	Arg 140	Gly	Pro	Tyr	Ala
Ser 145	Glu	Glu	Ile	Ala	Lys 150	Ser	Arg	Gly	Thr	Pro 155	Glu	Gln	Phe	Lys	Ala 160
Arg	His	Lys	Leu	Gly 165	Pro	Ala	Lys	Thr	Ile 170	Ser	Arg	Val	Lys	Asn 175	Leu
Ala	Glu	Val	Leu 180	Lys	Glu	Tyr	Ala	Asp 185	Glu	Ile	Gly	Val	Ser 190	His	Pro
Asp	Glu	Pro 195		Arg	Lys	Ile	Val 200	Thr	Leu	Ala	Ala	Leu 205	Ala	Asn	Lys
Phe	Lys 210		Leu	Tyr	Cys	Leu 215	Pro	Ala	Trp	Gly	Lys 220	Asn	Ile	Ser	Glu
Ser 225		Leu	Tyr	Ile	Gln 230	Leu	Asn	Val	Pro	Pro 235	Phe	Asn	Glu	Tyr	Leu 240
His	Phe	Trp	Arç	Leu 245	Ser	Glu	Lys	Gly	Asp 250	Ile	Phe	Val	Asp	Cys 255	Ile
Asp	Arc	g Asp	Asr 260	n Ala	Asp	Pro	Thr	Gln 265	Lys	ser	Glu	Gln	Asn 270	Pro	Ser
Ala	. Asp	val 275	l Sei	c Ile	e Gln	Ser	Glu 280	Ser	Phe	e Gly	Gly	Lys 285	Ser	Ser	Ala
Sei	Ala 290		e Gl≀	ı Glr	n Ser	Val 295	Val	. Ser	Ala	a Pro	Ser 300	Thr	Ile	Arg	Asp
Gl: 305		r Se	r Ası	p Sei	r Phe 310	e Asp	o Gly	⁄ Ph∈	e Asr	n Ser 315	Phe	e Glu	ı Val	Pro	Pro 320
Glı	ı As:	n Gl	y Se	r Ly: 32	s Asp 5	s Sei	r Lys	s Ile	e Phe 330	e Asr O	n Ser	Asr	n Glr	335	Ser
Il	e As	p As	р Ту 34	r Pro	o Gly	y Ası	n Ala	a Ile 34	e Se:	r Ar	g Asp	Arg	350	Ala	Asp
Ме	t Th	r As 35		e Al	a Le	u Ar	g Phe 360	e Gl	y Th	r Vai	l Sei	365	l Ala 5	a Ser	Gln
Gl	n Cy 37		o Va	l Se	r Se	r Se 37	r Le	u Va	l Pr	o Gl	n Ası 380	n Gly	y Ile	e Lei	ı Arg

56

```
Gln Ser Arg Ala Gln Glu Asp Asp Asn Asn Thr Ser Ile Leu Thr Ile
385
                    390
                                         395
Gln Ser Ser Arg Arg Asn His Ser Val Leu Arg His Arg Thr Ile Lys
                405
                                     410
Pro Arg Asn Pro Thr Gln Asn Leu Ala Glu Val Val Lys Thr His Gly
                                                     430
                                425
            420
Ser Ile Pro Tyr Glu Ala Leu Ser Asp Cys Asp Lys Ile Ile Val Asp
                            440
Leu Gly Lys Asn Ile Phe Lys Val Tyr Ala Thr Gln Pro Gly Glu Met
                                             460
                        455
Met Val Arg Leu Cys Asp Pro His Val Asp Thr Thr Leu Pro Leu
                                         475
465
                    470
Leu Glu Asn Asn Leu Arg Asp Pro Val Glu Ser Asp Leu Arg Trp Met
                485
                                     490
Thr Leu Gly Asn Ser His Ile Lys Lys Gln Ser Val Lys Val Val Lys
            500
                                 505
                                                     510
Pro Ala Met Phe Ile Ala Pro Arg Gly Phe Leu Leu Ile Leu Lys Asp
                            520
        515
```

Glu

<210> 35 <211> 1593 <212> DNA

<213> Caenorhabditis elegans

## <400> 35

atgegeattg teegtacaea eegegaegag titttaegga cattgigett gaactigitt 60 tgttgtctgt tgatcaactc aattgagaaa tcaaaacaaa ttcaatcttc agcgtatttt 120 tttcgaaatt ctcactcttt cgccatcgaa aagttcaaaa gaaaacaaca aaaaatgcct 180 cgcggtctac ggagagcaga tttagtcaaa cgacatcgcc actcaacgac aggagacaaa 240 gacggaggag taccagaagt aataggatgc ccagttttag atcctattat ctgccaatgt 300 ccaaaagatg agatcgagct tggtgaagga gtcaagatga cgtgcacttg ggaatcatgc 360 ccqtactcta qtaqaccact tcatcacata tgctatcaac tgctcgagga caatcttgtc 420 aagcgattag cctcactggg aagtgcacga ggatggacag tgccacaacg gaggaataac 480 ttatgggaga ggaagggtca gtccctgatc ggaaagttct gccgatgtcg ctgcgatcgg 540 ggacaaatga ccagagacaa gcaggcttta tatgagaaag agaaggctgt ggaaaaaagag 600 aagaagaaga aggccaagaa agcaaaacaa ctgccccagc tacaatttaa ttctaaacct 660 ttggcagcta tcgaggagaa aaagcgagga gacgctgatg tattccactc accgtccatt 720 gcctcaagta cacggcatca cacattctcg acgacgacac gatcgcgact tcatactgat 780 cgttcggctt cttccatttt aacacacat attggaagaa cgtggtccga atcttcgttt 840 gccggtgaaa caaatggtca gtacgacaac aatcaggagc cacatccatc aaattgtgaa 900 tgcgtatttc atcacgatta cgacgctgac gatcaaatag atacggattt cgagtgtgaa 960 agcaatcaca gegaegtaat agttecaget ecaettecae caetteagge gaaaagetat 1020 gcagcgacaa taatgagaaa cgggacaccg aaggttacaa attattcacc ggatagtggt 1080 ctcgatcagc aaactccaag gttttcattg tcttcttcga gtggaggaga tgtcgataat 1140 caacatggag acttccacgt ggaaactaga atttccgagc atctcaacgc gttgggactc 1200

taccoggage aaaaagagea gaatogegtt gagtetggag cetgacaatg	tgacatcgac catctgtctc gtggattcag ccttgtcgcc cgtcgggtgt	gaagetteea atteaatgtg	cttgctccgt ccggttcgcg gaaacacagg ggatggactc	cgtcacagct aaatgatgga ctgaaaatac	atcgccgtts tctccgagcg attcaatgaa catatggcaa tgaaaaaaga caatggctts	1380 1440 1500
.10% 36 111% 8 <b>30</b>						

LIDE FAT GIB: Daenorhabditis elegans

Mit Air lie Val Arg Thr His Arg Asp Glu Phe Leu Arg Thr Leu Cys

Let. Alt. Leu Phe Cys Cys Leu Leu Ile Asn Ser Ile Glu Lys Ser Lys

I. G.: Ser Ser Ala Tyr Phe Phe Arg Asn Ser His Ser Phe Ala

Tie Glu Lys Phe Lys Arg Lys Gln Gln Lys Met Pro Arg Gly Leu Arg

Arg Ala Asp Leu Val Lys Arg His Arg His Ser Thr Thr Gly Asp Lys

Asp Gly Gly Val Pro Glu Val Ile Gly Cys Pro Val Leu Asp Pro Ile

lle Cys Gln Cys Pro Lys Asp Glu Ile Glu Leu Gly Glu Gly Val Lys

Met Thr Cys Thr Trp Glu Ser Cys Pro Tyr Ser Ser Arg Pro Leu His 115

His Ile Cys Tyr Gln Leu Leu Glu Asp Asn Leu Val Lys Arg Leu Ala

Ser Leu Gly Ser Ala Arg Gly Trp Thr Val Pro Gln Arg Arg Asn Asn 155

Leu Trp Glu Arg Lys Gly Gin Ser Leu Ile Gly Lys Phe Cys Arg Cys 170

Arg Cys Asp Arg Gly Gln Met Thr Arg Asp Lys Gln Ala Leu Tyr Glu

Lys Glu Lys Ala Val Glu Lys Glu Lys Lys Lys Ala Lys Lys Ala 200

Lys Gln Leu Pro Gln Leu Gln Phe Asn Ser Lys Pro Leu Ala Ala Ile 215

Glu Glu Lys Lys Arg Gly Asp Ala Asp Val Phe His Ser Pro Ser Ile 235 230 225

Ala	Ser	Ser	Thr	Arg 245	His	His	Thr	Phe	Ser 250	Thr	Thr	Thr	Arg	Ser 255	Arg
Leu	His	Thr	Asp 260	Arg	Ser	Ala	Ser	Ser 265	Ile	Leu	Thr	His	Thr 270	Ile	Gly
Arg	Thr	Trp 275	Ser	Glu	Ser	Ser	Phe 280	Ala	Gly	Glu	Thr	Asn 285	Gly	Gln	Tyr
Asp	Asn 290	Asn	Gln	Glu	Pro	His 295	Pro	Ser	Asn	Cys	Glu 300	Cys	Val	Phe	His
His 305	Asp	Tyr	Asp	Ala	Asp 310	Asp	Gln	Ile	Asp	Thr 315	Asp	Phe	Glu	Cys	Glu 320
Ser	Asn	His	Ser	Asp 325	Val	Ile	Val	Pro	Ala 330	Pro	Leu	Pro	Pro	Leu 335	Gln
Ala	Lys	Ser	Tyr 340	Ala	Ala	Thr	Ile	Met 345	Arg	Asn	Gly	Thr	Pro 350	Lys	Val
Thr	Asn	Tyr 355	Ser	Pro	Asp	Ser	Gly 360	Leu	Asp	Gln	Gln	Thr 365	Pro	Arg	Phe
Ser	Leu 370	Ser	Ser	Ser	Ser	Gly 375	Gly	Asp	Val	Asp	Asn 380	Gln	His	Gly	Asp
Phe 385	His	Val	Glu	Thr	Arg 390	Ile	Ser	Glu	His	Leu 395	Asn	Ala	Leu	Gly	Leu 400
Ser	Ile	Met	Ser	Pro 405	Val	Glu	Asn	Ala	Asn 410	Glu	Asn	Val	Asn	Tyr 415	Glu
Glu	Ser	Pro	Phe 420	Tyr	Pro	Glu	Leu	Thr 425	Ser	Thr	Pro	Ile	Val 430	Ser	Lys
Lys	Gln	Arg 435	Glu	Pro	Leu	Arg	Ala 440	Lys	Lys	Ser	Thr	Ser 445	Val	Ser	Lys
Leu	Pro 450	Leu	Ala	Pro	Ser	Ser 455	Gln	Leu	Phe	Asn	Glu 460	Glu	Ser	Arg	Cys
Gly 465	Phe	Arg	Phe	Asn	Val 470	Pro	Val	Arg	Glu	Met 475	Met	Asp	Ile	Trp	Gln 480
Glu	Ser	Gly	Ala	Leu 485	Ser	Pro	Ala	Ile	Arg 490	Glu	Thr	Gln	Ala	Glu 495	Asn
Thr	Glu	Lys	Arg 500	Ala	Glu	Asn	Ala	Ser 505	Gly	Val	Leu	Gln	Tyr 510	Gly	Trp
Thr	Pro	Phe 515	Phe	Gly	Asn	Gly	Phe 520	Asn	Leu	Gly	Glu	Arg 525	Leu	Tyr	Tyr
Phe	Pro														

Pne Pro 530

```
<210> 37
<211> 1458
<212> DNA
<213> Caenorhabditis elegans
<400> 37
totttogoca togaaaagtt caaaagaaaa caacaaaaaa tgootogogg totacggaga 60
gragatitag traaacgara tegerartea acgaraggag araaagargg aggagtarra 120
gaagtaatag gatgcccagt titagatcct attatctgcc aatgtccaaa agatgagatc 180
gagettggtg aaggagteaa gatgaegtge acttgggaat catgeeegta etetagtaga 240
ccacticate acatatgeta teaactgete gaggacaate tigicaageg attageetea 300
ctgggaagtg cacgaggatg gacagtgcca caacggagga ataacttatg ggagaggaag 360
ggicagicco tgatoggaaa gitoigoga tgtogotgog atoggggaca aatgaccaga 420
gacaagcagg ctttatatga gaaagagaag gctgtggaaa aagagaagaa gaagaaggcc 480
aagaaagcaa aacaactgcc ccagctacaa tttaattcta aacctttggc agctatcgag 540
gagaaaaagc gaggagacgc tgatgtattc cactcaccgt ccattgcctc aagtacacgg 600
catcacacat totogacgae gacacgateg cgactteata etgategtte ggettettee 660
attitaacac acactattgg aagaacgtgg teegaatett egittgeegg tgaaacaaat 720
ggtcagtacg acaacaatca ggagccacat ccatcaaatt gtgaatgcgt atttcatcac 780
gattacgacg ctgacgatca aatagatacg gatttcgagt gtgaaagcaa tcacagcgac 840
gtaatagttc cagetecact tecaceactt caggegaaaa getatgeage gacaataatg 900
agaaacggga caccgaaggt tacaaattat tcaccggata gtggtctcga tcagcaaact 960
ccaaggtttt cattgtcttc ttcgagtgga ggagatgtcg ataatcaaca tggagacttc 1020
cacgtggaaa ctagaatttc cgagcatctc aacgcgttgg gactcagcat aatgtcgccg 1080
gtggagaatg cgaatgaaaa tgtcaattat gaagaatcgc cgttctaccc ggagctgaca 1140
togactocaa togtotogaa gaagcagogg gaacototoo gagogaaaaa gagoacatot 1200
gtotogaago ttocacttgo toogtogtoa cagotattoa atgaagaato gogttgtgga 1260
ttcagattca atgtgccggt tcgcgaaatg atggacatat ggcaagagtc tggagccttg 1320
tcgccggcaa ttcgagaaac acaggctgaa aatactgaaa aaagagctga gaatgcgtcg 1380
ggtgtactcc aatatggatg gactccattc ttcggcaatg gcttcaatct cggagagcgc 1440
 ctctactact tcccatag
 <210> 38
 <211> 485
 <212> PRT
 <213> Caenorhabditis elegans
 <400> 38
 Ser Phe Ala Ile Glu Lys Phe Lys Arg Lys Gln Gln Lys Met Pro Arg
 Gly Leu Arg Arg Ala Asp Leu Val Lys Arg His Arg His Ser Thr Thr
 Gly Asp Lys Asp Gly Gly Val Pro Glu Val Ile Gly Cys Pro Val Leu
          35
 Asp Pro Ile Ile Cys Gln Cys Pro Lys Asp Glu Ile Glu Leu Gly Glu
 Gly Val Lys Met Thr Cys Thr Trp Glu Ser Cys Pro Tyr Ser Ser Arg
 Pro Leu His His Ile Cys Tyr Gln Leu Leu Glu Asp Asn Leu Val Lys
                                       90
                   85
 Arg Leu Ala Ser Leu Gly Ser Ala Arg Gly Trp Thr Val Pro Gln Arg
```

105 110 100 Arg Asn Asn Leu Trp Glu Arg Lys Gly Gln Ser Leu Ile Gly Lys Phe Cys Arg Cys Arg Cys Asp Arg Gly Gln Met Thr Arg Asp Lys Gln Ala Leu Tyr Glu Lys Glu Lys Ala Val Glu Lys Glu Lys Lys Lys Ala 150 Lys Lys Ala Lys Gln Leu Pro Gln Leu Gln Phe Asn Ser Lys Pro Leu 170 Ala Ala Ile Glu Glu Lys Lys Arg Gly Asp Ala Asp Val Phe His Ser 185 Pro Ser Ile Ala Ser Ser Thr Arg His His Thr Phe Ser Thr Thr Thr 200 Arg Ser Arg Leu His Thr Asp Arg Ser Ala Ser Ser Ile Leu Thr His 210 215 Thr Ile Gly Arg Thr Trp Ser Glu Ser Ser Phe Ala Gly Glu Thr Asn 230 Gly Gln Tyr Asp Asn Asn Gln Glu Pro His Pro Ser Asn Cys Glu Cys 250 Val Phe His His Asp Tyr Asp Ala Asp Asp Gln Ile Asp Thr Asp Phe Glu Cys Glu Ser Asn His Ser Asp Val Ile Val Pro Ala Pro Leu Pro 280 Pro Leu Gln Ala Lys Ser Tyr Ala Ala Thr Ile Met Arg Asn Gly Thr Pro Lys Val Thr Asn Tyr Ser Pro Asp Ser Gly Leu Asp Gln Gln Thr 315 310 Pro Arg Phe Ser Leu Ser Ser Ser Gly Gly Asp Val Asp Asn Gln 325 His Gly Asp Phe His Val Glu Thr Arg Ile Ser Glu His Leu Asn Ala 340 Leu Gly Leu Ser Ile Met Ser Pro Val Glu Asn Ala Asn Glu Asn Val 360 Asn Tyr Glu Glu Ser Pro Phe Tyr Pro Glu Leu Thr Ser Thr Pro Ile 375 Val Ser Lys Lys Gln Arg Glu Pro Leu Arg Ala Lys Lys Ser Thr Ser 385 Val Ser Lys Leu Pro Leu Ala Pro Ser Ser Gln Leu Phe Asn Glu Glu 410 405

```
Ser Arg Cys Gly Phe Arg Phe Asn Val Pro Val Arg Glu Met Met Asp
            420
                                425
Ile Trp Gln Glu Ser Gly Ala Leu Ser Pro Ala Ile Arg Glu Thr Gln
                            440
Ala Glu Asn Thr Glu Lys Arg Ala Glu Asn Ala Ser Gly Val Leu Gln
                        455
Tyr Gly Trp Thr Pro Phe Phe Gly Asn Gly Phe Asn Leu Gly Glu Arg
                                        475
                    470
465
Leu Tyr Tyr Phe Pro
                485
<210> 39
<211> 1056
<212> DNA
<213> Caenorhabditis elegans
<400> 39
atgcaaaaca cacagatatt tactaacttc gctcacagag cacatgatgg attaccgttt 60
aacagtgcga atccttccaa caaagatcca attttcacaa tgccaatatc ggtcaaaccg 120
aaaactegtg ageeggette tttcacagat aacaggatat atgtcagcaa tattccctte 180
togtttogtg aacaagattt ggoggcaatg ttottogcat atggaagagt cotgagtgtg 240
gaaatcgtca caaatgatcg tggatccaaa gggttcgggt ttgtcacact cgattccatc 300
gaateetgtg agaaageteg tgetgegett cacgaateae atgttcaagg aagaattata 360
gaagtgagaa gagcgacacc aacccgcaga aagcttatca acaatccaca aaatgaagtt 420
ttgccaccac caaagctgtg tgtcgatctt cgagcccctc ataatttatg gagagctgag 480
ccaatgcatc agttgttcaa ggaaaaggag aacacaacat gttttcccga agctggattc 540
atgatggcac cataccgtag caatggaatt ttcaacacgc gtagtcttgt gcagaccaaa 600
ccaccicgat gcaccaagca cagcgagctc aagctttctt cagctggtga atacttctgc 660
aaaaacggcg agcctacgac ggaaacaagt attctgatgt gcatgcacag acaaaactca 720
ccatgcagca ataagtgttc tgattcttcg aatcacgagc tgtctgatgt ggagttgaac 780
totatattoc cacatoatot togtgaccag attactgoto ttotogacae ttoaaaccat 840
tttggatcag gaaataatag tgctaacaaa ggaaagagag caccatctgt gacatcttct 900
ggattgagat catcagagag cgagacagtt tcagacgaag agattcattg gtccccacat 960
 aacagccctg attatcttct cgctgctctc tacgaaggtt ccacatcgtt ccacggaaag 1020
                                                                    1056
 totgtttoto caccaaaaga atogtoaago cagtaa
 <210> 40
 <211> 351
 <212> PRT
 <213> Caenorhabditis elegans
 <400> 40
 Met Gln Asn Thr Gln Ile Phe Thr Asn Phe Ala His Arg Ala His Asp
                                      10
 Gly Leu Pro Phe Asn Ser Ala Asn Pro Ser Asn Lys Asp Pro Ile Phe
                                                       30
              20
 Thr Met Pro Ile Ser Val Lys Pro Lys Thr Arg Glu Pro Ala Ser Phe
                              40
          35
```

Thr Asp Asn Arg Ile Tyr Val Ser Asn Ile Pro Phe Ser Phe Arg Glu

	50					55					60				
Gln 65	Asp	Leu	Ala	Ala	Met 70	Phe	Phe	Ala	Tyr	Gly 75	Arg	Val	Leu	Ser	Val 80
Glu	Ile	Val	Thr	Asn 85	Asp	Arg	Gly	Ser	Lys 90	Gly	Phe	Gly	Phe	Val 95	Thr
Leu	Asp	Ser	Ile 100	Glu	Ser	Cys	Glu	Lys 105	Ala	Arg	Ala	Ala	Leu 110	His	Glu
Ser	His	Val 115	Gln	Gly	Arg	Ile	Ile 120	Glu	Val	Arg	Arg	Ala 125	Thr	Pro	Thr
Arg	Arg 130	Lys	Leu	Ile	Asn	Asn 135	Pro	Gln	Asn	Glu	Val 140	Leu	Pro	Pro	Pro
Lys 145	Leu	Cys	Val	Asp	Leu 150	Arg	Ala	Pro	His	Asn 155	Leu	Trp	Arg	Ala	Glu 160
Pro	Met	His	Gln	Leu 165	Phe	Lys	Glu	Lys	Glu 170	Asn	Thr	Thr	Cys	Phe 175	Pro
Glu	Ala	Gly	Phe 180	Met	Met	Ala	Pro	Tyr 185	Arg	Ser	Asn	Gly	Ile 190	Phe	Asn
Thr	Arg	Ser 195	Leu	Val	Gln	Thr	Lys 200	Pro	Pro	Arg	Cys	Thr 205	Lys	His	Ser
Glu	Leu 210	Lys	Leu	Ser	Ser	Ala 215	Gly	Glu	Tyr	Phe	Cys 220	Lys	Asn	Gly	Glu
Pro 225	Thr	Thr	Glu	Thr	Ser 230	Ile	Leu	Met	Cys	Met 235	His	Arg	Gln	Asn	Ser 240
Pro	Cys	Ser	Asn	Lys 245	Cys	Ser	Asp	Ser	Ser 250		His	Glu	Leu	Ser 255	Asp
Val	Glu	Leu	Asn 260		Ile	Phe	Pro	His 265	His	Leu	Arg	Asp	Gln 270		Thr
Ala	Leu	Leu 275	Asp	Thr	Ser	Asn	His 280	Phe	Gly	Ser	Gly	Asn 285	Asn	Ser	Ala
Asn	Lys 290	Gly	Lys	Arg	Ala	Pro 295	Ser	Val	Thr	Ser	Ser 300	Gly	Leu	Arg	Ser
Ser 305	Glu	Ser	Glu	Thr	Val 310	Ser	Asp	Glu	Glu	Ile 315	His	Trp	Ser	Pro	His 320
Asn	Ser	Pro	Asp	Туг 325		Leu	Ala	Ala	Leu 330	Tyr	Glu	Gly	Ser	Thr 335	Ser
Phe	His	Gly	Lys 340		Val	Ser	Pro	Pro 345		Glu	Ser	Ser	Ser 350	Gln	

```
<211> 1053
<212> DNA
<213> Caenorhabditis elegans
<400> 41
caaaacacac agatatttac taacttcgct cacagagcac atgatggatt accgtttaac 60
agtgcgaatc cttccaacaa agatccaatt ttcacaatgc caatatcggt caaaccgaaa 120
actogtgago oggottottt cacagataac aggatatatg toagcaatat tocottotog 180
tttcgtgaac aagatttggc ggcaatgttc ttcgcatatg gaagagtcct gagtgtggaa 240
atcgtcacaa atgatcgtgg atccaaaggg ttcgggtttg tcacactcga ttccatcgaa 300
tcctgtgaga aagctcgtgc tgcgcttcac gaatcacatg ttcaaggaag aattatagaa 360
gtgagaagag cgacaccaac ccgcagaaag cttatcaaca atccacaaaa tgaagttttg 420
ccaccaccaa agctgtgtt cgatcttcga gcccctcata atttatggag agctgagcca 480
atgcatcagt tgttcaagga aaaggagaac acaacatgtt ttcccgaagc tggattcatg 540
atggcaccat accgtagcaa tggaattttc aacacgcgta gtcttgtgca gaccaaacca 600
cctcgatgca ccaagcacag cgagctcaag ctttcttcag ctggtgaata cttctgcaaa 660
aacggcgagc ctacgacgga aacaagtatt ctgatgtgca tgcacagaca aaactcacca 720
tgcagcaata agtgttctga ttcttcgaat cacgagctgt ctgatgtgga gttgaactct 780
atattcccac atcatcttcg tgaccagatt actgctcttc tcgacacttc aaaccatttt 840
ggatcaggaa ataatagtgc taacaaagga aagagagcac catctgtgac atcttctgga 900
ttgagatcat cagagagcga gacagttica gacgaagaga ttcattggtc cccacataac 960
agocctgatt atottotogo tgotototac gaaggttoca catogttoca cggaaagtot 1020
                                                                   1053
gtttctccac caaaagaatc gtcaagccag taa
<210> 42
<211> 350
<212> PRT
<213> Caenorhabditis elegans
Gln Asn Thr Gln Ile Phe Thr Asn Phe Ala His Arg Ala His Asp Gly
                                      10
Leu Pro Phe Asn Ser Ala Asn Pro Ser Asn Lys Asp Pro Ile Phe Thr
                                  25
Met Pro Ile Ser Val Lys Pro Lys Thr Arg Glu Pro Ala Ser Phe Thr
          35
Asp Asn Arg Ile Tyr Val Ser Asn Ile Pro Phe Ser Phe Arg Glu Gln
 Asp Leu Ala Ala Met Phe Phe Ala Tyr Gly Arg Val Leu Ser Val Glu
                      70
 Ile Val Thr Asn Asp Arg Gly Ser Lys Gly Phe Gly Phe Val Thr Leu
 Asp Ser Ile Glu Ser Cys Glu Lys Ala Arg Ala Ala Leu His Glu Ser
             100
                                  105
 His Val Gln Gly Arg Ile Ile Glu Val Arg Arg Ala Thr Pro Thr Arg
                                                  125
                             120
 Arg Lys Leu Ile Asn Asn Pro Gln Asn Glu Val Leu Pro Pro Pro Lys
     130
                          135
 Leu Cys Val Asp Leu Arg Ala Pro His Asn Leu Trp Arg Ala Glu Pro
```

64 160 155 150 145 Met His Gln Leu Phe Lys Glu Lys Glu Asn Thr Thr Cys Phe Pro Glu 170 165 Ala Gly Phe Met Met Ala Pro Tyr Arg Ser Asn Gly Ile Phe Asn Thr 185 180 Arg Ser Leu Val Gln Thr Lys Pro Pro Arg Cys Thr Lys His Ser Glu 200 Leu Lys Leu Ser Ser Ala Gly Glu Tyr Phe Cys Lys Asn Gly Glu Pro 220 215 Thr Thr Glu Thr Ser Ile Leu Met Cys Met His Arg Gln Asn Ser Pro 230 235 225 Cys Ser Asn Lys Cys Ser Asp Ser Ser Asn His Glu Leu Ser Asp Val 250 245 Glu Leu Asn Ser Ile Fne Pro His His Leu Arg Asp Gln Ile Thr Ala 265 2€3 Leu Leu Asp Thr Ser Asn His Phe Gly Ser Gly Asn Asn Ser Ala Asn 285 280 Lys Gly Lys Arg Ala Pro Ser Val Thr Ser Ser Gly Leu Arg Ser Ser 300 295 Glu Ser Glu Thr Val Ser Asp Glu Glu Ile His Trp Ser Pro His Asn 315 320 305 310 Ser Pro Asp Tyr Leu Leu Ala Ala Leu Tyr Glu Gly Ser Thr Ser Phe 325 330

His Gly Lys Ser Val Ser Pro Pro Lys Glu Ser Ser Gln
340 345 350

<210> 43 <211> 1349 <212> DNA <213> Caenorhabditis elegans

<400> 43

```
tgtgatcgtt tcgaagacat taccaacgtc gaaactcttc gaacggatcc actcatcgat 840
cgacacattg ccatgiatgg atgggttcat ggtgctcatt tgaagaatca ttcgtcgatt 900
catgtgccag gtgttggtga tatgaggatc agtaatgtca cgagtctacc cgatccgtgt 960
ccgctgcctg atgagattaa gaaacgagcg ttgaatgaga aagagcggaa agtgtatgct 1020
ccgttitctg gattaggagg tgtcatttat gataaggatg cgatttatat tgagtcaaag 1080
aatgctcaca attttaatag aaaacgcgac ggactcgttg aagctctcga aggcgtcaag 1140
tcaggaaccg atgataaatt gaagaaatcc tctctgcaac ttctcggtga ttcagtagca 1200
cttgatattg atcaggaaag tgattggcca gagcctggag aagaagatga agaagatctg 1260
gatgaggagg attttcagga tgaagaagaa gatgaagatg aggatgagga tgaggaagat 1320
gttggtgtcg tgaaaaagga aggtgtact
<210> 44
<211> 449
<212> PRT
<213> Caenorhabditis elegans
<400> 44
Lys Phe Glu Val Thr Lys Met Pro Pro Pro Ala Pro Phe Glu Gly Gln
                                     10
Lys Asn Lys Gly His Asn Val His Lys Thr Gly Gly Lys Ala Xaa Lys
                                  25
             20
Arg Asn Glu Lys Glu Pro Arg Val Lys Gly Asn Asn Leu Lys Ala Phe
                              40
Thr Phe His Ser Ala Val Ser Ala Gly Lys Ala Ile Arg Arg Ala Ala
Asp Leu Asn Glu Lys Lys Lys His Val Leu Met Met Asp Arg Lys Pro
                      70
Ile Glu Thr Pro Pro Ile Ile Val Ala Ile Val Gly Pro Ser Lys Val
 Gly Lys Thr Thr Leu Leu Arg Gly Leu Val Lys Tyr Tyr Leu Arg Asp
                                 105
Gly Phe Gly Glu Ile Asn Gly Pro Val Thr Ile Val Thr Gly Lys
         115
 Arg Arg Val Gln Phe Ile Glu Val Lys Asn Asp Ile Asn His Met Ile
                         135
 Asp Ile Ala Lys Val Ala Asp Leu Val Leu Leu Met Val Asp Ala Ser
                                                              160
                                         155
 Tyr Gly Phe Glu Met Glu Thr Phe Glu Phe Leu Asn Ile Cys Gln Val
                                     170
                 165
 His Gly Met Pro Arg Ile Met Gly Val Leu Asn His Leu Asp Leu Leu
                                                      190
                                 185
             180
 Asp Gly Ile Ser Arg Val Asn Lys Thr Lys Lys Ile Leu Lys His Arg
                                                  205
                              200
 Phe Trp Thr Glu Leu Tyr Gln Gly Ala Lys Leu Phe Tyr Met Thr Gly
                                              220
```

66

Met Met His Gly Gln Tyr Lys Tyr Asn Glu Ile His Asn Leu Cys Arg 225 230 235 Phe Ile Ser Val Met Lys Phe Arg Pro Met Val Trp Lys Asp Ala His 250 Fro Tyr Val Leu Cys Asp Arg Phe Glu Asp Ile Thr Asn Val Glu Thr 260 265 Low Arg Thr Asp Pro Leu Ile Asp Arg His Ile Ala Met Tyr Gly Trp 280 Tal His Gly Ala His Leu Lys Asn His Ser Ser Ile His Val Pro Gly 295 Val Gly Asp Met Arg Ile Ser Asn Val Thr Ser Leu Pro Asp Pro Cys 310 315 in Lea iro Asp Glu Ile Lys Lys Arg Ala Leu Asn Glu Lys Glu Arg 330 Lys Val Tyr Ala Pro Phe Ser Gly Leu Gly Gly Val Ile Tyr Asp Lys 340 345 Asp Ala Ile Tyr Ile Glu Ser Lys Asn Ala His Asn Phe Asn Arg Lys Arg Asp Gly Leu Val Glu Ala Leu Glu Gly Val Lys Ser Gly Thr Asp 375 Asp Lys Leu Lys Lys Ser Ser Leu Gln Leu Leu Gly Asp Ser Val Ala 385 Leu Asp Ile Asp Gln Glu Ser Asp Trp Pro Glu Pro Gly Glu Glu Asp 405 410 Glu Glu Asp Leu Asp Glu Glu Asp Phe Gln Asp Glu Glu Glu Asp Glu 425 Asp Glu Asp Glu Asp Glu Glu Asp Val Gly Val Val Lys Lys Glu Gly 435 440

Val

<400> 45

atgtcgtacc gcgtgttttc acgcgtcgat ccccatgtgc catcgacatc cacagctcca 60 cagcgtcgtt ttcaagaaaa cttgcaaaaa ttcaagcgat tttttccgcc aaacgcacca 120 ccaacactct gggaagtttg ctcctcgaaa caacgcagca aatcattgaa aaacacgttt 180 caaacggaag tacgtgcact acgaggactt aattttacag tattgctgaa tccgtacaaa 240 aactatctca atgatctcac aaatctatcc ggtttcacct tcgatgatct ttgtcaagca 300

<sup>&</sup>lt;210> 45

<sup>&</sup>lt;211> 3423

<sup>&</sup>lt;212> DNA

<sup>&</sup>lt;213> Caenorhabditis elegans

	++~~=+++=	+ 2 < 2 2 2 2 2 < 2 <	ccadttttda	agtcaaatat	ggaagatgct	360
	ttgcatttta ttcgattaat		arcatttatt	caaatgataa	ctggagggg	420
	aatcaacact			acattttgga		480
				caatataccc		540
	tgaaacaaga			gattgaaaga		600
	agctaccttc			tgcgacaatt	) - )	660
	ctccgcctcc			ttgggtgtaa		720
	_	aatgcacctg			tgcgattcgc	780
ttcaatgggc		aactatcaaa		acaatgaaga	tttaccatcc	840
	gacgattgag			ttaactttga		900
	gttttagatt		tatataata	gtgcatggta	tototacgag	960
attgaagatg	atggatattt	tantagaa			acctccatct	1020
aattatcaaa	ctgctcttca	tydatytata attaattaaa	actgatata		atgttcagaa	1080
ggacgtacaa	tcaagccggg	attegityaa			agaggatcgt	1140
	tgggacgaca	tattcatgga	casagagast		tatctacaat	1200
	aatcaaatgg			atttggtgga cgtcaacatt	gaaatgggct	1260
catattatgt	ttccattatt	cgtaaaatgg			acatccacaa	1320
tttgataagt	acagettgta	tggattaaga	terargical	categorattt	gttggaatcg	1380
-		gaacttattt	ccgaggtatt	catcgcattt	aattcaaatg	1440
aatagatatg	atatgagcac	tacgaaagga	cggaattagt	_	tcttatcgaa	1500
			cacagticgg	-	agttgctgca	1560
	gaaggagaaa			ctctactcgg		1620
aaagtacgaa	cacctcgaaa	agttcttgag		ttgctccaac	ggagaaaaca	1680
tcttcatcaa	ctccaaaaca	acgcgccctg	CttgttCada	aagagaattt	2 2 2	1740
atgattaatc	aagtgccacc	agttgtaaat	acaccaccat	ccccacaaca	_	1800
caactcaaaa	agacgccaac	ttcggctaca	aaacgtcatt	taccggaaat	tgagcaagaa	1860
ttgaagtcgg	aatctgtccc	agctccacca	ccaaccaaga		tatagctgac	1920
agttgggatg	atcatgttgg	taattcgatg	gaagaagaac	atgtagatga	tagaggarrey	1980
gagaaaatgg	aagattcaga	aggaagacag	aatgtttggg	ttccacagga	tagaggaaaa	
gaatatgcac	ctgaacaata	tgcgcgagat	attatcgaac	attatattcc	tgetgetega	2100
gatcatccac	ctcaaccaca	acaaccacca	cctccactac	caacgccgaa	geetecatga	
agacggaaat	ccggtcagaa	aactgatcaa	acgactccat	catcagacgc	cgaagettea	2220
tccgatcctg	caccgcctgt	tcctgctgct	ccagtggctc	ctgttgttcc	aattgttcca	2280
attgttccag	ttcatcctgt	acctttgcca	aacggaagtg	taaatactcc	aaaagugaag	2200
acgattgcaa	agacaacagc	acgagtactg	tattccatta	aacctcaaat	accaccaatt	2400
gcgaacaaaa	ctgtgtatcc	tgtcaagaag	ttgacacctt	. ctgtagttcc	grerecaard	2460
attttaaatg	gaaatactgc	aactgcaagt	ccatcgaaaa	atgcagcatc	tgtagttgtc	2520
agaaatgcat	atacattttc	attacagcaa	aaagctccat	. attatecage	Lygaalycyl	2320
ccgaaaccaa	ctcaaaatgg	aattgaaaca	cctccgacag	gagcacaatc	tttaatgcgt	2580
gcagccttct	. atagtgagag	tcatcctaca	cgaagtcccc	tcgtcccgta	tggttttgtt	2640
cctccaattc	r ccacatcatc	tacttttqta	cctqctqcaa	a caataccatc	accigciage	2/00
chancaatac	ctcatcagaa	gcaaatgctc	: ttaaatacgc	, aaacgigicg	acycyttaty	2/00
ccatttaata	ttcaaatggg	attcaaacca	. catcattaa	atcotolico	gaaallilli	2020
aatattttaa	r ctcattcaaa	rrcaacaata	ı ccatatqttq	c agcgagtccc	Caacaactca	2000
202022#020	, actttcddcc	· dadaadctto	: agtcaaaata	a grattacilo	: Cooggettet	2340
actectatte	· caaatocaat	aaagagaaga	i gaagtaggga	a attidadali	Cogglagial	2000
ataccatana	togcaaatao	r cadadcatto	r ataacaacaa	r cgatggcaac	: galyyayyay	2000
accont da a a	a adatotetto	· madddddtta	i ctatcqtca	c aggeteegat	. yacaactity	2120
ataccaacta	- ctcctcctcc	: aact.ccaact	: cctqctcaaq	g catciguada	l allaalalla	2100
acaactccac	r cattootooa	: tacaatatco	, actaattcaa	a cgactacaya	dataattata	3240
gacasttcs	atcantcaaa	i tootoottta	a cogacotaca	a catcacacai	, icgaaaaaci	3300
cctddaaca	cactdacaco	· toaadaaato	: gacgacgcga	a ticgaaciga	i aayicaaaya	. 5500
tttcaagag	g atggťgatga	a agggccaaca	a gtgaaaagc	t tcctaatgaa	a catctacaaa	3420
tga	י כי הי כי	= = <del>=</del>				3423
~ <del>-</del>						

<sup>&</sup>lt;210> 46

WO 00/73328

<sup>&</sup>lt;211> 1140

<sup>&</sup>lt;212> PRT

<sup>&</sup>lt;213> Caenorhabditis elegans

<400> 46 Met Ser Tyr Arg Val Phe Ser Arg Val Asp Pro His Val Pro Ser Thr Ser Thr Ala Pro Gln Arg Arg Phe Gln Glu Asn Leu Gln Lys Phe Lys Arg Phe Phe Pro Pro Asn Ala Pro Pro Thr Leu Trp Glu Val Cys Ser Ser Lys Gln Arg Ser Lys Ser Leu Lys Asn Thr Phe Gln Thr Glu Val Arg Ala Leu Arg Gly Leu Asn Phe Thr Val Leu Asn Pro Tyr Lys Asn Tyr Leu Asn Asp Leu Thr Asn Leu Ser Gly Phe Thr Phe Asp Asp 90 Leu Cys Gln Ala Leu Arg Phe Phe Ala Phe Tyr Arg Lys Gln Pro Val Leu Lys Ser Asn Met Glu Asp Ala Asn Glu Leu Phe Arg Leu Ile Ala 120 Ser Cys Ile Ile Tyr Ser Asn Asp Asn Trp Arg Ala Ser Ile Asp Lys 135 Ser Thr Leu Val Asp Thr Leu Ser Met Asn Ile Leu Glu Lys Gln Arg 155 150 Leu Lys Asn Leu Lys Gln Glu Ser Ser Glu Gln Lys Asp Pro Ile Tyr 170 Pro Pro Leu Phe Gln Asp Asp Glu Leu Pro Ser Val Pro Ile Gln Ile 190 180 185 Gly Arg Leu Lys Asp Arg Glu Lys Val Pro Ile Pro Pro Pro Pro Cys 200 Arg Asn Asp Phe Ser Met Arg Gln Phe Asn Pro Leu Glu Asp Glu His 215 Leu Arg Ser Met His Leu Trp Asn His Val Gly Cys Asn Asp Ala Lys 225 Phe Asn Gly Pro Phe Glu Arg Thr Tle Lys Met Met Ser Lys Asn Asn 250 245 Val Ala Ile Arg Ser Lys Asp Arg Leu Ser Asp Val Glu Tyr Tyr 265 Gly Asp Asn Glu Asp Leu Pro Ser Thr His Ile Ser Phe Arg Leu Asp 275 Ser Val Met Gln Leu Ile Asn Phe Asp Phe Pro Lys Ile Glu Asp Asp 300 290 295

Gly 305	Tyr	Phe	Ser	Lys	Glu 310	Cys	Leu	Asp	Ser	Ala 315	Trp	Tyr	Leu	Tyr	Glu 320
Asn	Tyr	Gln	Thr	Ala 325	Leu	His	Glu	Cys	Thr 330	Thr	Ala	Phe	Ala	Val 335	Ile
Arg	Pro	Pro	Ser 340	Gly	Arg	Thr	Ile	Lys 345	Pro	Gly	Phe	Val	Glu 350	Asp	Gly
160	Thr	Thr 355	Asp	Glu	Cys	Ser	Glu 360	Phe	His	Met	Met	Gly 365	Arg	His	Ile
<b>H</b>	G1.7 3	Pne	Phe	Gln	Val	Trp 375	Arg	Glu	Glu	Asp	Arg 380	Gly	Trp	Arg	Glu
:	Acti	Gly	Lys	Trp	Val 390	Pro	Arg	Arg	Tyr	Leu 395	Val	Asp	Ile	Tyr	Asn 400
::15	I∶÷	Ket	Phe	Pro 405	Leu	Phe	Val	Lys	Trp 410	Glu	Leu	Trp	Pro	Ser 415	Thr
l.t.	171	Trp	Ala 420	Phe	Asp	Lys	Tyr	Ser 425	Leu	Tyr	Gly	Leu	Arg 430	Leu	Met
Ser	Met	11e 435		Arg	His	Pro	Gln 440	Glu	Leu	Leu	Asn	Ala 445	Gly	Glu	Asn
Leu	Phe 450	Ser	Arg	Tyr	Pro	Ser 455	His	Leu	Leu	Glu	Ser 460	Asn	Arg	Tyr	Asp
Met 465		Thr	Thr	Lys	Gly 470	Arg	Asn	Gln	Tyr	Leu 475	Ser	Ala	Ile	Gln	Met 480
Glu	Asn	. Asr	Arg	Val 485		Asp	Lys	His	Met 490	His	Ser	Ser	Ala	Tyr 495	Lys
Lei	Leu	ıle	Glu 500	Glu	Asp	Gly	' Arg	Arg 505	Arg	Lys	Arg	Lys	Pro 510	Lys	Asp
Glu	ı Ala	Lei 515	ı Lev	ı Gly	Val	Ala	Ala 520	Lys	: Val	. Arg	Thr	Pro 525	Arg	Lys	Val
Lei	1 Glu 530		o Pro	Leu	Phe	Ala 535		Thr	Arç	, Phe	1le 540	Ser	Ser	Ser	Thr
Pro 543		s Gl:	n Arg	g Ala	Leu 550	ı Lei	ı Val	Glr	Lys	555	a Asn	Leu	Glu	Lys	Thr 560
Me	t Ile	e Ası	n Glr	n Val	l Pro	Pro	o Val	L Val	L Asr 57(	n Thi	e Pro	Prc	Ser	Pro 575	Gln
Gl	n Thi	r Al	a Sei 580		n Leu	ı Lys	s Lys	585 585	r Pro	o Thi	r Ser	Ala	Thr 590	Lys	Arg
Ηi	s Le	u Pr 59		u Ile	e Glu	ı Glı	n Gli 600	ı Lev	ı Ly:	s Sei	r Glu	Sen 605	Val	. Pro	Ala

70 Pro Pro Pro Thr Lys Lys Met Ser Ile Ile Ala Asp Ser Trp Asp Asp 615 His Val Gly Asn Ser Met Glu Glu Glu His Val Asp Glu Lys Asp Ser 635 630 Glu Lys Met Glu Asp Ser Glu Gly Arg Gln Asn Val Trp Val Pro Gln 650 Asp Arg Gly Lys Glu Tyr Ala Pro Glu Gln Tyr Ala Arg Asp Ile Ile 660 Glu His Tyr Ile Pro Ala Ala Arg Asp His Pro Pro Gln Pro Gln Gln 680 Pro Pro Pro Leu Pro Thr Pro Lys Pro Pro Arg Arg Lys Ser 695 Gly Gln Lys Thr Asp Gln Thr Thr Pro Ser Ser Asp Ala Glu Ala Ser Ser Asp Pro Ala Pro Pro Val Pro Ala Ala Pro Val Ala Pro Val Val 730 Pro Ile Val Pro Ile Val Pro Val His Pro Val Pro Leu Pro Asn Gly 745 Ser Val Asn Thr Pro Lys Val Lys Thr Ile Ala Lys Thr Thr Ala Arg Val Leu Tyr Ser Ile Lys Pro Gln Ile Pro Pro Ile Ala Asn Lys Thr 775 Val Tyr Pro Val Lys Lys Leu Thr Pro Ser Val Val Pro Ser Pro Met 790 Ile Leu Asn Gly Asn Thr Ala Thr Ala Ser Pro Ser Lys Asn Ala Ala 810 Ser Val Val Val Arg Asn Ala Tyr Thr Phe Ser Leu Gln Gln Lys Ala 825 Pro Tyr Tyr Pro Ala Gly Met Arg Pro Lys Pro Thr Gln Asn Gly Ile 845 835 Glu Thr Pro Pro Thr Gly Ala Gln Ser Leu Met Arg Ala Ala Phe Tyr 855 Ser Glu Ser His Pro Thr Arg Ser Pro Leu Val Pro Tyr Gly Phe Val 880 875 870 Pro Pro Val Ala Thr Ser Ser Thr Phe Val Pro Ala Ala Thr Ile Pro 890 885 Ser Pro Ala Ser Arg Ala Ile Ala His Gln Lys Gln Met Leu Leu Asn Thr Glu Thr Cys Arg Arg Val Met Pro Phe Asn Ile Gln Met Ala Phe

71

Lys Pro Arg Arg Trp Asp Pro Leu Pro Lys Ser Ser Gly Val Leu Ala
930
925

His Ser Asn Ser Thr Ile Pro Tyr Val Gln Arg Val Pro Asn Asn Ser 945 950 955 960

Thr Gln Ser Asp Phe Arg Pro Arg Ser Phe Ser Gln Asn Ser Val Ala 965 970 975

Ser Pro Ala Pro Ala Pro Val Pro Asn Ala Ile Lys Arg Arg Glu Val 980 985 990

Gly Asn Leu Lys Ser Arg Gln Tyr Val Pro Trp Ile Ala Asn Ser Arg 995 1000 1005

Ala Leu Val Ala Ala Ala Met Ala Thr Met Glu Glu Thr Ala Glu Lys 1010 1015 1020

Met Ser Ser Ser Pro Leu Leu Ser Ser Gln Ala Pro Met Thr Thr Leu 1025 1030 1035 1040

Met Pro Thr Pro Pro Pro Pro Ala Pro Ala Pro Ala Gl<br/>n Ala Ser Ala 1045 1050 1055

Gln Ser Thr Ser Ala Thr Pro Ala Leu Val Asp Thr Ile Ser Ala Gly 1060 1065 1070

Ser Thr Thr Glu Thr Thr Gly Asp Ser Asn Gln Ser Asn Pro 1075 1080 1085

Pro Leu Arg Thr Tyr Thr Ser His Ile Arg Lys Thr Pro Gly Thr Thr 1090 1095 1100

Leu Thr Pro Glu Glu Ile Gly Asp Ala Ile Arg Thr Glu Ser Gln Arg 1105 1110 1115 1120

Phe Gln Glu Asp Gly Asp Glu Gly Pro Thr Val Lys Ser Phe Leu Met 1125 1130 1135

Asn Ile Tyr Lys 1140

<210> 47

<211> 1644

<212> DNA

<213> Caenorhabditis elegans

## <400> 47

ttaccggaaa ttgagcaaga attgaagtcg gaatctgtcc cagctccacc accaaccaag 60 aaaatgtcaa ttatagctga cagttgggat gatcatgttg gtaattcgat ggaagaagaa 120 catgtagatg agaaggattc ggagaaaatg gaagattcag aaggaagaca gaatgtttgg 180 gttccacagg atcgaggaaa agaatatgca cctgaacaat atgcgcgaga tattatcgaa 240 cattatattc ctgctgctcg agatcatcca cctcaaccac aacaaccacc acctccacta 300 ccaacgccga agcctccacg aagacggaaa tccggtcaga aaactgatca aacgactcca 360 tcatcagacg ccgaagcttc atccgatcct gcaccgctg ttcctgctgc tccagtggct 420

```
cctgttgttc caattgttcc aattgttcca gttcatcctg tacctttgcc aaacggaagt 480
gtaaatactc caaaagtgaa gacgattgca aagacaacag cacgagtact gtattccatt 540
aaacctcaaa taccaccaat tgcgaacaaa actgtgtatc ctgtcaagaa gttgacacct 600
totgtagtto ogtotocaat gattttaaat ggaaatactg caactgcaag tocatogaaa 660
aatgcagcat ctgtagttgt cagaaatgca tatacatttt cattacagca aaaagctcca 720
tattatccag ctggaatgcg tccgaaacca actcaaaatg gaattgaaac acctccgaca 780
ggagcacaat ctttaatgcg tgcagccttc tatagtgaga gtcatcctac acgaagtccc 840
cicgtcccgt atggttttgt tcctccagtt gccacatcat ctacttttgt acctgctgca 900
acaataccat caccigctag ccgagcaata gcicatcaga agcaaatgci citaaatacg 960
gaaacgtgtc gacgcgttat gccgtttaat attcaaatgg cattcaaacc acgtcgttgg 1020
gatcetette egaaatette tggtgttttg geteatteaa atteaacaat accatatgtt 1080
cagcgagtcc ccaacaactc aacacaatca gactttcggc cgagaagctt cagtcaaaat 1140
agigtigett ecceggetee igeteetgit ecaaaigeaa taaagagaag agaagtaggg 1200
aatttaaaat ctcggcagta tgtgccatgg atcgcaaata gcagggcgtt ggtggcagcg 1260
gcgatggcaa cgatggagga gacggctgaa aagatgtctt cgagcccgtt actatcgtca 1320
caggeteega tgacaacttt gatgeeaact ecteeteete eggeteegge teetgeteaa 1380
gcatctgcac aatcaacatc agcaactcca gcattggtgg atacaatatc ggctggttca 1440
acgactacag aaacaactac aggcgattca aatcagtcaa atcctccttt acggacgtac 1500
acatcacaca ttcgaaaaac tcctggaaca acactgacac ctgaagaaat cggcgacgcg 1560
attogaactg aaagtoaaag atttoaagag gatggtgatg aagggooaac agtgaaaago 1620
ttcctaatga acatctacaa atga
```

<210> 48

<211> 547

<212> PRT

<213> Caenorhabditis elegans

<400> 48

Leu Pro Glu Ile Glu Gln Glu Leu Lys Ser Glu Ser Val Pro Ala Pro 1 5 10 15

Pro Pro Thr Lys Lys Met Ser Ile Ile Ala Asp Ser Trp Asp Asp His
20 25 30

Val Gly Asn Ser Met Glu Glu Glu His Val Asp Glu Lys Asp Ser Glu 35 40 45

Lys Met Glu Asp Ser Glu Gly Arg Gln Asn Val Trp Val Pro Gln Asp 50 55 60

Arg Gly Lys Glu Tyr Ala Pro Glu Gln Tyr Ala Arg Asp Ile Ile Glu 65 70 75 80

His Tyr Ile Pro Ala Ala Arg Asp His Pro Pro Gln Pro Gln Gln Pro 85 90 95

Pro Pro Pro Leu Pro Thr Pro Lys Pro Pro Arg Arg Arg Lys Ser Gly
100 105 110

Gln Lys Thr Asp Gln Thr Thr Pro Ser Ser Asp Ala Glu Ala Ser Ser 115 120 125

Asp Pro Ala Pro Pro Val Pro Ala Ala Pro Val Ala Pro Val Val Pro 130 135 140

Ile Val Pro Ile Val Pro Val His Pro Val Pro Leu Pro Asn Gly Ser 145 150 150

73 Val Asn Thr Pro Lys Val Lys Thr Ile Ala Lys Thr Thr Ala Arg Val 170 Leu Tyr Ser Ile Lys Pro Gln Ile Pro Pro Ile Ala Asn Lys Thr Val 185 180 Tyr Pro Val Lys Lys Leu Thr Pro Ser Val Val Pro Ser Pro Met Ile 200 Leu Asn Gly Asn Thr Ala Thr Ala Ser Pro Ser Lys Asn Ala Ala Ser 215 Val Val Val Arg Asn Ala Tyr Thr Phe Ser Leu Gln Gln Lys Ala Pro Tyr Tyr Pro Ala Gly Met Arg Pro Lys Pro Thr Gln Asn Gly Ile Glu 250 245 Thr Pro Pro Thr Gly Ala Gln Ser Leu Met Arg Ala Ala Phe Tyr Ser 265 Glu Ser His Pro Thr Arg Ser Pro Leu Val Pro Tyr Gly Phe Val Pro 280 275 Pro Val Ala Thr Ser Ser Thr Phe Val Pro Ala Ala Thr Ile Pro Ser 295 Pro Ala Ser Arg Ala Ile Ala His Gln Lys Gln Met Leu Leu Asn Thr 310 305 Glu Thr Cys Arg Arg Val Met Pro Phe Asn Ile Gln Met Ala Phe Lys 330 Pro Arg Arg Trp Asp Pro Leu Pro Lys Ser Ser Gly Val Leu Ala His 345 Ser Asn Ser Thr Ile Pro Tyr Val Gln Arg Val Pro Asn Asn Ser Thr 355 Gln Ser Asp Phe Arg Pro Arg Ser Phe Ser Gln Asn Ser Val Ala Ser 375 Pro Ala Pro Ala Pro Val Pro Asn Ala Ile Lys Arg Arg Glu Val Gly 395 390 Asn Leu Lys Ser Arg Gln Tyr Val Pro Trp Ile Ala Asn Ser Arg Ala 405 Leu Val Ala Ala Ala Met Ala Thr Met Glu Glu Thr Ala Glu Lys Met 425 Ser Ser Ser Pro Leu Leu Ser Ser Gln Ala Pro Met Thr Thr Leu Met 435 440 Pro Thr Pro Pro Pro Pro Ala Pro Ala Pro Ala Gln Ala Ser Ala Gln 450 Ser Thr Ser Ala Thr Pro Ala Leu Val Asp Thr Ile Ser Ala Gly Ser

74 470 475 480 465 Thr Thr Glu Thr Thr Gly Asp Ser Asn Gln Ser Asn Pro Pro 490 485 Leu Arg Thr Tyr Thr Ser His Ile Arg Lys Thr Pro Gly Thr Thr Leu 505 500 Thr Pro Glu Glu Ile Gly Asp Ala Ile Arg Thr Glu Ser Gln Arg Phe 520 Gln Glu Asp Gly Asp Glu Gly Pro Thr Val Lys Ser Phe Leu Met Asn 535 Ile Tyr Lys 545 <210> 49 <211> 1248 <212> DNA <213> Homo sapiens <400> 49 atgcagatgt cctacgccat ccggtgcgcc ttctaccagc tgctgctggc cgcgctcatg 60 ctggtggcga tgctgcagct gctctacctg tcgctgctgt ccggactgca cgggcaggag 120 gagcaagacc aatattttga gttctttccc ccgtccccac ggtccgtgga ccaggtcaag 180 gegeagetee geacegeget ggeetetgga ggegteetgg aegetagegg egattacege 240 qtctacaqqq qcctqctqaa qaccaccatq qaccccaacg atgtgatcct ggccacgcac 300 gccagcgtgg acaacctgct gcacctgtcg ggtctgctgg agcgctggga gggcccgctg 360 tccgtgtcgg tgttcgcggc caccaaggag gaggcgcagc tggccacggt gctggcctac 420 gcgctgagca gccactgccc cgacatgcgc gccagggtcg ccatgcacct cgtgtgcccc 480 tcgcgttacg aggcagccgt gcccgacccc cgggagccgg gggagtttgc cctgctgcgg 540 tcctgccagg aggtctttga caagctagcc agggtggccc agcccgggat taattatgcg 600 ctgggcacca atgtctccta ccccaataac ctgctgagga atctggctcg tgaggggcc 660 aactatgccc tggtgatcga tgtggacatg gtgcccagcg aggggctgtg gagaggcctg 720 cgggaaatgc tggatcagag caaccagtgg ggaggcaccg cgctggtggt gcctgccttc 780 gaaatccgaa gagcccgccg catgcccatg aacaaaaacg agctggtgca gctctaccag 840 gttggcgagg tgcggccctt ctattatggg ttgtgcaccc cctgccaggc acccaccaac 900 tattcccgct gggtcaacct gccggaagag agcttgctgc ggcccgccta cgtggtacct 960 tggcaggacc cctgggagcc attctacgtg gcaggaggca aggtgcccac cttcgacgag 1020 cgctttcggc agtacggctt caaccgaatc agccaggcct gcgagctgca tgtggcgggg 1080 tttgattttg aggtcctgaa cgaaggtttc ttggttcata agggcttcaa agaagcgttg 1140 aagttccatc cccaaaagga qqctqaaaat cagcacaata agatcctata tcgccagttc 1200 aaacaggagt tgaaggccaa gtaccccaac tctccccgac gctgctga 1248 <210> 50 <211> 415 <212> PRT <213> Homo sapiens <400> 50 Met Gln Met Ser Tyr Ala Ile Arg Cys Ala Phe Tyr Gln Leu Leu

Ala Ala Leu Met Leu Val Ala Met Leu Gln Leu Leu Tyr Leu Ser Leu 20 25 30

75 Leu Ser Gly Leu His Gly Gln Glu Glu Gln Asp Gln Tyr Phe Glu Phe 40 Phe Pro Pro Ser Pro Arg Ser Val Asp Gln Val Lys Ala Gln Leu Arg Thr Ala Leu Ala Ser Gly Gly Val Leu Asp Ala Ser Gly Asp Tyr Arg Val Tyr Arg Gly Leu Leu Lys Thr Thr Met Asp Pro Asn Asp Val Ile 90 Leu Ala Thr His Ala Ser Val Asp Asn Leu Leu His Leu Ser Gly Leu 100 Leu Glu Arg Trp Glu Gly Pro Leu Ser Val Ser Val Phe Ala Ala Thr 120 Lys Glu Glu Ala Gln Leu Ala Thr Val Leu Ala Tyr Ala Leu Ser Ser 135 His Cys Pro Asp Met Arg Ala Arg Val Ala Met His Leu Val Cys Pro 150 Ser Arg Tyr Glu Ala Ala Val Pro Asp Pro Arg Glu Pro Gly Glu Phe 170 Ala Leu Leu Arg Ser Cys Gln Glu Val Phe Asp Lys Leu Ala Arg Val 180 Ala Gln Pro Gly Ile Asn Tyr Ala Leu Gly Thr Asn Val Ser Tyr Pro 200 Asn Asn Leu Leu Arg Asn Leu Ala Arg Glu Gly Ala Asn Tyr Ala Leu Val Ile Asp Val Asp Met Val Pro Ser Glu Gly Leu Trp Arg Gly Leu 225 Arg Glu Met Leu Asp Gln Ser Asn Gln Trp Gly Gly Thr Ala Leu Val 250 Val Pro Ala Phe Glu Ile Arg Arg Ala Arg Arg Met Pro Met Asn Lys Asn Glu Leu Val Gln Leu Tyr Gln Val Gly Glu Val Arg Pro Phe Tyr Tyr Gly Leu Cys Thr Pro Cys Gln Ala Pro Thr Asn Tyr Ser Arg Trp 295 Val Asn Leu Pro Glu Glu Ser Leu Leu Arg Pro Ala Tyr Val Val Pro 305 Trp Gln Asp Pro Trp Glu Pro Phe Tyr Val Ala Gly Gly Lys Val Pro 325

Thr Phe Asp Glu Arg Phe Arg Gln Tyr Gly Phe Asn Arg Ile Ser Gln

76 350 345 340 Ala Cys Glu Leu His Val Ala Gly Phe Asp Phe Glu Val Leu Asn Glu 360 355 Gly Phe Leu Val His Lys Gly Phe Lys Glu Ala Leu Lys Phe His Pro 380 Gln Lys Glu Ala Glu Asn Gln His Asn Lys Ile Leu Tyr Arg Gln Phe 395 385 390 Lys Gln Glu Leu Lys Ala Lys Tyr Pro Asn Ser Pro Arg Arg Cys 415 405 410 <210> 51 <211> 557 <212> DNA <213> Homo sapiens <400> 51 caggcaccca ccaactatte eegetgggte aacetgeegg aagagagett getgeggeee 60 gootacgtgg taccttggca ggacccctgg gagccattct acgtggcagg aggcaaggtg 120 cccaccttcg acgagegett teggeagtac ggettcaacc gaatcaagec aggeetgega 180 gctgcatgtg gcggggtttg attttgaggt cctgaacgaa ggtttcttgg ttcataaggg 240 cttcaaagaa gcgrtgaagt tccatcccca aaaggaggct gaaaatcagc acaataagat 300 cctatatcgc cagticaaac aggagttgaa ggccaagtac cccaactete cccgacgetg 360 ctgagccctt cccccccta atctgagaag tcagcctctt ggctcctcag gccaccattt 420 aaggcctgac tggggtaaga aatgtcgctn cactttacag angtagcttg tggtgttgaa 480 acactggact tggatatggg gtgcttggga atcgattcct aactttacca ctactaactt 540 557 gngtggnctt gagtaaa <210> 52 <211> 646 <212> DNA <213> Homo sapiens <400> 52 gggtgtgaac acgcatttat tracacattg teateggtag geacataece ageceageee 60 gttgaaggga cagateteag getgteacee atggnaacet geagaceett ceeteetea 120 gaaccettga aggegaagee etgagagaae eaggaatttt aggettetgt teaagageta 180 agaactaaat titatgcctt catctgattt ctttccaaaa agtccatttc attaagtatt 240 cagacttett agetecatee catteatact tittgetete etactaceca eccaagattg 300 ttaataataa caataataat aacaacaata atactgcgat aatattaata cttcacattt 360 gtacgaagct tacagaatgt titcacatat agcatctcat ctgagcctcc caacagttcc 420 gtgaggtagg tattctcacc tcccttttta cagacagggt aaccgaggct nagagaggta 480 cgggatttac tcaaggccac acagctagtt agtgggtaaa gctaggaatc gatcccagca 540 ccccatatt caaggtccag gggtttaaac accacagctt ccttntggtn aagtgggagc 600 gacattintt accccagic ggcctaaaat gggggcctga nggagc <210> 53 <211> 121 <212> PRT <213> Homo sapiens

<400> 53 Cys Gln Ala Pro Thr Asn Tyr Ser Arg Trp Val Asn Leu Pro Glu Glu 10 15 1

```
Ser Leu Leu Arg Pro Ala Tyr Val Val Pro Trp Gln Asp Pro Trp Glu
                                 25
             20 .
Pro Phe Tyr Val Ala Gly Gly Lys Val Pro Thr Phe Asp Glu Arg Phe
Arg Glr Tyr Gly Phe Asn Arg Ile Ser Gln Ala Cys Glu Leu His Val
                                             60
                         55
Ala Gly Phe Asp Phe Glu Val Leu Asn Glu Gly Phe Leu Val His Lys
Gly Phe Lys Glu Ala Leu Lys Phe His Pro Gln Lys Glu Ala Glu Asn
                                     90
Gln His Asn Lys Ile Leu Tyr Arg Gln Phe Lys Gln Glu Leu Lys Ala
            100
                                105
Lys Tyr Pro Asn Ser Pro Arg Arg Cys
        115
                            120
<210> 54
<211> 552
<212> DNA
<213> Homo sapiens
<400> 54
cetectteet tgeceeteec taceteectg cetetacatg gettetetee acceeteeca 60
gagtectacg ggacaggace etgetecagt ggtatecaae tectecetge ceaetettee 120
tcatgggcca cctcacctcc cactttcgat gtctcgcctc ccgtggccac cctgcaatta 180
gctttccaag cccctcccg tggccgtccc ctcccaagac ctctcaccca tgtagcaatc 240
cctacatggc tgcctgtcat gtccctactc tctaagccct cctgcccact gttcctccct 300
ccccgacatg ctgacaccaa gtggtggaaa ccaccctca gccccaagcc tgccctgtgc 360
agagttcagc tttgtgttga atgagggggg agagggacaa gtgagggcgg agagagat 420
tcaggaggag gcagggatgc gcanggagca ganagtgaag gaaggaagat ccgaacagat 480
tgacngaaaa cgttggaccg naaaagttgg tttntcctaa tttttttccg ggagaacccg 540
                                                                   552
ttacacagtt nt
<210> 55
<211> 754
<212> DNA
<213> Homo sapiens
<400> 55
ggaaagtttt tgttttcttt ttcccacaca tttccggggt tggggtgttt tccaagactc 60
agacacattt gttaacaaag agagaaaaaa aactggggga gcagggagcc cgtgggcaaa 120
gaagtgaccc cagcagtctg tggacaatgc cttgctccct cttccctgct gaccgcgccc 180
agcgggtgcc acaggctgct gctcgtggaa tctagagtat ttgtctgtaa tatatatctg 240
cattigeett teceeteet eccaecenn acceetgete etceageage tteceeatea 300
atgcacgtcg nccggcggna cacacagaac aggccttccg tcaggcctga gccccttccc 360
tgggcggcac caaagcaggt gccnntnctg gtgaggggag ttggggcact tgccccagcc 420
nancanactn acacctgggc cantneggna nnecetntnn enttennten aacenattet 480
ggaanecenn ngggaannaa nnggnanent annneennna tenenaannn aanaatnane 540
nannnnenng nnnennnenn neannneean neacceeang nnaegnnana tegnanneee 600
ttgnnctcaa ancgaancge enceaennee tacagganea nannennaae teagngaaan 660
 tenacentae thecannean enetteecaa cennnteate ettentinen nenateenne 720
```

78 754 aatataannn cncttataca naactccacn ngnt <210> 56 <211> 555 <212> DNA <213> Homo sapiens <400> 56 gggcagccgg gcgagtccca gggcaggggt cctccgccgc cttgcacctg ccctgctggg 60 cggcaccggg tcagtgccct gcccctcct gcgggtccca actctctct tcccatcgtg 120 cgtcctctgg agaagtgcgc gcgtgagctg acatggaccc aaatcctcgg gccgccctgg 180 agcgccagca gctccgcctt cgggagcggc aaaaattctt cgaggacatt ttacaagcca 240 gagacagagt tigicticc totgicccat officatoric agrogoagag accoccata 300 ggtaagtatc tcatccatgg aagtgaatgt ggacacactg gagcaagtag aacttattga 360 caagtccgtc tgggatggac aaccatttgg aaggaagctg agcctgcccg tgcctacatc 480 agacaaggac cacattanga acttettett eeteeteetn egactettea neaanetgga 540 555 taagccaaat caagt <210> 57 <211> 611 <212> DNA <213> Homo sapiens <400> 57 nggcntnttn ttnttagttn nttnttnanc ccggnctttn nnccaaaagg gnnntanggg 60 ggcncnnngg ntngngnccc ncnttacttg annngtnang ggntnnncat ccntttaaaa 120 concttgnnt gaaaaactgt tttaaaaaac tnoggnangg ttnaggggng ggaanagnno 180 taaaaaaagc nggggntttt ngnccaaccn aantttntnt tncctaattn gcaaatcntn 240 tntcaggggt aanccaaaaa ctggnggnag gnttncnccn ggaaaaantt accnttaaan 300 cagganaggg ttaaattntn aaaaagggcc ccaattcccc ccatcnttcc caccttnggg 360 ggccnnctgc nagtaaanag nctggtcttt tccccaanag ggnttttggc tggcccngng 420 gcccnnattn gggnnnaatn cccccnccgn gggcacaann nttncaagcc agggcccccc 480 nttggttaaa tttnaagggn nccnagggtt tttgncccct ttnanaaccc ccctttnccc 540 cnccttttaa aancenneet tteececcaa nggnneettt ttntgneece aanannnaee 600 611 tgggatttgg g <210> 58 <211> 4425 <212> DNA <213> Homo sapiens <400> 58 atggggaaga acaaactcct tcatccaagt ctggttcttc tcctcttggt cctcctgccc 60 acagacgeet cagtetetgg aaaacegeag tatatggtte tggteeete eetgeteeae 120 actgagacca ctgagaaggg ctgtgtcctt ctgagctacc tgaatgagac agtgactgta 180 agtgcttcct tggagtctgt caggggaaac aggagcctct tcactgacct ggaggcggag 240 aatgacgtac tccactgtgt cgccttcgct gtcccaaagt cttcatccaa tgaggaggta 300 atgttcctca ctgtccaagt gaaaggacca acccaagaat ttaagaagcg gaccacagtg 360 atggttaaga acgaggacag tctggtcttt gtccagacag acaaatcaat ctacaaacca 420 gggcagacag tgaaatttcg tgttgtctcc atggatgaaa actttcaccc cctgaatgag 480 ttgattccac tagtatacat tcaggatccc aaaggaaatc gcatcgcaca atggcagagt 540 ttccagttag agggtggcct caagcaattt tcttttcccc tctcatcaga gcccttccag 600 ggctcctaca aggtggtggt acagaagaaa tcaggtggaa ggacagagca ccctttcacc 660 gtggaggaat ttgttcttcc caagtttgaa gtacaagtaa cagtgccaaa gataatcacc 720

atcttggaag aagagatgaa tgtatcagtg tgtggcctat acacatatgg gaagcctgtc 780 cctggacatg tgactgtgag catttgcaga aagtatagtg acgcttccga ctgccacggt 840 gaagattcac aggctttctg tgagaaattc agtggacagc taaacagcca tggctgcttc 900

PCT/EP00/05108

79

tatcagcaag taaaaaccaa ggtcttccag ctgaagagga aggagtatga aatgaaactt 960 cacactgagg cccagatcca agaagaagga acagtggtgg aattgactgg aaggcagtcc 1020 agtgaaatca caagaaccat aaccaaactc tcatttgtga aagtggactc acactttcga 1080 cagggaatte cettetttgg geaggtgege etagtagatg ggaaaggegt eestatacea 1140 aataaagtca tattcatcag aggaaatgaa gcaaactatt actccaatgc taccacggat 1200 gagcatggcc ttgtacagtt ctctatcaac accaccaacg ttatgggtac ctctcttact 1260 gttagggtca attacaagga tcgtagtccc tgttacggct accagtgggt gtcagaagaa 1320 cacgaagagg cacatcacac tgcttatctt gtgttctccc caagcaagag ctttgtccac 1380 cttgagccca tgtctcatga actaccctgt ggccatactc agacagtcca ggcacattat 1440 attctgaatg gaggcaccct gctggggctg aagaagctct ccttttatta tctgataatg 1500 gcaaagggag gcattgtccg aactgggact catggactgc ttgtgaagca ggaagacatg 1560 aagggccatt tttccatctc aatccctgtg aagtcagaca ttgctcctgt cgctcggttg 1620 ctcatctatg ctgttttacc taccggggac gtgattgggg attctgcaaa atatgatgtt 1680 gaaaattgtc tggccaacaa ggtggatttg agcttcagcc catcacaaag tctcccagcc 1740 tcacacgccc acctgcgagt cacagcggct cctcagtccg tctgcgccct ccgtgctgtg 1800 gaccaaageg tgctgctcat gaageetgat getgagetet eggegteete ggtttacaae 1860 ctgctaccag aaaaggacct cactggcttc cctgggcctt tgaatgacca ggacgatgaa 1920 gactgcatca atcgtcataa tgtctatatt aatggaatca catatactcc agtatcaagt 1980 acaaatgaaa aggatatgta cagcttocta gaggacatgg gottaaaggo attoaccaac 2040 tcaaagattc gtaaacccaa aatgtgtcca cagcttcaac agtatgaaat gcatggacct 2100 gaaggtctac gtgtaggttt ttatgagtca gatgtaatgg gaagaggcca tgcacgcctg 2160 - gtgcatgttg aagageetea caeggagaee gtaegaaagt aetteeetga gaeatggate 2220 tgggatttgg tggtggtaaa ctcagcaggg gtggctgagg taggagtaac agtccctgac 2280 accatcaccg agtggaaggc aggggccttc tgcctgtctg aagatgctgg acttggtatc 2340 tottocactg cototocog agoottocag coottotttg tggagottac aatgoottac 2400 tctgtgattc gtggagaggc cttcacactc aaggccacgg tcctaaacta ccttcccaaa 2460 tgcatccggg tcagtgtgca gctggaagcc tctcccgcct tccttgctgt cccagtggag 2520 aaggaacaag cgcctcactg catctgtgca aacgggcggc aaactgtgtc ctgggcagta 2580 accccaaagt cattaggaaa tgtgaatttc actgtgagcg cagaggcact agagtctcaa 2640 gagctgtgtg ggactgaggt gccttcagtt cctgaacacg gaaggaaaga cacagtcatc 2700 aagcctctgt tggttgaacc tgaaggacta gagaaggaaa caacattcaa ctccctactt 2760 tgtccatcag gtggtgaggt ttctgaagaa ttatccctga aactgccacc aaatgtggta 2820 gaagaatetg ecegagette tgteteagtt ttgggagaea tattaggete tgeeatgeaa 2880 aacacacaaa atcttctcca gatgccctat ggctgtggag agcagaatat ggtcctcttt 2940 gctcctaaca tctatgtact ggattatcta aatgaaacac agcagcttac tccagaggtc 3000 aagtccaagg ccattggcta tctcaacact ggttaccaga gacagttgaa ctacaaacac 3060 tatgatggct cctacagcac ctttggggag cgatatggca ggaaccaggg caacacctgg 3120 ctcacagcct ttgttctgaa gacttttgcc caagctcgag cctacatctt catcgatgaa 3180 gcacacatta cccaagccct catatggctc tcccagaggc agaaggacaa tggctgtttc 3240 aggagetetg ggteaetget caacaatgee ataaagggag gagtagaaga tgaagtgaee 3300 ctetecgect atateaceat egecettetg gagatteete teacagteae teaceetgtt 3360 gtccgcaatg ccctgttttg cctggagtca gcctggaaga cagcacaaga aggggaccat 3420 ggcagccatg tatataccaa agcactgctg gcctatgctt ttgccctggc aggtaaccag 3480 gacaagagga aggaagtact caagtcactt aatgaggaag ctgtgaagaa agacaactct 3540 gtccattggg agcgccctca gaaacccaag gcaccagtgg ggcattttta cgaaccccag 3600 gctccctctg ctgaggtgga gatgacatcc tatgtgctcc tcgcttatct cacggcccag 3660 ccagccccaa cctcggagga cctgacctct gcaaccaaca tcgtgaagtg gatcacgaag 3720 cagcagaatg cccagggcgg tttctcctcc acccaggaca cagtggtggc tctccatgct 3780 ctgtccaaat atggagccgc cacatttacc aggactggga aggctgcaca ggtgactatc 3840 cagtetteag ggaeatttte cageaaatte caagtggaea acaacaateg eetgttaetg 3900 cagcaggtct cattgccaga gctgcctggg gaatacagca tgaaagtgac aggagaagga 3960 tgtgtctacc tccagacctc cttgaaatac aatattctcc cagaaaagga agagttcccc 4020 tttgctttag gagtgcagac tctgcctcaa acttgtgatg aacccaaagc ccacaccage 4080 ttccaaatct ccctaagtgt cagttacaca gggagccgct ctgcctccaa catggcgatc 4140 gttgatgtga agatggtctc zggcttcatt cccctgaagc caacagtgaa aatgcttgaa 4200 agatctaacc atgtgagccg gacagaagtc agcagcaacc atgtcttgat ttaccttgat 4260 aaggtgtcaa atcagacact gagcttgttc ttcacggttc tgcaagatgt cccagtaaga 4320 gatctcaaac cagccatagt gaaagtctat gattactacg agacggatga gtttgcaatc 4380

4425 gctgagtaca atgctccttg cagcaaagat cttggaaatg cttga <210> 59 <211> 1474 <212> PRT <213> Homo sapiens K400 / 59 Met Gly Lys Asn Lys Leu Leu His Pro Ser Leu Val Leu Leu Leu Tal Leu Leu Pro Thr Asp Ala Ser Val Ser Gly Lys Pro Gln Tyr Met Wal Let Val Pro Ser Leu Leu His Thr Glu Thr Thr Glu Lys Gly Cys 40 .s. Let Leu Ser Tyr Leu Asn Glu Thr Val Thr Val Ser Ala Ser Leu Did Der Wal Arg Gly Asn Arg Ser Leu Phe Thr Asp Leu Glu Ala Glu Asr Asp Val Leu His Cys Val Ala Phe Ala Val Pro Lys Ser Ser Ser Asn Glu Glu Val Met Phe Leu Thr Val Gln Val Lys Gly Pro Thr Gln 110 105 Glu Phe Lys Lys Arg Thr Thr Val Met Val Lys Asn Glu Asp Ser Leu 120 Val Phe Val Gln Thr Asp Lys Ser Ile Tyr Lys Pro Gly Gln Thr Val Lys Phe Arg Val Val Ser Met Asp Glu Asn Phe His Pro Leu Asn Glu 145 150 Leu Ile Pro Leu Val Tyr Ile Gln Asp Pro Lys Gly Asn Arg Ile Ala 170 Gln Trp Gln Ser Phe Gln Leu Glu Gly Gly Leu Lys Gln Phe Ser Phe 185 Pro Leu Ser Ser Glu Pro Phe Gln Gly Ser Tyr Lys Val Val Gln Lys Lys Ser Gly Gly Arg Thr Glu His Pro Phe Thr Val Glu Glu Phe 215 Val Leu Pro Lys Phe Glu Val Gln Val Thr Val Pro Lys Ile Ile Thr 235 230 Ile Leu Glu Glu Glu Met Asn Val Ser Val Cys Gly Leu Tyr Thr Tyr Gly Lys Pro Val Pro Gly His Val Thr Val Ser Ile Cys Arg Lys Tyr 265 260

Ser	Asp	Ala 275	Ser	Asp	Cys	His	Gly 280	Glu	Asp	Ser	Gln	Ala 285	Phe	Суѕ	Glu
Lys	Phe 290	Ser	Gly	Gln	Leu	Asn 295	Ser	His	Gly	Cys	Phe 300	Tyr	Gln	Gln	Val
Lys 305	Thr	Lys	Val	Phe	Gln 310	Leu	Lys	Arg	Lys	Glu 315	Tyr	Glu	Met	Lys	Leu 320
His	Thr	Glu	Ala	Gln 325	Ile	Gln	Glu	Glu	Gly 330	Thr	Val	Val	Glu	Leu 335	Thr
Gly	Arg	Gln	Ser 340	Ser	Glu	Ile	Thr	Arg 345	Thr	Ile	Thr	Lys	Leu 350	Ser	Phe
Val	Lys	Val 355	Asp	Ser	His	Phe	Arg 360	Gln	Gly	Ile	Pro	Phe 365	Phe	Gly	Gln
Val	Arg 370	Leu	Val	Asp	Gly	Lys 375	Gly	Val	Pro	Ile	Pro 380	Asn	Lys	Val	Ile
Phe 385	Ile	Arg	Gly	Asn	Glu 390	Ala	Asn	Tyr	Tyr	Ser 395	Asn	Ala	Thr	Thr	Asp 400
Glu	His	Gly	Leu	Val 405	Gln	Phe	Ser	Ile	Asn 410	Thr	Thr	Asn	Val	Met 415	Gly
Thr	Ser	Leu	Thr 420	Val	Arg	Val	Asn	Tyr 425	Lys	Asp	Arg	Ser	Pro 430	Cys	Tyr
Gly	Tyr	Gln 435	Trp	Val	Ser	Glu	Glu 440	His	Glu	Glu	Ala	His 445	His	Thr	Ala
Tyr	Leu 450		Phe	Ser	Pro	Ser 455		Ser	Phe	Val	His 460		Glu	Pro	Met
Ser 465	His	Glu	Leu	Pro	Cys <b>4</b> 70	Gly	His	Thr	Gln	Thr 475		Gln	Ala	His	Tyr 480
Ile	Leu	Asn	Gly	Gly 485	Thr	Leu	Leu	Gly	Leu 490		Lys	Leu	Ser	Phe 495	Tyr
Tyr	Leu	Ile	Met 500		Lys	Gly	Gly	Ile 505	Val	Arg	Thr	Gly	Thr 510	His	Gly
Leu	Leu	Val 515		Gln	Glu	Asp	Met 520		Gly	His	Phe	Ser 525	Ile	Ser	Ile
Pro	Val 530		Ser	Asp	Ile	Ala 535		Val	Ala	Arg	Leu 540		Ile	Tyr	Ala
Val 545		Pro	Thr	Gly	Asp 550		Ile	Gly	Asp	Ser 555		Lys	Tyr	Asp	Val 560
Glu	Asn	Cys	Leu	Ala 565		Lys	Val	Asp	Leu 570		Phe	e Ser	Pro	Ser 575	Gln

82

Ser Leu Pro Ala Ser His Ala His Leu Arg Val Thr Ala Ala Pro Gln 580 Ser Val Cys Ala Leu Arg Ala Val Asp Gln Ser Val Leu Leu Met Lys 600 Pro Asp Ala Glu Leu Ser Ala Ser Ser Val Tyr Asn Leu Leu Pro Glu Lys Asp Leu Thr Gly Phe Pro Gly Pro Leu Asn Asp Gln Asp Asp Glu 630 Asp Cys Ile Asn Arg His Asn Val Tyr Ile Asn Gly Ile Thr Tyr Thr 650 Pro Val Ser Ser Thr Asn Glu Lys Asp Met Tyr Ser Phe Leu Glu Asp 665 Met Gly Leu Lys Ala Phe Thr Asn Ser Lys Ile Arg Lys Pro Lys Met 680 Cys Pro Glm Leu Glm Glm Tyr Glu Met His Gly Pro Glu Gly Leu Arg 695 Val Gly Phe Tyr Glu Ser Asp Val Met Gly Arg Gly His Ala Arg Leu 710 Val His Val Glu Glu Pro His Thr Glu Thr Val Arg Lys Tyr Phe Pro 730 725 Glu Thr Trp Ile Trp Asp Leu Val Val Val Asn Ser Ala Gly Val Ala 745 Glu Val Gly Val Thr Val Pro Asp Thr Ile Thr Glu Trp Lys Ala Gly 755 Ala Phe Cys Leu Ser Glu Asp Ala Gly Leu Gly Ile Ser Ser Thr Ala Ser Leu Arg Ala Phe Gln Pro Phe Phe Val Glu Leu Thr Met Pro Tyr 785 790 795 800 Ser Val Ile Arg Gly Glu Ala Phe Thr Leu Lys Ala Thr Val Leu Asn 810 Tyr Leu Pro Lys Cys Ile Arg Val Ser Val Gln Leu Glu Ala Ser Pro 825 Ala Phe Leu Ala Val Pro Val Glu Lys Glu Gln Ala Pro His Cys Ile 835 Cys Ala Asn Gly Arg Gln Thr Val Ser Trp Ala Val Thr Pro Lys Ser 860 850 855 Leu Gly Asn Val Asn Phe Thr Val Ser Ala Glu Ala Leu Glu Ser Gln 875 Glu Leu Cys Gly Thr Glu Val Pro Ser Val Pro Glu His Gly Arg Lys

				885				;	83 890					895	
Asp	Thr	Val	Ile 900	Lys	Pro	Leu	Leu	Val 905	Glu	Pro	Glu	Gly	Leu 910	Glu	Lys
Glu	Thr	Thr 915	Phe	Asn	Ser	Leu	Leu 920	Cys	Pro	Ser	Gly	Gly 925	Glu	Val	Ser
Glu	Glu 930	Leu	Ser	Leu	Lys	Leu 935	Pro	Pro	Asn	Val	Val 940	Glu	Glu	Ser	Ala
Arg 945	Ala	Ser	Val	Ser	Val 950	Leu	Gly	Asp	Ile	Leu 955	Gly	Ser	Ala	Met	Gln 960
Asn	Thr	Gln	Asn	Leu 965	Leu	Gln	Met	Pro	Tyr 970	Gly	Cys	Gly	Glu	Gln 975	Asn
Met	Val	Leu	Phe 980	Ala	Pro	Asn	Ile	Tyr 985	Val	Leu	Asp	Tyr	Leu 990	Asn	Glu
Thr	Gln	Gln 995	Leu	Thr	Pro		Val 1000	Lys	Ser	Lys	Ala	Ile 1005	Gly	Tyr	Leu
	Thr 1010	Gly	Tyr	Gln		Gln 1015	Leu	Asn	Tyr	Lys	His 1020	Tyr	Asp	Gly	Ser
Tyr 102		Thr	Phe		Glu 1030	Arg	Tyr	Gly	Arg	Asn 1035	Gln	Gly	Asn	Thr	Trp 1040
Leu	Thr	Ala		Val 1045		Lys	Thr	Phe	Ala 1050	Gln	Ala	Arg	Ala	Tyr 1055	Ile
Phe	Ile		Glu 1060		His	Ile	Thr	Gln 1065	Ala	Leu	Ile	Trp	Leu 1070	Ser	Gln
Arg		Lys 1075		Asn	Gly	Cys	Phe 1080	Arg	Ser	Ser	Gly	Ser 1085	Leu	Leu	. Asn
Asn	Ala 1090		Lys	Gly	Gly	Val	Glu	Asp	Glu	ı Val	Thr 1100	Let	ı Ser	Ala	Tyr
Ile 110		Ile	e Ala	Leu	Leu 1110		ı Ile	e Pro	Leu	1 Thr	Val	Thr	His	Pro	Val 1120
Val	Arg	ı Asn	: Alā	Leu 1125		e Cys	: Leu	ı Glu	ser 1130	Alá	a Trp	Lys	s Thr	Ala 1135	a Gln
Glu	ı Gly	/ Asp	His		/ Ser	His	s Val	1145	Thi	Lys	s Ala	ı Leı	Let 1150	ı Ala	a Tyr
Ala	a Phe	e Ala 1155		ı Ala	a Gly	/ Asr	n Glr 1160	n Asp	o Lys	s Arg	g Lys	Gl:	u Val	l Lei	ı Lys
Sei	Let 1170		n Gli	ı Glı	ı Alá	a Val	L Ly:	s Ly:	s Ası	p Ası	n Sei 1180	c Vai	l Hi:	s Tr	o Glu
Arg		o Gli	n Ly	s Pro	D Ly:	s Ala	a Pro	o Va.	l Gl	y Hi: 119	s Phe 5	e Ty	r Gl	u Pr	o Glr 1200

- Ala Pro Ser Ala Glu Val Glu Met Thr Ser Tyr Val Leu Leu Ala Tyr 1205 1210 1215
- Leu Thr Ala Gln Pro Ala Pro Thr Ser Glu Asp Leu Thr Ser Ala Thr 1220 1225 1230
- Asn Ile Val Lys Trp Ile Thr Lys Gln Gln Asn Ala Gln Gly Gly Phe 1235 1240 1245
- Ser Ser Thr Gln Asp Thr Val Val Ala Leu His Ala Leu Ser Lys Tyr 1250 1255 1260
- Gly Ala Ala Thr Phe Thr Arg Thr Gly Lys Ala Ala Gln Val Thr Ile 1265 1270 1275 1280
- Gln Ser Ser Gly Thr Phe Ser Ser Lys Phe Gln Val Asp Asn Asn Asn 1285 1290 1295
- Arg Leu Leu Gln Gln Val Ser Leu Pro Glu Leu Pro Gly Glu Tyr 1300 1305 1310
- Ser Met Lys Val Thr Gly Glu Gly Cys Val Tyr Leu Gln Thr Ser Leu 1315 1320 1325
- Lys Tyr Asn Ile Leu Pro Glu Lys Glu Glu Phe Pro Phe Ala Leu Gly 1330 1340
- Val Gln Thr Leu Pro Gln Thr Cys Asp Glu Pro Lys Ala His Thr Ser 1345 1350 1355 1360
- Phe Gln Ile Ser Leu Ser Val Ser Tyr Thr Gly Ser Arg Ser Ala Ser 1365 1370 1375
- Asn Met Ala Ile Val Asp Val Lys Met Val Ser Gly Phe Ile Pro Leu 1380 1385 1390
- Lys Pro Thr Val Lys Met Leu Glu Arg Ser Asn His Val Ser Arg Thr 1395 1400 1405
- Glu Val Ser Ser Asn His Val Leu Ile Tyr Leu Asp Lys Val Ser Asn 1410 1415 1420
- Gln Thr Leu Ser Leu Phe Phe Thr Val Leu Gln Asp Val Pro Val Arg 1425 1430 1435 1440
- Asp Leu Lys Pro Ala Ile Val Lys Val Tyr Asp Tyr Tyr Glu Thr Asp 1445 1450 1455
- Glu Phe Ala Ile Ala Glu Tyr Asn Ala Pro Cys Ser Lys Asp Leu Gly 1460 1465 1470

Asn Ala

PCT/EP00/05108

```
<212> DNA
<213> Homo sapiens
<400> 60
ngaccnnaaa aagngtttat tcatcaagtn tttaaagatn caaaaacacg tgtnttntgn 60
ggagetntga naacaggact ccagcaaagc acttttcagc cttggggnct tcaagcattt 120
ccaagatett tgetgeaagg ageattgnne teageaattg caaacteate ettntegtag 180
naancataga ettteaetat ggetggttte ananetntta etgggaeatt ttgeanaace 240
gngaanaaca ageteagggn etgatttgae acettnteaa ggtaaateaa gaeatggttg 300
ctgntgactt ctgncccggn tcacatgggt tagatctttc aagcnttttt nactgnnngg 360
cttcagggga atgaaacccc gagaccntnt tnncaatnaa cgacncccnt nttgggaggc 420
aaaccggntc cctgngtaac ctnnccctta gggganattt ggaaanctng gtgtgggncn 480
tttgggttca tnnnnaaggt ttngaggcna agnnetgnet tennaaagca aaggggnaee 540
tnttccnttt ttntggnnaa antttgnttt ttcaaggnat tnnngaagnt annnncaacc 600
ttctcccggn nntttcaang enggntttcc cagggnagtt ttggnatagn nccnnttnna 660
aaanncgggg ggttttttac ncccttggaa ttntnnggga aaaanncctn aaannnggga 720
                                                                   722
<210> 61
<211> 557
<212> DNA
<213> Homo sapiens
<400> 61
gtgtgcagtg cccccttgcc tcttcaaacc tacagcttct ctttgccatt tgtggatttc 60
acatcactcc acacagaaac attacagcct ggcatcccca gtctttgcct tcttccagct 120
gcctcgacac agcactgtgg cctgtcccta ttgcccaggc acgccatttc caagggcagg 180
aaggggcagt gtcctgaagc ccatcttttc tgtgactgtc ttaggtgatg tgtagccccc 240
tocacctttc cactcaacaa cotoccacco otgtootgct gcatggtccg gagtotggga 300
cctactttgt tttttgttat ttatgacctt gtttaaagaa aataaatatc tcccaacctt 360
taaaaaaaaa aaaaaaaaa aactcgagag atctatgaat cgaagatact gaaaaacccc 420
gcangttcac ttcaactgtg catcgtgcan catctcaatt ctttcatttn atacatccnt 480
tttgcctttc tttatgtaac tatactcctc taaagtttca atcttgggca ttnaaccttt 540
gatctataaa atttta
<210> 62
<211> 640
<212> DNA
<213> Homo sapiens
<400> 62
ttaaaggttg ggagatattt attttcttta aacaaggtca taaataacaa aaaacaaagt 60
aggtcccaga ctccggacca tgcagcagga caggggtggg aggttgttga gtggaaaggt 120
ggagggggct acacatcacc taagacagtc acagaaaaga tgggcttcag gacactgccc 180
cttcctgccc ttggaaatgg cgtgcctggg caatagggac aggccacagt gctgtgtcga 240
ggcagctgga agaaggcaaa gactggggat gccaggctgt aatgtttctg tgtggagtga 300
tgtgaaatcc acaaatggca aagagaagct gtaggtttga agaggcaagg gggcactgca 360
cacgtcgacg cggccgcgaa ttcggatccc cggggcctcc atggccatat gaccacccaa 420
gctagcgtaa tctggaacat cgtatgggta aagccataga gatctctttt tttgggtttg 480
gtggggtatc ttcatcatcg aatagatagt tatatacata tccattgtag tgggattaaa 540
catecetgta gtgattecaa acgegttata egeagtttgg teegteeaac caggtgacag 600
                                                                   640
ngqtttqaat tattaccatc tcaattttac tagccgggat
<210> 63
<211> 566
<212> DNA
<213> Homo sapiens
```

```
<400> 63
ctccccatc cgcatcctcc tcctcctgtc ccctcttcct ctctgtccct caccaagcca 60
teceetettt geeteteece ateceteget ggeetgetee tgeteecett eteceateet 120
cccccccc gtctctgccc agccagcccc ctcccgactc cccagtttca tcggactccc 180
tggccccatc ccgtccccgc cctggcccct ttgtgcccct tctcatcgtt ttctccctcc 240
ttcccgggct tggcgtccct tctccccct aactccttcc ctcggcctcc ctgccccttc 300
acggcccgcc tgcctccctt gcccaagtcc tgagccacca tgctgacccc gatggtggcc 360
cggnggggtg gtgtccccgg actcttctct ntncaagaac acgcttcagc cggctgcccc 420
aagctacgct gggaggaggc cgacgcagcn ttgcctnagc caggcctggt ggtcctttgn 480
ccagncatca tggccttcan tggcggtnca tnngnttcac ctnctggnag cacntattga 540
                                                                566
taccaanatg ggtggccnta tnncta
<210> 64
<211> 648
<212> DNA
<213> Homo sapiens
<400> 64
tggcgttcac gcagatcgtc ttttattagc ggtctgtaaa gcacctccca gggtcccccg 60
accccagatt ggaggaagcc ttgagaggtc agtagcacca gggacatggc agggcccgag 120
ggcgcgatgt gcagccgatg gtgagggact gggcgccctc gcctgccccc ggggttgtca 180
gcactgggaa ggcttggggg tagcagccac ctccttcccc caacccaaca gactagttca 240
aatttgggta aataaataaa ataaataaga ttcctcaagc tggcctaccc tggagaggag 300
ccgtggttgc agccggccac tcgggaggcc cgagggccag cgggggttag ttggggcgtc 360
ctctcctctc gggtgatggg gagccctggg ggatggcagc ataggggctg ggatggcctt 420
qqcaqaqqcc qtctncccac attctqactc cttggtcccc cttgaaaccc tgttggtgtc 480
cttcancgca aagggtntgc aggaaagggg caaaattagg gggnaaaaag gtcccttttt 600
tcanccccnt tngtccccna aaagatgggg ccttttccnt ttngnggt
<210> 65
<211> 2274
<212> PRT
<213> Mus sp.
<400> 65
Met Thr Ser Ser Met Ala Ser Tyr Glu Gln Leu Val Arg Gln Val Glu
                                    10
  1
Ala Leu Lys Ala Glu Asn Thr His Leu Arg Gln Glu Leu Arg Asp Asn
                                25
Ser Ser His Leu Ser Lys Leu Glu Thr Glu Thr Ser Gly Met Lys Glu
         35
Val Leu Lys His Leu Gln Gly Lys Leu Glu Gln Glu Ala Arg Val Leu
Val Ser Ser Gly Gln Thr Glu Val Leu Glu Gln Leu Lys Ala Leu Gln
                                        75
                    70
Thr Asp Ile Ser Ser Leu Tyr Asn Leu Lys Phe His Ala Pro Ala Leu
                                    90
                 85
Gly Pro Glu Pro Ala Ala Arg Thr Pro Glu Gly Ser Pro Val His Gly
                               105
Ser Gly Pro Ser Lys Asp Ser Phe Gly Glu Leu Ser Arg Ala Thr Ile
```

		115					120		,			125			
	Leu 130	Leu	Glu	Glu		Asp 135	Gln	Glu	Arg	Cys	Phe 140	Leu	Leu	Ser	Glu
Ile 145	Glu	Lys	Glu	Glu	Lys 150	Glu	Lys	Leu	Trp	Tyr 155	Tyr	Ser	Gln	Leu	Gln 160
Gly	Leu	Ser	Lys	Arg 165	Leu	Asp	Glu	Leu	Pro 170	His	Val	Asp	Thr	Phe 175	Ser
Met	Gln	Met	Asp 180	Leu	Ile	Arg	Gln	Gln 185	Leu	Glu	Phe	Glu	Ala 190	Gln	His
Ile	Arg	Ser 195	Leu	Met	Glu	Glu	Arg 200	Phe	Gly	Thr	Ser	Asp 205	Glu	Met	Val
Gln	Arg 210	Ala	Gln	Ile	Arg	Ala 215	Ser	Arg	Leu	Glu	Gln 220	Ile	Asp	Lys	Glu
Leu 225	Leu	Glu	Ala	Gln	Asp 230	Arg	Val	Gln	Gln	Thr 235	Glu	Pro	Gln	Ala	Leu 240
Leu	Ala	Val	Lys	Pro 245	Val	Ala	Val	Glu	Glu 250	Glu	Gln	Glu	Ala	Glu 255	Val
Pro	Thr	His	Pro 260	Glu	Asp	Gly	Thr	Pro 265	Gln	Pro	Gly	Asn	Ser 270	Lys	Val
Glu	Val	Val 275		Trp	Leu	Leu	Ser 280	Met	Leu	Ala	Thr	Arg 285	Asp	Gln	Glu
Asp	Thr 290		Arg	Thr	Leu	Leu 295	Ala	Met	Ser	Ser	Ser 300	Pro	Glu	Ser	Cys
Val 305		Met	Arg	Arg	Ser 310	Gly	Cys	Leu	Pro	Leu 315	Leu	Leu	Gln	Ile	Leu 320
His	Gly	Thr	Glu	Ala 325	Gly	Ser	Val	Gly	Arg 330	Ala	Gly	Ile	Pro	Gly 335	Ala
Pro	Gly	Ala	Lys 340		Ala	Arg	Met	Arg 345	Ala	Asn	Ala	Ala	Leu 350	His	Asn
Ile	Val	Phe 355		Gln	Pro	Asp	Gln 360	Gly	Leu	Ala	Arg	Lys 365	Glu	Met	Arg
Val	Leu 370		. Val	. Leu	Glu	Gln 375		Arg	Ala	Tyr	Cys 380	Glu	Thr	Cys	Trp
Asp 385		Let	Glr	n Ala	Arg 390		Ser	Gly	Thr	Glu 395	Thr	Pro	Val	Pro	Ile 400
Glu	n Pro	Glr	ılle	e Cys 405		Alā	Thr	Cys	Ala 410	val	Met	Lys	Leu	Ser 415	Phe
Asp	o Gli	ı Glu	1 Ty1 420		g Arg	, Ala	a Met	Asn 425	Glu	ı Leu	ı Gly	, Glà	Leu 430	Gln	Ala

									00						
Val	Ala	Glu 435	Leu	Leu	Gln	Val	Asp 440	Tyr	Glu	Met	His	Lys 445	Met	Thr	Arg
Asp	Pro 450	Leu	Asn	Leu	Ala	Leu 455	Arg	Arg	Tyr	Ala	Gly 460	Met	Thr	Leu	Thr
Asn 465	Leu	Thr	Phe	Gly	Asp 470	Val	Ala	Asn	Lys	Ala 475	Thr	Leu	Cys	Ala	Arg 480
Arg	Gly	Cys	Met	Glu 485	Ala	Ile	Val	Ala	Gln 490	Leu	Gly	Ser	Glu	Ser 495	Glu
Glu	Leu	His	Gln 500	Val	Val	Ser	Ser	Ile 505	Leu	Arg	Asn	Leu	Ser 510	Trp	Arg
Ala	Asp	Ile 515	Asn	Ser	Lys	Lys	Val 520	Leu	Arg	Glu	Val	Gly 525	Ser	Met	Thr
Ala	Leu 530	Met	Glu	Cys	Vål	Leu 535	Arg	Ala	Ser	Lys	Glu 540	Ser	Thr	Leu	Lys
Ser 545	Val	Leu	Ser	Ala	Leu 550	Trp	Asn	Leu	Ser	Ala 555	His	Ser	Thr	Glu	Asn 560
Lys	Ala	Ala	Ile	Cys 565	Gln	Val	Asp	Gly	Ala 570	Leu	Gly	Phe	Leu	Val 575	Ser
Thr	Leu	Thr	Tyr 580	Arg	Cys	Gln	Gly	Asn 585	Ser	Leu	Ala	Val	Ile 590	Glu	Ser
Gly	Gly	Gly 595	Ile	Leu	Arg	Asn	Val 600	Ser	Ser	Leu	Ile	Ala 605	Thr	Arg	Glu
Asp	Tyr 610	Arg	Gln	Val	Leu	Arg 615	Asp	His	Asn	Cys	Leu 620	Gln	Thr	Leu	Leu
Gln 625	His	Leu	Thr	Ser	His 630	Ser	Leu	Thr	Ile	Val 635	Ser	Asn	Ala	Cys	Gly 640
Thr	Leu	Trp	Asn	Leu 645	Ser	Ala	Arg	Ser	Pro 650	Arg	Asp	Gln	Glu	Leu 655	Leu
Trp	Asp	Leu	Gly 660	Ala	Val	Gly	Met	Leu 665	Arg	Asn	Leu	Val	His 670	Ser	Lys
His	Lys	Met 675	Ile	Ala	Met	Gly	Ser 680	Ala	Ala	Ala	Leu	Arg 685	Asn	Leu	Leu
Ala	His 690	Arg	Pro	Ala	Lys	Tyr 695	Gln	Ala	Ala	Ala	Met 700	Ala	Val	Ser	Pro
Gly 705	Thr	Cys	Val	Pro	Ser 710	Leu	Tyr	Val	Arg	Lys 715	Gln	Arg	Ala	Leu	Glu 720
Ala	Glu	Leu	Asp	Thr 725	Arg	His	Leu	Val	His 730	Ala	Leu	Gly	His	Leu 735	Glu

89 Lys Gln Ser Leu Pro Glu Ala Glu Thr Thr Ser Lys Lys Pro Leu Pro 745 Pro Leu Arg His Leu Asp Gly Leu Val Gln Asp Tyr Ala Ser Asp Ser 760 Gly Cys Phe Asp Asp Asp Ala Pro Ser Leu Ala Ala Ala Thr 775 Thr Ala Glu Pro Ala Ser Pro Ala Val Met Ser Met Phe Leu Gly Gly 795 Pro Phe Leu Gln Gly Gln Ala Leu Ala Arg Thr Pro Pro Ala Arg Gln Gly Gly Leu Glu Ala Glu Lys Glu Ala Gly Gly Glu Ala Ala Val Ala 825 Ala Lys Ala Lys Leu Ala Leu Ala Val Ala Arg Ile Asp Arg Leu Val Glu Asp Ile Ser Ala Leu His Thr Ser Ser Asp Asp Ser Phe 855 850 Ser Leu Ser Ser Gly Asp Pro Gly Gln Glu Ala Pro Arg Glu Gly Arg 870 Ala Gln Ser Cys Ser Pro Cys Arg Gly Thr Glu Gly Gly Arg Arg Glu Ala Gly Ser Arg Ala His Pro Leu Leu Arg Leu Lys Ala Ala His Thr 905 Ser Leu Ser Asn Asp Ser Leu Asn Ser Gly Ser Thr Ser Asp Gly Tyr 920 Cys Thr Arg Glu His Met Thr Pro Cys Pro Leu Ala Ala Leu Ala Glu 935 930 His Arg Asp Asp Pro Val Arg Gly Gln Thr Arg Pro Arg Arg Leu Asp 955 Leu Asp Leu Pro Ser Arg Ala Glu Leu Pro Ala Arg Asp Thr Ala Ala 965 Thr Asp Ala Arg Val Arg Thr Ile Lys Leu Ser Pro Thr Tyr Gln His 990 Val Pro Leu Leu Asp Gly Ala Ala Gly Ala Gly Val Arg Pro Leu Val 1000 Gly Pro Gly Thr Ser Pro Gly Ala Arg Lys Gln Ala Trp Ile Pro Ala 1010 Asp Ser Leu Ser Lys Val Pro Glu Lys Leu Val Ala Ser Pro Leu Pro 1030 1025 Ile Ala Ser Lys Val Leu Gln Lys Leu Val Ala Gln Asp Gly Pro Met 90 1045 1050 1055

Ser Leu Ser Arg Cys Ser Ser Leu Ser Ser Leu Ser Ser Thr Gly His 1060 1065 1070

Ala Val Pro Ser Gin Ala Glu Asn Leu Asp Ser Asp Ser Ser Leu Glu 1075 1080 1085

Gly Leu Glu Glu Ala Gly Pro Gly Glu Ala Glu Leu Gly Arg Ala Trp 1090 1095 1100

Arg Ala Ser Gly Ser Thr Ser Leu Pro Val Ser Ile Pro Ala Pro Gln 1105 1110 1115 1120

Arg Gly Arg Ser Arg Gly Leu Gly Val Glu Asp Ala Thr Pro Ser Ser 1125 1130 1135

Ser Ser Glu Asn Cys Val Gln Glu Thr Pro Leu Val Leu Ser Arg Cys 1140 1145 1150

Ser Ser Val Ser Ser Leu Gly Ser Phe Glu Ser Arg Ser Ile Ala Ser 1155 1160 1165

Ser Ile Pro Ser Asp Pro Cys Ser Gly Leu Gly Ser Gly Thr Val Ser 1170 1175 1180

Pro Ser Glu Leu Pro Asp Ser Pro Gly Gln Thr Met Pro Pro Ser Arg 1185 1190 1195 1200

Ser Lys Thr Pro Pro Ala Pro Pro Gly Gln Pro Glu Thr Ser Gln Phe 1205 1210 1215

Ser Leu Gln Trp Glu Ser Tyr Val Lys Arg Phe Leu Asp Ile Ala Asp 1220 1225 1230

Cys Arg Glu Arg Cys Gln Pro Pro Ser Glu Leu Asp Ala Gly Ser Val 1235 1240 1245

Arg Phe Thr Val Glu Lys Pro Asp Glu Asn Phe Ser Cys Ala Ser Ser 1250 1255 1260

Leu Ser Ala Leu Ala Leu His Glu Leu Tyr Val Gln Gln Asp Val Glu 1265 1270 1275 1280

Leu Arg Leu Arg Pro Pro Ala Cys Pro Glu Arg Ala Val Gly Gly 1285 1290 1295

Gly His Arg Arg Arg Asp Glu Ala Ala Ser Arg Leu Asp Gly Pro Ala 1300 1305 1310

Pro Ala Gly Ser Arg Ala Arg Ser Ala Thr Asp Lys Glu Leu Glu Ala 1315 1320 1325

Leu Arg Glu Cys Leu Gly Ala Ala Met Pro Ala Arg Leu Arg Lys Val 1330 1335 1340

Ala Ser Ala Leu Val Pro Gly Arg Arg Ser Leu Pro Val Pro Val Tyr 1345 1350 1355 1360

- Met Leu Val Pro Ala Pro Ala Arg Gly Asp Asp Ser Gly Thr Asp Ser 1365 1370 1375
- Ala Glu Gly Thr Pro Val Asn Phe Ser Ser Ala Ala Ser Leu Ser Asp 1380 1385 1390
- Glu Thr Leu Gln Gly Pro Ser Arg Asp Lys Pro Ala Gly Pro Gly Asp 1395 1400 1405
- Arg Gln Lys Pro Thr Gly Arg Ala Ala Pro Ala Arg Gln Thr Arg Ser 1410 1415 1420
- His Arg Pro Lys Ala Ala Gly Ala Gly Lys Ser Thr Glu His Thr Arg 1425 1430 1435 1440
- Gly Pro Cys Arg Asn Arg Ala Gly Leu Glu Leu Pro Leu Ser Arg Pro 1445 1450 1455
- Gln Ser Ala Arg Ser Asn Arg Asp Ser Ser Cys Gln Thr Arg Thr Arg 1460 1465 1470
- Gly Asp Gly Ala Leu Gln Ser Leu Cys Leu Thr Thr Pro Thr Glu Glu 1475 1480 1485
- Ala Val Tyr Cys Phe Tyr Asp Ser Asp Glu Glu Pro Pro Ala Thr Ala 1490 1495 1500
- Pro Pro Pro Arg Arg Ala Ser Ala Ile Pro Arg Ala Leu Lys Arg Glu 1505 1510 1515 1520
- Lys Pro Ala Gly Arg Lys Glu Thr Pro Ser Arg Ala Ala Gln Pro Ala 1525 1530 1535
- Thr Leu Pro Val Arg Ala Gln Pro Arg Leu Ile Val Asp Glu Thr Pro 1540 1545 1550
- Pro Cys Tyr Ser Leu Thr Ser Ser Ala Ser Ser Leu Ser Glu Pro Glu 1555 1560 1565
- Ala Pro Glu Gln Pro Ala Asn His Ala Arg Gly Pro Glu Gln Gly Ser 1570 1575 1580
- Lys Gln Asp Ser Ser Pro Ser Pro Arg Ala Glu Glu Leu Leu Gln 1585 1590 1595 1600
- Arg Cys Ile Ser Leu Ala Met Pro Arg Arg Arg Thr Gln Val Pro Gly 1605 1610 1615
- Ser Arg Arg Lys Pro Arg Ala Leu Arg Ser Asp Ile Arg Pro Thr 1620 1625 1630
- Glu Ile Thr Gln Lys Cys Gln Glu Glu Val Ala Gly Ser Asp Pro Ala 1635 1640 1645
- Ser Asp Leu Asp Ser Val Glu Trp Gln Ala Ile Gln Glu Gly Ala Asn 1650 1655 1660

- Ser Ile Val Thr Trp Leu His Gln Ala Ala Ala Lys Ala Ser Leu Glu 1665 1670 1675 1680
- Ala Ser Ser Glu Ser Asp Ser Leu Leu Ser Leu Val Ser Gly Val Ser 1685 1690 1695
- Ala Gly Ser Thr Leu Gln Pro Ser Lys Leu Arg Lys Gly Arg Lys Pro
  1700 1705 1710
- Ala Ala Glu Ala Gly Gly Ala Trp Arg Pro Glu Lys Arg Gly Thr Thr 1715 1720 1725
- Ser Thr Lys Ile Asn Gly Ser Pro Arg Leu Pro Asn Gly Pro Glu Lys 1730 1735 1740
- Ala Lys Gly Thr Gln Lys Met Met Ala Gly Glu Ser Thr Met Leu Arg 1745 1750 1755 1760
- Gly Arg Thr Val Ile Tyr Ser Ala Gly Pro Ala Ser Arg Thr Gln Ser 1765 1770 1775
- Lys Gly Ile Ser Gly Pro Cys Thr Thr Pro Lys Lys Thr Gly Thr Ser 1780 1785 1790
- Gly Thr Thr Gln Pro Glu Thr Val Thr Lys Ala Pro Ser Pro Glu Gln 1795 1800 1805
- Gln Arg Ser Arg Ser Leu His Arg Pro Gly Lys Ile Ser Glu Leu Ala 1810 1815 1820
- Ala Leu Arg His Pro Pro Arg Ser Ala Thr Pro Pro Ala Arg Leu Ala 1825 1830 1835 1840
- Lys Thr Pro Ser Ser Ser Ser Gln Thr Ser Pro Ala Ser Gln Pro
  1845 1850 1855
- Leu Pro Arg Arg Ser Pro Leu Ala Thr Pro Thr Gly Gly Pro Leu Pro 1860 1865 1870
- Gly Pro Gly Gly Ser Leu Val Pro Lys Ser Pro Ala Arg Ala Leu Leu 1875 1880 1885
- Ala Lys Gln His Lys Thr Gln Lys Ser Pro Val Arg Ile Pro Phe Met 1890 1895 1900
- Gln Arg Pro Ala Arg Arg Val Pro Pro Pro Leu Ala Arg Pro Ser Pro 1905 1910 1915 1920
- Glu Pro Gly Ser Arg Gly Arg Ala Gly Ala Glu Gly Thr Pro Gly Ala 1925 1930 - 1935
- Arg Gly Ser Arg Leu Gly Leu Val Arg Met Ala Ser Ala Arg Ser Ser 1940 1945 1950
- Gly Ser Glu Ser Ser Asp Arg Ser Gly Phe Arg Arg Gln Leu Thr Phe 1955 1960 1965
- Ile Lys Glu Ser Pro Gly Leu Leu Arg Arg Arg Ser Glu Leu Ser

93

1980

Ser Ala Asp Ser Thr Ala Ser Thr Ser Gln Ala Ala Ser Pro Arg Arg

1995 1990

1975

Glv Arg Pro Ala Leu Pro Ala Val Phe Leu Cys Ser Ser Arg Cys Asp 2010

Blu Leu Arg Val Ser Pro Arg Gln Pro Leu Ala Ala Gln Arg Ser Pro 2025 2020

C.r. Ala Lys Pro Gly Leu Ala Pro Leu Ala Pro Arg Arg Thr Ser Ser 2040

Glu Ser Pro Ser Arg Leu Pro Val Arg Ala Ser Pro Gly Arg Pro Glu 2050 2055

Thr Val Lys Arg Tyr Ala Ser Leu Pro His Ile Ser Val Ser Arg Arg 2075

Ser Asp Ser Ala Val Ser Val Pro Thr Thr Gln Ala Asn Ala Thr Arg 2090

Arg Gly Ser Asp Gly Glu Ala Arg Pro Leu Pro Arg Val Ala Pro Pro 2105

Gly Thr Thr Trp Arg Arg Ile Lys Asp Glu Asp Val Pro His Ile Leu 2120

Arg Ser Thr Leu Pro Ala Thr Ala Leu Pro Leu Arg Val Ser Ser Pro 2130 2135

Glu Asp Ser Pro Ala Gly Thr Pro Gln Arg Lys Thr Ser Asp Ala Val 2150

Val Gln Thr Glu Asp Val Ala Thr Ser Lys Thr Asn Ser Ser Thr Ser 2170 2165

Pro Ser Leu Glu Ser Arg Asp Pro Pro Gln Ala Pro Ala Ser Gly Pro 2180

Val Aìa Pro Gln Gly Ser Asp Val Asp Gly Pro Val Leu Thr Lys Pro

Pro Ala Ser Ala Pro Phe Pro His Glu Gly Leu Ser Ala Val Ile Ala 2215

Gly Phe Pro Thr Ser Arg His Gly Ser Pro Ser Arg Ala Ala Arg Val 2235 2230

Pro Pro Phe Asn Tyr Val Pro Ser Pro Met Ala Ala Ala Thr Met Ala 2250 2245

Ser Asp Ser Ala Val Glu Lys Ala Pro Val Ser Ser Pro Ala Ser Leu 2265 2270

Leu Glu

<210> 66

```
<211> 942
<212> DNA
<213> Caenorhabditis elegans
<400> 66
atgtacgaag atcagtactg cgtggggtat aattttctgg aaggaacagg agactttcga 60
gaagacggtc tagaacctat caccetggca teccatgeca etteagatat gatgttaact 120
ctggaaaaaa tgacctcaat gtgggatgga cctatatcag ttgggatatt tattgatttt 180
cactctagtc aagctctgga gtatctcgca gaagtgcaca gatgtgatga ggagttcagg 240
aagaagatga caattcactt tgcaatccgt cagtcagcat tccaacaaac ttgcccaaaa 300
attcaaattc cagcttcaga cagaacttgc tggaagttca gagcggatca atcctacctc 360
cgaagccatc tgtcaggacc cttccaacta tatccgagca accttatgag aaatttggct 420
cgccagggag ccaagtcgga tattcatttt attatggatg cagatatgat tgttagtgag 480
ggattcgcgc ggaaactcaa aaaagtggca aatgagatga tcgacggaaa aagtaaaaaa 540
gtattggcaa ttcgaagatt cgaatcggtt aatggaactt atttgcctag aactcacttt 600
gagttgaagc aatctatggc ttattccaac ggatatgaat gggaagttca agtaattctt 660
caccgtaacg acceptata egeggeetat trecegreea gaatcaaagt targeactet 720 etgattracg ecettrigeg tgerggtrae aegrificatg treegreaca egriffegat 780
gttcatgaag ggattaagca tactaataca atttattcga aagccacaat tgctcatcag 840
gaagcttatg cgatggacat agccggagcc agatatgtca gagaaatgga cgaaaagtac 900
ccggacactt tggacaagtg tggaagattc aagatgtatt ag
<210> 67
<211> 313
<212> PRT
<213> Caenorhabditis elegans
<400> 67
Met Tyr Glu Asp Gln Tyr Cys Val Gly Tyr Asn Phe Leu Glu Gly Thr
                                                            15
Gly Asp Phe Arg Glu Asp Gly Leu Glu Pro Ile Thr Leu Ala Ser His
Ala Thr Ser Asp Met Met Leu Thr Leu Glu Lys Met Thr Ser Met Trp
Asp Gly Pro Ile Ser Val Gly Ile Phe Ile Asp Phe His Ser Ser Gln
Ala Leu Glu Tyr Leu Ala Glu Val His Arg Cys Asp Glu Glu Phe Arg
Lys Lys Met Thr Ile His Phe Ala Ile Arg Gln Ser Ala Phe Gln Gln
                 85
Thr Cys Pro Lys Ile Gln Ile Pro Ala Ser Asp Arg Thr Cys Trp Lys
            100
Phe Arg Ala Asp Gln Ser Tyr Leu Arg Ser His Leu Ser Gly Pro Phe
                             120
Gln Leu Tyr Pro Ser Asn Leu Met Arg Asn Leu Ala Arg Gln Gly Ala
    130
                         135
```

95

Lys Ser Asp Ile His Phe Ile Met Asp Ala Asp Met Ile Val Ser Glu 145 150 155 160

Gly Phe Ala Arg Lys Leu Lys Lys Val Ala Asn Glu Met Ile Asp Gly 165 170 175

Lys Ser Lys Lys Val Leu Ala Ile Arg Arg Phe Glu Ser Val Asn Gly 180 185 190

Thr Tyr Leu Pro Arg Thr His Phe Glu Leu Lys Gln Ser Met Ala Tyr 195 200 205

Ser Asn Gly Tyr Glu Trp Glu Val Gln Val Ile Leu His Arg Asn Asp 210 215 220

Pro Tyr Asn Ala Ala Tyr Phe Pro Ser Arg Ile Lys Val Met His Ser 225 230 235 240

Leu Ile Tyr Ala Leu Cys Arg Ala Gly Tyr Thr Phe His Val Pro Ser 245 250 255

His Val Phe Asp Val His Glu Gly Ile Lys His Thr Asn Thr Ile Tyr 260 265 270

Ser Lys Ala Thr Ile Ala His Gln Glu Ala Tyr Ala Met Asp Ile Ala 275 280 285

Gly Ala Arg Tyr Val Arg Glu Met Asp Glu Lys Tyr Pro Asp Thr Leu 290 295 300

Asp Lys Cys Gly Arg Phe Lys Met Tyr 305

<210> 68

<211> 4527

<212> DNA

<213> Caenorhabditis elegans

<400> 68

atgcggctgc taattctcaa tatattattt gtggtttggc aaatacatgg cgtcatcgga 60 caqaqtacaa atqcaqctqt qqtqtcaaca accqcqqcqc caqttaaacc aqccacttat 120 atgcttgtcg ccccagcagt agtgcgaccc gatcaaccgt tctccgtttg catgaacctt 180 ctgaaacaag ctacggatga agacatgatt gttcggattg aagtgagaac tgaacggaac 240 gagacgattg ctgctcgagt tataagcaat ttgaagccgg gaatcgcaca gactgtcagc 300 ttgagtgaga tgcctgctca atcactaact cctaggcaaa gctataagct ctacatccgc 360 qqqqaqactc ttaacqcaqa actcatattt qaaaacqaaa atgagttaaa gtacgatcaa 420 aaagctttat cagttttcat ccaaacagat cgagcaatct atcggcctgc ttctcttgtt 480 cgataccggg caattgtagt gaaatcggac ttgaaacctt acgtcggaaa cgctactatt 540 aaaattttcg atccaagcag aaatctgatt tcacagacga ttggtgtaac tttggataga 600 ggagtataca gcggcgagct ccaacttgcc gaagagactc tccttggaga ttggtttatc 660 gaggtggaaa cetegaatgg agteeaggae aagtegteat ttaeggtaga tacataegtg 720 cttcccaaat ttgaagtgaa tatcaagacg tcttcgttta taactattaa cgatgatttg 780 tcagtgttcg tcgatgcaaa gtacacatat ggaaaaggcg ttgctggaaa ggccaaagta 840 tctctagagc ttccatggca cagatggcat gcgatggttc ccactatcat tgacgaaaat 900 qqaqtcaaqa aqqaaqaqqa qctqatqqtc qaqcqtactg taaagctgaa cagacaagga 960 gaagcggcag ttgttttctc gaatgatgag ctcaagaggc acaagttgct acatgaatgg 1020 ggaggaggtt caattegaat tgttgeetea gteaetgaag acateaetga aategaaaga 1080

aacgctactc atcaaatttc aacgttccgt gaggaggtca aacttgatgt tgaaaagcag 1140 ggagacacct tcaagccagg actcacttat aatgttgtag ttgcactgaa acaaatggat 1200 gacacteceg tgaaggeaac tttgecaaag agagtteagg tateaacatt etacaactat 1260 ccatacaatc atgacacttc atctctgcaa gaggaaaaag aaacaaaaat tgtggaagtt 1320 gacgeteaeg geaceteggt teteaecete caaceaceaa teaaetgeae ttetgetege 1380 attgaggete attatgatat tggtggeaag gacaaettea eageeaeee aatatattee 1440 tegetatatg tegaggeage egtgageeea aegaagagtt teetgeaget titggetgat 1500 aatgagggag ctgttgatgt aggaaagagt cttagcttct cgttgaaggc tacccagccg 1560 ctgtcgacaa ttacctatca ggtcatgtct cgttcgaaca ttgtggtgtc tcaacaaatg 1620 actgttaatt ccgaacatgc gaccattagc ttcccagcaa cggctaacat ggccccaaag 1680 tcacggttga tcgtctatgc cattattgag agtagtcaag aagttcttgt tgatgcactt 1740 gactttaaag tagaaggaat attccaaaac caagtggcac tatcaattga caaacaagca 1800 gtcgagccag gacagaatgt gaagtttaag gtcacatctg acaagaactc ttttgttggg 1860 cttcttgtgg tagatcagag tgttctcttg ttaaaaactg gcaatgatat cactagagaa 1920 aaagttgagc aagacttgga gaattatgac tctaataatg ttggaggagg attcgggggt 1980 ccacggccat gggaggcaat tgatagaaag aagaggtcca tttggagacc ttggtgggga 2040 attggaggga gtgatgctca atcaatcttt tctaatgctg ggcttgtagt tttgaccgac 2100 gccctcttgt accgcgagcc tcaacgtgaa tttatgtcag taatgatgat ggatggtgct 2160 ccaggaatgg ctgaagccgc attcgccgct ccgccaatgg gcgggtcgtc gcctccaccg 2220 ccgacagttc gaaagttctt cccacacacc tggatttggt cggatctcaa ctctactagt 2280 ggagaagttg agatggaaat tgaagctccg gacaccatca cctcgtgggt cgcctccact 2340 tttgcaatca atgaggaaaa tggtctcggt gtggctccaa cgacttcaaa acttcgcgtg 2400 tttcgtccat tttttattca actcaatctt ccatatgctg tccgtcgtgg agaaaagttt 2460 gcacttttgg tgcttgtttt caattatatg gaaaaggagc aagatgtaac agtgactctg 2520 aagtatgata aagactctgg ttacgatctc ctgaagaaag atggaactgt agtaaggcgt 2580 gacgaggttg gccaacaaa tgttcgtatt gtgtccgttg ctggtggagg aacatcgaaa 2640 gcagtgtact teceaattgt geegtettea attggagaga teceggtaca tataageget 2700 attgcatccc aaggtggtga tgcagtagag atgaacttga gagttgatcc acaaggatat 2760 aaagtagata gaaatattcc atttgtcatt gacctcaaca ataactcttc ggatttctcc 2820 aaaaatcttg agcttatctg gccaaacgac gtggttgatg gatcgcagaa ggcaagatta 2880 gatgtgattg gtgatatgat gggaccagtg ttaaacaatg ctcataagct cgtacaaatg 2940 ccatatggat gtggagaaca gaatatgttg aacttggttc caaatatttt ggtggtcaag 3000 tacttaagag caacaaatag aaatgagagc caattagaga caaaggctat caagtttatt 3060 gagcagggaa ttcagaggga gttgacgtac aaacgtgctg acaactcttt ctcagctttt 3120 ggcgatagtg ataaagctgg ttcaacgtgg ctcaccgcat ttgtcgttcg atcgttccat 3180 cacgccaaac aatacgcatt cgtggatcct aatgttattt cccgagcagt cgcattcttg 3240 aactctcaac aaatggagtc tggtgcattt gccgaacgtg gtgaagttca tcacaaggat 3300 atgcagggag gtgctcagga cgggggtgta gctctaacgg catttgtgct aatctcgatt 3360 ttggagaatg gaatggagaa tggaaaggcg gtgacgtatt tggaaaagca tttggatgaa 3420 gtatctggaa atgcgtatac aatggctgta gtggcatatg cacttcaatt ggcaaaaagt 3480 aagcaagctg gaaaggcatt cgagaatttg aagaaacata agatcgttga gaaaagtgga 3540 gatgtgaagt ttgccagtgc tcagaaaaaa gtggagaaac taaaagaatc gagagcgtat 3600 atgttccagg cccgtccagt agacattgaa actacctctt acgcagttct ttcttacctc 3660 gcccaaaatc aaacctcaga atctctctca attattcgtt ggttagtatc ccaacgcaac 3720 gagetaggag gatteaette caeteaagae aetgteatgg etetteaage tetetetee 3780 tacgcagcag tcacttattc cgacaaacac acaagtcaag taacaattct caacggaaaa 3840 catactcact cattigatat caacataaga aacgcaattg tictccaatc ctatcaacta 3900 tetteattga atgatgeagt ticaattaat geeaatggaa etggtgtggt ettegeteag 3960 ttgagttatt cttactacag ggactctttg aatgacgatg ctccgttctt ctgctcccag 4020 gagatcaagg aaataagagc tggaaatcga ctgcaattgg atttgtgttg caactatacc 4080 cgtcctggaa agtctaacat ggctctagcc gaaattgatg ccttgagtgg ttaccgattc 4140 gatgcggaac aggtgcatac tttgacaagt attgaggatt tgcaaagggt ggagatggaa 4200 aaggacgaca ctaagatgaa cgtatatttc aacccgctcg gtggccgtcc ggtatgtctc 4260 regttataet etgatgteae trateaagtt geegateaaa aacetgeeaa etteegatta 4320 gtggattact acgatccgga ggagcagctc aaaatgacat acgccgccaa gcaaacacga 4380 togotgoaag agaaatgtgg ggaagactgt tggccaccga tttccccatc actgcctcca 4440 tttgacgagt cgacagtaac aggcacgtcc tctggttttg gtgccaagtg gtgtgctctt 4500 atcattgctg tgctccttat tgcatga

```
<210> 69
<211> 4560
<212> DNA
<213> Caenorhabditis elegans
```

<400> 69 atgcggctgc taattctcaa tatattattt gtggtttggc aaatacatgg cgtcatcgga 60 cagagtacaa atgcagctgt ggtgtcaaca accgcggcgc cagttaaacc agccacttat 120 atgettgteg ceccageagt agtgegacee gateaacegt teteegtttg catgaacett 180 ctgaaacaag ctacggatga agacatgatt gttcggattg aagtgagaac tgaacggaac 240 gagacgattg ctgctcgagt tataagcaat ttgaagccgg gaatcgcaca gactgtcagc 300 ttgagtgaga tgcctgctca atcactaact cctaggcaaa gctataagct ctacatccgc 360 ggggagactc ttaacgcaga actcatattt gaaaacgaaa atgagttaaa gtacgatcaa 420 aaagctttat cagttttcat ccaaacagat cgagcaatct atcggcctgc ttctcttgtt 480 cgataccggg caattgtagt gaaatcggac ttgaaacctt acgtcggaaa cgctactatt 540 aaaattttcg atccaagcag aaatctgatt tcacagacga ttggtgtaac tttggataga 600 ggagtataca gcggcgagct ccaacttgcc gaagagactc tccttggaga ttggtttatc 660 gaggtggaaa cctcgaatgg agtccaggac aagtcgtcat ttacggtaga tacatacgtg 720 cttcccaaat ttgaagtgaa tatcaagacg tcttcgttta taactattaa cgatgatttg 780 tcagtgttcg tcgatgcaaa gtacacatat ggaaaaggcg ttgctggaaa ggccaaagta 840 tctctagagc ttccatggca cagatggcat gcgatggttc ccactatcat tgacgaaaat 900 ggagtcaaga aggaagagga gctgatggtc gagcgtactg taaagctgaa cagacaagga 960 gaagcggcag ttgttttctc gaatgatgag ctcaagaggc acaagttgct acatgaatgg 1020 ggaggaggtt caattcgaat tgttgcctca gtcactgaag acatcactga aatcgaaaga 1080 aacgctactc atcaaatttc aacgttccgt gaggaggtca aacttgatgt tgaaaagcag 1140 ggagacacct tcaagccagg actcacttat aatgttgtag ttgcactgaa acaaatggat 1200 gacacteceg tgaaggeaac tttgeeaaag agagtteagg tateaacatt etacaactat 1260 ccatacaatc atgacacttc atctctgcaa gaggaaaaag aaacaaaaat tgtggaagtt 1320 gacgctcacg gcacctcggt tctcaccctc caaccaccaa tcaactgcac ttctgctcgc 1380 attgaggete attatgatat tggtggcaag gacaaettea cagecaeece aatatattee 1440 tegetatatg tegaggeage egtgageeea aegaagagtt teetgeaget tittggetgat 1500 aatgagggag ctgttgatgt aggaaagagt cttagcttct cgttgaaggc tacccagccg 1560 ctgtcgacaa ttacctatca ggtcatgtct cgttcgaaca ttgtggtgtc tcaacaaatg 1620 actgttaatt ccgaacatgc gaccattagc ttcccagcaa cggctaacat ggccccaaag 1680 tcacggttga tcgtctatgc cattattgag agtagtcaag aagttcttgt tgatgcactt 1740 gactttaaag tagaaggaat attccaaaac caagtggcac tatcaattga caaacaagca 1800 gtcgagccag gacagaatgt gaagtttaag gtcacatctg acaagaactc ttttgttggg 1860 cttcttgtgg tagatcagag tgttctcttg ttaaaaactg gcaatgatat cactagagaa 1920 aaagttgagc aagacttgga gaattatgac tctaataatg ttggaggagg attcgggggt 1980 ccacggccat gggaggcaat tgatagaaag aagaggtcca tttggagacc ttggtgggga 2040 attggaggga gtgatgctca atcaatcttt tctaatgctg ggcttgtagt tttgaccgac 2100 gccctcttgt accgcgagcc tcaacgtgaa tttatgtcag aaagaagact taatacaccc 2160 ggaggtctta cagtaatgat gatggatggt gctccaggaa tggctgaagc cgcattcgcc 2220 gctccgccaa tgggcgggtc gtcgcctcca ccgccgacag ttcgaaagtt cttcccacac 2280 acctggattt ggtcggatct caactctact agtggagaag ttgagatgga aattgaaqct 2340 ccggacacca tcacctcgtg ggtcgcctcc acttttgcaa tcaatgagga aaatggtctc 2400 ggtgtggctc caacgacttc aaaacttcgc gtgtttcgtc cattttttat tcaactcaat 2460 cttccatatg ctgtccgtcg tggagaaaag tttgcacttt tggtgcttgt tttcaattat 2520 atggaaaagg agcaagatgt aacagtgact ctgaagtatg ataaagactc tggttacgat 2580 ctcctgaaga aagatggaac tgtagtaagg cgtgacgagg ttggccaaca aaatgttcgt 2640 attgtgtccg ttgctggtgg aggaacatcg aaagcagtgt acttcccaat tgtgccgtct 2700 tcaattggag agatcccggt acatataagc gctattgcat cccaaggtgg tgatgcagta 2760 gagatgaact tgagagttga tccacaagga tataaagtag atagaaatat tccatttgtc 2820 attgacctca acaataactc ttcggatttc tccaaaaatc ttgagcttat ctggccaaac 2880 gacgtggttg atggatcgca gaaggcaaga ttagatgtga ttggtgatat gatgggacca 2940 gtgttaaaca atgctcataa gctcgtacaa atgccatatg gatgtggaga acagaatatg 3000 ttgaacttgg ttccaaatat tttggtggtc aagtacttaa gagcaacaaa tagaaatgag 3060

```
agccaattag agacaaaggc tatcaagttt attgagcagg gaattcagag ggagttgacg 3120
tacaaacgtg ctgacaactc tttctcagct tttggcgata gtgataaagc tggttcaacg 3180
tggctcaccg catttgtcgt tcgatcgttc catcacgcca aacaatacgc attcgtggat 3240
cctaatgtta tttcccgagc agtcgcattc ttgaactctc aacaaatgga gtctggtgca 3300
tttgccgaac gtggtgaagt tcatcacaag gatatgcagg gaggtgctca ggacgggggt 3360
gcggtgacgt atttggaaaa gcatttggat gaagtatctg gaaatgcgta tacaatggct 3480
gtagtggcat atgcacttca attggcaaaa agtaagcaag ctggaaaggc attcgagaat 3540
ttgaagaaac ataagatcgt tgagaaaagt ggagatgtga agtttgccag tgctcagaaa 3600
aaagtggaga aactaaaaga atcgagagcg tatatgttcc aggcccgtcc agtagacatt 3660
gaaactacct cttacgcagt tctttcttac ctcgcccaaa atcaaacctc agaatctctc 3720
tcaattattc gttggttagt atcccaacgc aacgagctag gaggattcac ttccactcaa 3780
gacactgtca tggctcttca agctctctct tcctacgcag cagtcactta ttccgacaaa 3840
cacacaagtc aagtaacaat tctcaacgga aaacatactc actcatttga tatcaacata 3900
agaaacgcaa ttgttctcca atcctatcaa ctatcttcat tgaatgatgc agtttcaatt 3960
aatgccaatg gaactggtgt ggtcttcgct cagttgagtt attcttacta cagggactct 4020
ttgaatgacg atgctccgtt cttctgctcc caggagatca aggaaataag agctggaaat 4080
cgactgcaat tggatttgtg ttgcaactat acccgtcctg gaaagtctaa catggctcta 4140
gccgaaattg atgccttgag tggttaccga ttcgatgcgg aacaggtgca tactttgaca 4200
agtattgagg atttgcaaag ggtggagatg gaaaaggacg acactaagat gaacgtatat 4260
ttcaacccgc tcggtggccg tccggtatgt ctctcgttat actctgatgt cacttatcaa 4320
gttgccgatc aaaaacctgc caacttccga ttagtggatt actacgatcc ggaggagcag 4380
ctcaaaatga catacgccgc caagcaaaca cgatcgctgc aagagaaatg tggggaagac 4440
tgttggccac cgatttcccc atcactgcct ccatttgacg agtcgacagt aacaggcacg 4500
tcctctggtt ttggtgccaa gtggtgtgct cttatcattg ctgtgctcct tattgcatga 4560
```

<210> 70

<211> 1508

<212> PRT

<213> Caenorhabditis elegans

<400> 70

Met Arg Leu Leu Ile Leu Asn Ile Leu Phe Val Val Trp Gln Ile His 1 5 10 15

Gly Val Ile Gly Gln Ser Thr Asn Ala Ala Val Val Ser Thr Thr Ala 20 25 30

Ala Pro Val Lys Pro Ala Thr Tyr Met Leu Val Ala Pro Ala Val Val 35 40 45

Arg Pro Asp Gln Pro Phe Ser Val Cys Met Asn Leu Leu Lys Gln Ala 50 55 60

Thr Asp Glu Asp Met Ile Val Arg Ile Glu Val Arg Thr Glu Arg Asn 65 70 75 80

Glu Thr Ile Ala Arg Val Ile Ser Asn Leu Lys Pro Gly Ile Ala 85 90 95

Gln Thr Val Ser Leu Ser Glu Met Pro Ala Gln Ser Leu Thr Pro Arg 100 105 110

Gln Ser Tyr Lys Leu Tyr Ile Arg Gly Glu Thr Leu Asn Ala Glu Leu 115 120 125

Ile Phe Glu Asn Glu Asn Glu Leu Lys Tyr Asp Gln Lys Ala Leu Ser
130 135 140

.Val Phe Ile Gln Thr Asp Arg Ala Ile Tyr Arg Pro Ala Sor Leu Val 155 145 150 Arg Tyr Arg Ala Ile Val Val Lys Ser Asp Leu Lys Pro Tyr Val Gly Asn Ala Thr Ile Lys Ile Phe Asp Pro Ser Arg Asn Leu Ile Ser Gln 185 Thr Ile Gly Val Thr Leu Asp Arg Gly Val Tyr Ser Gly Glu Leu Gln Leu Ala Glu Glu Thr Leu Leu Gly Asp Trp Phe Ile Glu Val Glu Thr 215 Ser Asn Gly Val Gln Asp Lys Ser Ser Phe Thr Val Asp Thr Tyr Val 235 Leu Pro Lys Phe Glu Val Asn Ile Lys Thr Ser Ser Phe Ile Thr Ile Asn Asp Asp Leu Ser Val Phe Val Asp Ala Lys Tyr Thr Tyr Gly Lys 265 Gly Val Ala Gly Lys Ala Lys Val Ser Leu Glu Leu Pro Trp His Arg 280 Trp His Ala Met Val Pro Thr Ile Ile Asp Glu Asn Gly Val Lys Lys 295 Glu Glu Glu Leu Met Val Glu Arg Thr Val Lys Leu Asn Arg Gln Gly 310 315 Glu Ala Ala Val Val Phe Ser Asn Asp Glu Leu Lys Arg His Lys Leu Leu His Glu Trp Gly Gly Ser Ile Arg Ile Val Ala Ser Val Thr 345 Glu Asp Ile Thr Glu Ile Glu Arg Asn Ala Thr His Gln Ile Ser Thr Phe Arg Glu Glu Val Lys Leu Asp Val Glu Lys Gln Gly Asp Thr Phe 375 Lys Pro Gly Leu Thr Tyr Asn Val Val Ala Leu Lys Gln Met Asp 390 395 Asp Thr Pro Val Lys Ala Thr Leu Pro Lys Arg Val Gln Val Ser Thr 410 405 Phe Tyr Asn Tyr Pro Tyr Asn His Asp Thr Ser Ser Leu Gln Glu Glu 425 Lys Glu Thr Lys Ile Val Glu Val Asp Ala His Gly Thr Ser Val Leu 445 435 440

100

Thr Leu Gln Pro Pro Ile Asn Cys Thr Ser Ala Arg Ile Glu Ala His 455 Tyr Asp Ile Gly Gly Lys Asp Asn Phe Thr Ala Thr Pro Ile Tyr Ser 470 475 Ser Leu Tyr Val Glu Ala Ala Val Ser Pro Thr Lys Ser Phe Leu Gln Leu Leu Ala Asp Asn Glu Gly Ala Val Asp Val Gly Lys Ser Leu Ser 505 Phe Ser Leu Lys Ala Thr Gln Pro Leu Ser Thr Ile Thr Tyr Gln Val 515 520 Met Ser Arg Ser Asn Ile Val Val Ser Gln Gln Met Thr Val Asn Ser 535 Glu His Ala Thr Ile Ser Phe Pro Ala Thr Ala Asn Met Ala Pro Lys 545 550 555 Ser Arg Leu Ile Val Tyr Ala Ile Ile Glu Ser Ser Gln Glu Val Leu 565 Val Asp Ala Leu Asp Phe Lys Val Glu Gly Ile Phe Gln Asn Gln Val Ala Leu Ser Ile Asp Lys Gln Ala Val Glu Pro Gly Gln Asn Val Lys Phe Lys Val Thr Ser Asp Lys Asn Ser Phe Val Gly Leu Leu Val Val 615 Asp Gln Ser Val Leu Leu Lys Thr Gly Asn Asp Ile Thr Arg Glu 630 635 Lys Val Glu Gln Asp Leu Glu Asn Tyr Asp Ser Asn Asn Val Gly Gly 645 Gly Phe Gly Gly Pro Arg Pro Trp Glu Ala Ile Asp Arg Lys Lys Arg 665 Ser Ile Trp Arg Pro Trp Trp Gly Ile Gly Gly Ser Asp Ala Gln Ser Ile Phe Ser Asn Ala Gly Leu Val Val Leu Thr Asp Ala Leu Leu Tyr 695 Arg Glu Pro Gln Arg Glu Phe Met Ser Val Met Met Asp Gly Ala 715 Pro Gly Met Ala Glu Ala Ala Phe Ala Ala Pro Pro Met Gly Gly Ser 725 730 Ser Pro Pro Pro Thr Val Arg Lys Phe Phe Pro His Thr Trp Ile 745 Trp Ser Asp Leu Asn Ser Thr Ser Gly Glu Val Glu Met Glu Ile Glu

1060

WO 00/73328

1070

101 755 760 765 Ala Pro Asp Thr Ile Thr Ser Trp Val Ala Ser Thr Phe Ala Ile Asn 775 780 Glu Glu Asn Gly Leu Gly Val Ala Pro Thr Thr Ser Lys Leu Arg Val 790 Phe Arg Pro Phe Phe Ile Gln Leu Asn Leu Pro Tyr Ala Val Arg Arg 805 810 Gly Glu Lys Phe Ala Leu Leu Val Leu Val Phe Asn Tyr Met Glu Lys 825 Glu Gln Asp Val Thr Val Thr Leu Lys Tyr Asp Lys Asp Ser Gly Tyr Asp Leu Leu Lys Lys Asp Gly Thr Val Val Arg Arg Asp Glu Val Gly Gln Gln Asn Val Arg Ile Val Ser Val Ala Gly Gly Thr Ser Lys 870 Ala Val Tyr Phe Pro Ile Val Pro Ser Ser Ile Gly Glu Ile Pro Val 885 890 His Ile Ser Ala Ile Ala Ser Gln Gly Gly Asp Ala Val Glu Met Asn 905 Leu Arg Val Asp Pro Gln Gly Tyr Lys Val Asp Arg Asn Ile Pro Phe 915 920 925 Val Ile Asp Leu Asn Asn Asn Ser Ser Asp Phe Ser Lys Asn Leu Glu Leu Ile Trp Pro Asn Asp Val Val Asp Gly Ser Gln Lys Ala Arg Leu Asp Val Ile Gly Asp Met Met Gly Pro Val Leu Asn Asn Ala His Lys Leu Val Gln Met Pro Tyr Gly Cys Gly Glu Gln Asn Met Leu Asn Leu Val Pro Asn Ile Leu Val Val Lys Tyr Leu Arg Ala Thr Asn Arg Asn 995 1000 1005 Glu Ser Gln Leu Glu Thr Lys Ala Ile Lys Phe Ile Glu Gln Gly Ile 1010 1015 Gln Arg Glu Leu Thr Tyr Lys Arg Ala Asp Asn Ser Phe Ser Ala Phe 1030 1035 Gly Asp Ser Asp Lys Ala Gly Ser Thr Trp Leu Thr Ala Phe Val Val 1045 Arg Ser Phe His His Ala Lys Gln Tyr Ala Phe Val Asp Pro Asn Val

- Ile Ser Arg Ala Val Ala Phe Leu Asn Ser Gln Gln Met Glu Ser Gly 1075 1080 1085
- Ala Phe Ala Glu Arg Gly Glu Val His His Lys Asp Met Gln Gly Gly 1090 1095 1100
- Ala Gln Asp Gly Gly Val Ala Leu Thr Ala Phe Val Leu Ile Ser Ile 1105 1110 1115 1120
- Leu Glu Asn Gly Met Glu Asn Gly Lys Ala Val Thr Tyr Leu Glu Lys 1125 1130 1135
- His Leu Asp Glu Val Ser Gly Asn Ala Tyr Thr Met Ala Val Val Ala 1140 1145 1150
- Tyr Ala Leu Gln Leu Ala Lys Ser Lys Gln Ala Gly Lys Ala Phe Glu 1155 1160 1165
- Asn Leu Lys Lys His Lys Ile Val Glu Lys Ser Gly Asp Val Lys Phe 1170 1175 1180
- Ala Ser Ala Gln Lys Lys Val Glu Lys Leu Lys Glu Ser Arg Ala Tyr 1185 1190 1195 1200
- Met Phe Gln Ala Arg Pro Val Asp Ile Glu Thr Thr Ser Tyr Ala Val 1205 1210 1215
- Leu Ser Tyr Leu Ala Gln Asn Gln Thr Ser Glu Ser Leu Ser Ile Ile 1220 1225 1230
- Arg Trp Leu Val Ser Gln Arg Asn Glu Leu Gly Gly Phe Thr Ser Thr 1235 1240 1245
- Gln Asp Thr Val Met Ala Leu Gln Ala Leu Ser Ser Tyr Ala Ala Val 1250 1255 1260
- Thr Tyr Ser Asp Lys His Thr Ser Gln Val Thr Ile Leu Asn Gly Lys 1265 1270 1275 1280
- His Thr His Ser Phe Asp Ile Asn Ile Arg Asn Ala Ile Val Leu Gln 1285 1290 1295
- Ser Tyr Gln Leu Ser Ser Leu Asn Asp Ala Val Ser Ile Asn Ala Asn 1300 1305 1310
- Gly Thr Gly Val Val Phe Ala Gln Leu Ser Tyr Ser Tyr Tyr Arg Asp 1315 1320 1325
- Ser Leu Asn Asp Asp Ala Pro Phe Phe Cys Ser Gln Glu Ile Lys Glu 1330 1335 1340
- Ile Arg Ala Gly Asn Arg Leu Gln Leu Asp Leu Cys Cys Asn Tyr Thr 1345 1350 1355 1360
- Arg Pro Gly Lys Ser Asn Met Ala Leu Ala Glu Ile Asp Ala Leu Ser 1365 1370 1375

103

Gly Tyr Arg Phe Asp Ala Glu Gln Val His Thr Leu Thr Ser Ile Glu 1380 1385 1390

Asp Leu Gln Arg Val Glu Met Glu Lys Asp Asp Thr Lys Met Asn Val 1395 1400 1405

Tyr Phe Asn Pro Leu Gly Gly Arg Pro Val Cys Leu Ser Leu Tyr Ser 1410 1420

Asp Val Thr Tyr Gln Val Ala Asp Gln Lys Pro Ala Asn Phe Arg Leu 1425 1430 1435 1440

Val Asp Tyr Tyr Asp Pro Glu Glu Gln Leu Lys Met Thr Tyr Ala Ala 1445 1450 1455

Lys Gln Thr Arg Ser Leu Gln Glu Lys Cys Gly Glu Asp Cys Trp Pro 1460 1465 1470

Pro Ile Ser Pro Ser Leu Pro Pro Phe Asp Glu Ser Thr Val Thr Gly
1475 1480 1485

Thr Ser Ser Gly Phe Gly Ala Lys Trp Cys Ala Leu Ile Ile Ala Val 1490 1495 1500

Leu Leu Ile Ala 1505

<210> 71

<211> 1519

<212> PRT

<213> Caenorhabditis elegans

<400> 71

Met Arg Leu Leu Ile Leu Asn Ile Leu Phe Val Val Trp Gln Ile His 1 5 10 15

Gly Val Ile Gly Gln Ser Thr Asn Ala Ala Val Val Ser Thr Thr Ala 20 25 30

Ala Pro Val Lys Pro Ala Thr Tyr Met Leu Val Ala Pro Ala Val Val 35 40 45

Arg Pro Asp Gln Pro Phe Ser Val Cys Met Asn Leu Leu Lys Gln Ala 50 55 60

Thr Asp Glu Asp Met Ile Val Arg Ile Glu Val Arg Thr Glu Arg Asn 65 70 75 80

Glu Thr Ile Ala Arg Val Ile Ser Asn Leu Lys Pro Gly Ile Ala 85 90 95

Gln Thr Val Ser Leu Ser Glu Met Pro Ala Gln Ser Leu Thr Pro Arg 100 105 110

Gln Ser Tyr Lys Leu Tyr Ile Arg Gly Glu Thr Leu Asn Ala Glu Leu 115 120 125

104 Ile Phe Glu Asn Glu Asn Glu Leu Lys Tyr Asp Gln Lys Ala Leu Ser Val Phe Ile Gln Thr Asp Arg Ala Ile Tyr Arg Pro Ala Ser Leu Val Arg Tyr Arg Ala Ile Val Val Lys Ser Asp Leu Lys Pro Tyr Val Gly 170 Acr Ala Thr Ile Lys Ile Phe Asp Pro Ser Arg Asn Leu Ile Ser Gln 180 Th: 110 Gly Val Thr Leu Asp Arg Gly Val Tyr Ser Gly Glu Leu Gln Leu Ala Glu Glu Thr Leu Leu Gly Asp Trp Phe Ile Glu Val Glu Thr 215 ter Ash Gly Val Gln Asp Lys Ser Ser Phe Thr Val Asp Thr Tyr Val Lea Fre Lys Phe Glu Val Asn Ile Lys Thr Ser Ser Phe Ile Thr Ile 250 Ash Asp Asp Leu Ser Val Phe Val Asp Ala Lys Tyr Thr Tyr Gly Lys 260 265 Gly Val Ala Gly Lys Ala Lys Val Ser Leu Glu Leu Pro Trp His Arg Trp His Ala Met Val Pro Thr Ile Ile Asp Glu Asn Gly Val Lys Lys 295 Glu Glu Glu Leu Met Val Glu Arg Thr Val Lys Leu Asn Arg Gln Gly 310 Glu Ala Ala Val Val Phe Ser Asn Asp Glu Leu Lys Arg His Lys Leu 325 330 Leu His Glu Trp Gly Gly Gly Ser Ile Arg Ile Val Ala Ser Val Thr 345 Glu Asp Ile Thr Glu Ile Glu Arg Asn Ala Thr His Gln Ile Ser Thr Phe Arg Glu Glu Val Lys Leu Asp Val Glu Lys Gln Gly Asp Thr Phe Lys Pro Gly Leu Thr Tyr Asn Val Val Val Ala Leu Lys Gln Met Asp 385 390 395 Asp Thr Pro Val Lys Ala Thr Leu Pro Lys Arg Val Gln Val Ser Thr 405 410 Phe Tyr Asn Tyr Pro Tyr Asn His Asp Thr Ser Ser Leu Gln Glu Glu 425 Lys Glu Thr Lys Ile Val Glu Val Asp Ala His Gly Thr Ser Val Leu

105

440 445 435 Thr Leu Gln Pro Pro Ile Asn Cys Thr Ser Ala Arg Ile Glu Ala His 455 Tyr Asp Ile Gly Gly Lys Asp Asn Phe Thr Ala Thr Pro Ile Tyr Ser 470 Ser Leu Tyr Val Glu Ala Ala Val Ser Pro Thr Lys Ser Phe Leu Gln Leu Leu Ala Asp Asn Glu Gly Ala Val Asp Val Gly Lys Ser Leu Ser 505 Phe Ser Leu Lys Ala Thr Gln Pro Leu Ser Thr Ile Thr Tyr Gln Val 515 520 Met Ser Arg Ser Asn Ile Val Val Ser Gln Gln Met Thr Val Asn Ser 535 Glu His Ala Thr Ile Ser Phe Pro Ala Thr Ala Asn Met Ala Pro Lys 550 Ser Arg Leu Ile Val Tyr Ala Ile Ile Glu Ser Ser Gln Glu Val Leu 565 Val Asp Ala Leu Asp Phe Lys Val Glu Gly Ile Phe Gln Asn Gln Val 585 Ala Leu Ser Ile Asp Lys Gln Ala Val Glu Pro Gly Gln Asn Val Lys Phe Lys Val Thr Ser Asp Lys Asn Ser Phe Val Gly Leu Leu Val Val 610 Asp Gln Ser Val Leu Leu Lys Thr Gly Asn Asp Ile Thr Arg Glu 630 635 Lys Val Glu Gln Asp Leu Glu Asn Tyr Asp Ser Asn Asn Val Gly Gly 645 Gly Phe Gly Gly Pro Arg Pro Trp Glu Ala Ile Asp Arg Lys Lys Arg 665 Ser Ile Trp Arg Pro Trp Trp Gly Ile Gly Gly Ser Asp Ala Gln Ser 680 Ile Phe Ser Asn Ala Gly Leu Val Val Leu Thr Asp Ala Leu Leu Tyr 690 Arg Glu Pro Gln Arg Glu Phe Met Ser Glu Arg Arg Leu Asn Thr Pro 710 Gly Gly Leu Thr Val Met Met Asp Gly Ala Pro Gly Met Ala Glu 730 Ala Ala Phe Ala Ala Pro Pro Met Gly Gly Ser Ser Pro Pro Pro Pro 745 740

Thr	Val	Arg 755	Lys	Phe	Phe	Pro	His 760	Thr	Trp	Ile	Trp	Ser 765	Asp	Leu	Asn
Ser	Thr 770	Ser	Gly	Glu	Val	Glu 775	Met	Glu	Ile	Glu	Ala 780	Pro	Asp	Thr	Ile
Thr 785	Ser	Trp	Val	Ala	Ser 790	Thr	Phe	Ala	Ile	Asn 795	Glu	Glu	Asn	Gly	Leu 800
Gly	Val	Ala	Pro	Thr 805	Thr	Ser	Lys	Leu	Arg 810	Val	Phe	Arg	Pro	Phe 815	Phe
Ile	Gln	Leu	Asn 820	Leu	Pro	Tyr	Ala	Val 825	Arg	Arg	Gly	Glu	Lys 830	Phe	Ala
Leu	Leu	Val 835	Leu	Val	Phe	Asn	Tyr 840	Met	Glu	Lys	Glu	Gln 845	Asp	Val	Thr
Val	Thr 850	Leu	Lys	Tyr	Asp	Lys 855	Asp	Ser	Gly	Tyr	Asp 860	Leu	Leu	Lys	Lys
Asp 865	Gly	Thr	Val	Val	Arg 870	Arg	Asp	Glu	Val	Gly 875	Gln	Gln	Asn	Val	Arg 880
Ile	Vāl	Ser	Val	Ala 885	Gly	Gly	Gly	Thr	Ser 890	Lys	Ala	Val	Tyr	Phe 895	Pro
Ile	Va!	Pro	Ser 900	Ser	Ile	Gly	Glu	Ile 905	Pro	Val	His	Ile	Ser 910	Ala	Ile
Ala	Ser	Gln 915	Gly	Gly	Asp	Ala	Val 920	Glu	Met	Asn	Leu	Arg 925	Val	Asp	Pro
Gln	Gly 930	Tyr	Lys	Val	Asp	Arg 935	Asn	Ile	Pro	Phe	Val 940	Ile	Asp	Leu	Asn
Asn 945	Asn	Ser	Ser	Asp	Phe 950	Ser	Lys	Asn	Leu	Glu 955	Leu	Ile	Trp	Pro	Asn 960
Asp	Val	Val	Asp	Gly 965	Ser	Gln	Lys	Ala	Arg 970	Leu	Asp	Val	Ile	Gly 975	Asp
Met	Met	Gly	Pro 980	Val	Leu	Asn	Asn	Ala 985	His	Lys	Leu	Val	Gln 990	Met	Pro
Tyr	Gly	Cys 995	Gly	Glu	Gln		Met 1000	Leu	Asn	Leu		Pro 1005	Asn	Ile	Leu
	Val 1010	Lys	Tyr	Leu		Ala 1015	Thr	Asn	Arg		Glu 1020	Ser	Gln	Leu	Glu
Thr 102		Ala	Ile		Phe 1030	Ile	Glu	Gln		Ile 1035	Gln	Arg	Glu		Thr 1040
Tyr	Lys	Arg		Asp 1045	Asn	Ser	Phe		Ala 1050	Phe	Gly	Asp		Asp 1055	Lys

- Ala Gly Ser Thr Trp Leu Thr Ala Phe Val Val Arg Ser Phe His His 1060 1065 1070
- Ala Lys Gln Tyr Ala Phe Val Asp Pro Asn Val Ile Ser Arg Ala Val 1075 1080 1085
- Ala Phe Leu Ash Ser Gln Gln Met Glu Ser Gly Ala Phe Ala Glu Arg 1090 1095 1100
- Gly Glu Val His His Lys Asp Met Gln Gly Gly Ala Gln Asp Gly Gly 1115 1120
- Val Ala Leu Thr Ala Phe Val Leu Ile Ser Ile Leu Glu Asn Gly Met 1125 1130 1135
- 3.1 As: Gly Lys Ala Val Thr Tyr Leu Glu Lys His Leu Asp Glu Val 1140 1145 1150
- 10: Gly Asn Ala Tyr Thr Met Ala Val Val Ala Tyr Ala Leu Gln Leu
  1155 1160 1165
- Ala Lys Ser Lys Gln Ala Gly Lys Ala Phe Glu Asn Leu Lys Lys His 117. 1175 1180
- Lys Ile Val Glu Lys Ser Gly Asp Val Lys Phe Ala Ser Ala Gln Lys 1185 1190 1195 1200
- Lys Val Glu Lys Leu Lys Glu Ser Arg Ala Tyr Met Phe Gln Ala Arg 1205 1210 1215
- Pro Val Asp Ile Glu Thr Thr Ser Tyr Ala Val Leu Ser Tyr Leu Ala 1220 1225 1230
- Gln Asn Gln Thr Ser Glu Ser Leu Ser Ile Ile Arg Trp Leu Val Ser 1235 1240 1245
- Gln Arg Asn Glu Leu Gly Gly Phe Thr Ser Thr Gln Asp Thr Val Met 1250 1255 1260
- Ala Leu Gln Ala Leu Ser Ser Tyr Ala Ala Val Thr Tyr Ser Asp Lys 1265 1270 1275 1280
- His Thr Ser Gln Val Thr Ile Leu Asn Gly Lys His Thr His Ser Phe 1285 1290 1295
- Asp Ile Asn Ile Arg Asn Ala Ile Val Leu Gln Ser Tyr Gln Leu Ser 1300 1305 1310
- Ser Leu Asn Asp Ala Val Ser Ile Asn Ala Asn Gly Thr Gly Val Val 1315 1320 1325
- Phe Ala Gln Leu Ser Tyr Ser Tyr Tyr Arg Asp Ser Leu Asn Asp Asp 1330 1340
- Ala Pro Phe Phe Cys Ser Gln Glu Ile Lys Glu Ile Arg Ala Gly Asn 1345 1350 1355 1360
- Arg Leu Gln Leu Asp Leu Cys Cys Asn Tyr Thr Arg Pro Gly Lys Ser

1375

108 1365 1370

Asn Met Ala Leu Ala Glu Ile Asp Ala Leu Ser Gly Tyr Arg Phe Asp 1380 1385 1390

Ala Glu Gln Val His Thr Leu Thr Ser Ile Glu Asp Leu Gln Arg Val

Glu Met Glu Lys Asp Asp Thr Lys Met Asn Val Tyr Phe Asn Pro Leu 1410 1415 1420

Gly Gly Arg Pro Val Cys Leu Ser Leu Tyr Ser Asp Val Thr Tyr Gln 1425 1430 1435 1440

Val Ala Asp Gln Lys Pro Ala Asn Phe Arg Leu Val Asp Tyr Tyr Asp 1445 1450 1455

Pro Glu Glu Gln Leu Lys Met Thr Tyr Ala Ala Lys Gln Thr Arg Ser 1460 1465 1470

Leu Gln Glu Lys Cys Gly Glu Asp Cys Trp Pro Pro Ile Ser Pro Ser 1475 1480 1485

Leu Pro Pro Phe Asp Glu Ser Thr Val Thr Gly Thr Ser Ser Gly Phe 1490 1495 1500

Gly Ala Lys Trp Cys Ala Leu Ile Ile Ala Val Leu Leu Ile Ala 1505 1510 1515

<210> 72

<211> 1026

<212> DNA

<213> Caenorhabditis elegans

<400> 72

atgaatattg tgtgggttat aattttttgg aagctacaga aaggcatttt ccgagaagat 60 ggacttgaac cagtaacact agcagttcat ggtactgcag aaatgatgga aatgatagaa 120 aataagcctg agaactggga tgggcctata tcatttggat tgtttattga ttttcattct 180 agacaaattc tggattacgt cgctaaggtt tatagctgcg atgaggagtt tcagaaaaag 240 gttaccgtac actttgcatt ccgtctatca ccctttcaaa ctagctgccc acaaatcaaa 300 gtctcaccgt caactctcga atgtggcgag ttcctctcca acagaaaaaa gtttcgacgt 360 gctgtaggcg actcatttca attgtaccca agtaacttga tgagaaatat tgcaagaaaa 420 ggtgccaaat cggatattca tttcattgtc gatggtgata tgataatgag tgatggattt 480 gcggaaaaga ttaaaccaat tgcaaatcaa attgttgatg ggaaaaacaa aaatgtattg 540 gttgttagaa gatttgaaac aaatgaaacg acaatacccc acaaccatat agaattgaaa 600 aatgcaattg aaaataaaca agtcttccaa tttcatcaca gatttttctt tgctgggcat 660 aaaatttcaa atatttcaca ctggtttgcg gtttccaatg aaaccgacga aattactgct 720 tgggaaatac cttactcgag cagcttatgg gaagttcaag tgattcttca tcgtaacgac 780 ttgtacaatg cggattactt tccagcgaga atcaaggtta tgcagtcatt ggtgtacagc 840 ctgtgcagag ccaactatac gttcaacctc ctatcacacg ttttcaacgt gcacaaagga 900 atcaaattag gcgatactaa cttctcaaaa tccgttatag cacactctaa qaqaaatqqa 960 agaaatagcg aactccagga tacataccca gatacgttgg atagatgcgg tcaatttgta 1020 atgtaa 1026

<210> 73

<211> 341

<212> PRT

<213> Caenorhabditis elegans

<400> 73

Met Asn Ile Val Trp Val Ile Ile Phe Trp Lys Leu Gln Lys Gly Ile 1 5 10 15

Phe Arg Glu Asp Gly Leu Glu Pro Val Thr Leu Ala Val His Gly Thr 20 25 30

Ala Glu Met Met Glu Met Ile Glu Asn Lys Pro Glu Asn Trp Asp Gly 35 40 45

Pro Ile Ser Phe Gly Leu Phe Ile Asp Phe His Ser Arg Gln Ile Leu 50 55 60

Asp Tyr Val Ala Lys Val Tyr Ser Cys Asp Glu Glu Phe Gln Lys Lys 65 70 75 80

Val Thr Val His Phe Ala Phe Arg Leu Ser Pro Phe Gln Thr Ser Cys 85 90 95

Pro Gln Ile Lys Val Ser Pro Ser Thr Leu Glu Cys Gly Glu Phe Leu 100 105 110

Ser Asn Arg Lys Lys Phe Arg Arg Ala Val Gly Asp Ser Phe Gln Leu 115 120 125

Tyr Pro Ser Asn Leu Met Arg Asn Ile Ala Arg Lys Gly Ala Lys Ser 130 135 140

Asp Ile His Phe Ile Val Asp Gly Asp Met Ile Met Ser Asp Gly Phe 145 150 155 160

Ala Glu Lys Ile Lys Pro Ile Ala Asn Gln Ile Val Asp Gly Lys Asn 165 170 175

Lys Asn Val Leu Val Val Arg Arg Phe Glu Thr Asn Glu Thr Thr Ile 180 185 190

Pro His Asn His Ile Glu Leu Lys Asn Ala Ile Glu Asn Lys Gln Val 195 200 205

Phe Gln Phe His His Arg Phe Phe Phe Ala Gly His Lys Ile Ser Asn 210 215 220

Ile Ser His Trp Phe Ala Val Ser Asn Glu Thr Asp Glu Ile Thr Ala 225 230 235 240

Trp Glu Ile Pro Tyr Ser Ser Ser Leu Trp Glu Val Gln Val Ile Leu 245 250 255

His Arg Asn Asp Leu Tyr Asn Ala Asp Tyr Phe Pro Ala Arg Ile Lys 260 265 270

Val Met Gln Ser Leu Val Tyr Ser Leu Cys Arg Ala Asn Tyr Thr Phe 275 280 285

Asn Leu Leu Ser His Val Phe Asn Val His Lys Gly Ile Lys Leu Gly

290 295

290 295 300

Asp Thr Asn Phe Ser Lys Ser Val Ile Ala His Ser Lys Arg Asn Gly 305 310 315

Arg Asn Ser Glu Leu Gln Asp Thr Tyr Pro Asp Thr Leu Asp Arg Cys 325 330 335

Gly Gln Phe Val Met 340

<210> 74

<211> 1869

<212> DNA

<213> Caenorhabditis elegans

<400> 74

atgcagtaca ttgtagcgtc atattttaca atatggaact ttgtggacca cacacgtgtt 60 ggggcgtttc cggaagaaga ttacattcgc cttgcgtata ttatcggtgg aaattttatg 120 acacgtctta tgttcatgca gcattttaaa agtgtattga agtactctga ccatttcttt 180 cgcctacatc tgataactga tgaaaatcac cgatccgata ttcatgagct catgacgtca 240 tggaatatti caaactgcga gtggttttt cacaatctca cagagttcga aaaacgagtt 300 gcttggattc caaattcaca ttattcaaaa tattatggtt tgagcaaact tttaattcct 360 gaaatcatcg gcaatgacat tggaaagatt atgttcatgg atgttgatat catttttcaa 420 accaatattt ttgatttgtg gaaacaattt agaaacttta acaattccca ggttttcgga 480 atggtggaaa atctttccga ttggtatctt aacaaggatg gtaaaaagtc ggtttggcca 540 gcattgggac gtggatttaa cactggaata atcatgtttg atttggataa gctccggaaa 600 aatggatggg caagcaaatg gagagtagtg gctaacaaat atttacgaat tcacggaaaa 660 actgccatgt cagatcaaga catatttaat gcatacattc atgactatcc gactgaaatt 720 atacaaattc catgtgctta caattatcaa cttggagcac tcacaaaatc caaagaacta 780 tgtccggaga ctccacttgc gctacatttc aactcacaaa acaagactgt tggaaaaaat 840 tacgcatttt ttgacaagat tcgaaaagcg tttgatgaaa tggatggttc agatcttaaa 900 cgacgtagac gatcttttaa aggaaataat caaaaagata tctgccatga atatttacca 960 ttagacaatt tccgaattat cccaaatgca attggaagaa tgacaaaacc tgcagaactc 1020 tgcatggtga cgcagttttc caaagatcga cttaatcatt ttctggaaag tgcaaatgcg 1080 tggcggcatc ctatatctac agcagtatac gggaaggata aagatttgct agacattgca 1140 aaagccgtca cagaattgaa tcgcacagat atcacaatcc atctggtttt tgaggaacca 1200 actgaatcct ggatgctaga ctctttatat cccataaatt ttttgagaaa tgtagcaatt 1260 gaacacgcaa actgcaaata tattttaatg actgatgtag attttgtggt acttggagat 1320 tacggtacaa taatcgatca aactggaaac ctgaaacaaa aagaagttct ggtgatccct 1380 gcattggaaa tgacataccc gcagctgagg ttaaatttat caaattttct ctcgagaaaa 1440 gatttggtga tagaacattt attgaacaaa accattcaaa cttttcggga aacaatttgg 1500 ccaagttctc acgtacctac aaatatttca aaatggataa agtcaaatcg cacttatatg 1560 gtagcacaaa atgtaaatta tgaaaagaac tatgaacctt attttgtaat caaaaaagaa 1620 gaatgccctt tttacgatca gcggttcgga ggatttggct ggaataaagt aactcatgta 1680 atgcaactga aaatgatgaa ttataagttc ttggtttctc caactagttt tatgattcat 1740 Caaaatcata atgcttcaaa atcattgaaa cgctggagac gtgacccaca ttatcaqaaa 1800 tgccttcaca cgttaaaaaa taaatttatg aaaaaaactg ctagtcgact gggaatcaag 1860 ctaagatga 1869

<210> 75

<211> 622

<212> PRT

<213> Caenorhabditis elegans

<400> 75

Met Gln Tyr Ile Val Ala Ser Tyr Phe Thr Ile Trp Asn Phe Val Asp

111 15 5 10 His Thr Arg Val Gly Ala Phe Pro Glu Glu Asp Tyr Ile Arg Leu Ala Tyr Ile Ile Gly Gly Asn Phe Met Thr Arg Leu Met Phe Met Gln His Phe Lys Ser Val Leu Lys Tyr Ser Asp His Phe Phe Arg Leu His Leu Ile Thr Asp Glu Asn His Arg Ser Asp Ile His Glu Leu Met Thr Ser Trp Asn Ile Ser Asn Cys Glu Trp Phe Phe His Asn Leu Thr Glu Phe Glu Lys Arg Val Ala Trp Ile Pro Asn Ser His Tyr Ser Lys Tyr Tyr 110 105 Gly Leu Ser Lys Leu Leu Ile Pro Glu Ile Ile Gly Asn Asp Ile Gly 120 Lys Ile Met Phe Met Asp Val Asp Ile Ile Phe Gln Thr Asn Ile Phe 135 Asp Leu Trp Lys Gln Phe Arg Asn Phe Asn Asn Ser Gln Val Phe Gly 150 Met Val Glu Asn Leu Ser Asp Trp Tyr Leu Asn Lys Asp Gly Lys Lys 170 Ser Val Trp Pro Ala Leu Gly Arg Gly Phe Asn Thr Gly Ile Ile Met 180 Phe Asp Leu Asp Lys Leu Arg Lys Asn Gly Trp Ala Ser Lys Trp Arg Val Val Ala Asn Lys Tyr Leu Arg Ile His Gly Lys Thr Ala Met Ser Asp Gln Asp Ile Phe Asn Ala Tyr Ile His Asp Tyr Pro Thr Glu Ile 225 230 Ile Gln Ile Pro Cys Ala Tyr Asn Tyr Gln Leu Gly Ala Leu Thr Lys 250 Ser Lys Glu Leu Cys Pro Glu Thr Pro Leu Ala Leu His Phe Asn Ser 265 Gln Asn Lys Thr Val Gly Lys Asn Tyr Ala Phe Phe Asp Lys Ile Arg 275 280 Lys Ala Phe Asp Glu Met Asp Gly Ser Asp Leu Lys Arg Arg Arg Arg Ser Phe Lys Gly Asn Asn Gln Lys Asp Ile Cys His Glu Tyr Leu Pro 320 315 305

Leu	Asp	Asn	Phe	Arg 325	Ile	Ile	Pro	Asn	Ala 330	Ile	Gly	Arg	Met	Thr 335	Lys
Pro	Ala	Glu	Leu 340	Cys	Met	Val	Thr	Gln 345	Phe	Ser	Lys	Asp	Arg 350	Leu	Asn
His	Phe	Leu 355	Glu	Ser	Ala	Asn	Ala 360	Trp	Arg	His	Pro	Ile 365	Ser	Thr	Ala
Val	Tyr 370	Gly	Lys	Asp	Lys	Asp 375	Leu	Leu	Asp	Ile	Ala 380	Lys	Ala	Val	Thr
Glu 385	Leu	Asn	Arg	Thr	Asp 390	Ile	Thr	Ile	His	Leu 395	Val	Phe	Glu	Glu	Pro 400
Thr	Glu	Ser	Trp	Met 405	Leu	Asp	Ser	Leu	Tyr 410	Pro	Ile	Asn	Phe	Leu 415	Arg
Asn	Val	Ala	11e 420	Glu	His	Ala	Asn	Cys 425	Lys	Tyr	Ile	Leu	Met 430	Thr	Asp
Val	Asp	Phe 435	Val	Val	Leu	Gly	Asp 440	Tyr	Gly	Thr	Ile	Ile 445	Asp	Gln	Thr
Gly	Asn 450	Leu	Lys	Gìn	Lys	Glu 455	Val	Leu	Val	Ile	Pro 460	Ala	Leu	Glu	Met
Thr 465	Tyr	Pro	Gln	Leu	Arg 470	Leu	Asn	Leu	Ser	Asn 475	Phe	Leu	Ser	Arg	Lys 480
Asp	Leu	Val	Ile	Glu 485	His	Leu	Leu	Asn	Lys 490	Thr	Ile	Gln	Thr	Phe 495	Arg
Glu	Thr	Ile	Trp 500	`Pro	Ser	Ser	His	Val 505	Pro	Thr	Asn	Ile	Ser 510	Lys	Trp
Ile	Lys	Ser 515	Asn	Arg	Thr	Tyr	Met 520	Val	Ala	Gln	Asn	Val 525	Asn	Tyr	Glu
Lys	Asn 530	Tyr	Glu	Pro	Tyr	Phe 535	Val	Ile	Lys	Lys	Glu 540	Glu	Cys	Pro	Phe
Tyr 545	Asp	Gln	Arg	Phe	Gly 550	Gly	Phe	Gly	Trp	Asn 555	Lys	Val	Thr	His	Val 560
Met	Gln	Leu	Lys	Met 565	Met	Asn	Tyr	Lys	Phe 570	Leu	Val	Ser	Pro	Thr 575	Ser
Phe	Met	Ile	His 580	Gln	Asn	His	Asn	Ala 585	Ser	Lys	Ser	Leu	Lys 590	Arg	Trp
Arg	Arg	Asp 595	Pro	His	Tyr	Gln	Lys 600	Cys	Leu	His	Thr	Leu 605	Lys	Asn	Lys
Phe	Met 610	Lys	Lys	Thr	Ala	Ser 615	Arg	Leu	Gly	Ile	Lys 620	Leu	Arg		

113

- <210> 76
- <211> 417
- <212> PRT
- <213> Caenorhabditis elegans

<400> 76

- Met Val Ser Leu Gln Lys Ser Ile Gly Leu Leu Leu Ser Ala Ile 1 5 10 15
- Ile Gly Leu Val Phe Leu Ile Gln His Arg Lys Ser Tyr Thr Ser Ser 20 25 30
- Asp Ala Leu Leu Glu Asn Gly Tyr Pro Asn Lys Tyr Tyr Thr Ile Glu 35 40 45
- Asn Pro Ala Glu Glu Gly Glu Arg Arg Ser Tyr Ser Ile Gln Thr Glu
  50 55 60
- Met His Ala Asp Gln Tyr Cys Ile Ala Tyr Lys Phe Leu Glu Ala Thr 65 70 75 80
- Glu Ser Phe Arg Glu Ala Asp Gly Leu Glu Pro Val Thr Leu Ala Thr 85 90 95
- His Ala Thr Ala Asp Met Ile Glu Thr Val Glu Asn Met Thr Phe Leu 100 105 110
- Trp Asp Gly Pro Ile Ser Ile Gly Ile Phe Val Asp Tyr His Ser Tyr 115 120 125
- Asn Val Leu Glu Tyr Leu Ala Glu Val His Arg Cys Asp Val Ser Phe 130 135 140
- Arg Arg Lys Met Asn Val His Phe Ala Phe Arg Arg Ser Pro Phe Gln 145 150 155 160
- Thr Glu Cys Pro Leu Ile Glu Ile Pro Gln Ser Asn Arg Ser Cys Gln 165 170 175
- Glu Phe Phe Ala Thr His Thr Glu Leu Arg Asn Ala Ile Val Gly Pro 180 185 190
- Phe Gln Leu Tyr Pro Ser Asn Leu Met Arg Asn Ile Ala Arg Lys Gly 195 200 205
- Ala Gln Thr Asp Leu Gln Phe Ile Met Asp Gly Asp Met Val Pro Ser 210 215 220
- Glu Gly Phe Ala Thr Lys Ile Lys Arg Ile Ala Asn Glu Val Ile Asp 225 230 235 240
- Gly Lys Asn Lys Arg Val Leu Ala Ile Arg Arg Phe Glu Thr Ser Asp 245 250 255
- Thr Ala Glu Ile Pro Arg Asp His Leu Lys Leu Leu Lys Ser Lys Lys 260 265 270

114

Leu His Lys Thr Phe Glu Phe His His Arg Tyr Phe Pro Glu Gly His 285

His Ile Asp Gly Leu Asp Asp Trp Phe Arg Thr Ser Ile His Ser Gly 290

Val Val Thr Thr Lys Glu Val Ala Tyr Pro Gly Tyr Leu Trp Glu Val 305 310 315 320

Gln Thr Ile Leu His Arg Asn Asp Pro Tyr Asn Ala Asp Tyr Phe Pro 325 330 335

Ser Arg Ile Lys Val Met His Ser Leu Val Tyr Ala Leu Cys Arg Ala 340 345 350

Gly Tyr Thr Phe His Val Pro Thr His Val Phe Asp Ser His Arg Gly 355 360 365

Ile Lys His Thr Asn Thr Ile Tyr Ser Lys Ala Thr Ile Ala His Gln 370 375 380

Glu Ala Tyr Ala Met Lys Glu Ala Gly Asp Arg Tyr Ile Lys Glu Met 385 390 395 400

Asp Asp Leu Tyr Pro His Thr Leu Ser Gln Cys Gly Glu Phe Ser Met 405 410 415

Ile

<210> 77 <211> 1050

<212> DNA

<213> Caenorhabditis elegans

<400> 77

atgcacgacg agcagttttg tgttggttat aacttcctgg aggccgaaga tacattccga 60 gaagacggct tggaaccagt aactettget atteatggca etceagaagt tttgcaacta 120 ttggggaata agcctttgaa ctgggatggg cctatttcat ttggtctatt cgtagatttt 180 cattcccaaa aggccctgaa ttatatttcc atgctacata aatgtgatgc agcttttaaa 240 agacagatga ctgtccactt tgcattccga atctcaccat ctcaatccga atgcccaatg 300 attcaagttc ttgggtatca ggattgtgcc acatttttac agaaaagcaa gcagctcctt 360 gaggaaattg aggactettt teaaatetae eegataaaee taatgagaaa tattgetegg 420 cgcggagcaa agtcggattt acacttgata atcgatacag atatgatgat gagcaccaac 480 tttgcaaaga tggtaaaacc aatcgcaaat cggatgattg atgggaagaa taagcaaqtq 540 ttggttgtta gacgtttcga gaccaacgaa aatgagctac caatgagctt tggggatctt 600 gaggagggaa ttgaaaatca taaaacattc cagttccatc acaaattctt tttcgttggt 660 catcaaattc ccaacttgat ggaatggttc gaaagatctc acgcctctaa tgatgtggtg 720 gcatgggaga ttccatacac tggaaatgat tgggaagttc aaatcattct tcaccgcaac 780 gatccatata atgtagagta ttttccttcg cgagtcaagg atatgcagtc tttgatctac 840 aagttatgcc gtgcaaacta caccttcaat ttgctctctc atgtgttcaa tgttcataaa 900 ggaatcaaag aagatgatac catgtactcg aaggttgtga ctgctcacac aaaacggcaa 960 ggaagattga ggacgctttc tcgatatgtc actgaaattg acaggaaata cccggatacc 1020 atgaaacgat gtgggcagtt tttgttataa 1050

<210> 78 <211> 349

<212> PRT

<213> Caenorhabditis elegans

<400> 78

Met His Asp Glu Gln Phe Cys Val Gly Tyr Asn Phe Leu Glu Ala Glu l 5 10 15

Asp Thr Phe Arg Glu Asp Gly Leu Glu Pro Val Thr Leu Ala Ile His 20 25 30

Gly Thr Pro Glu Val Leu Gln Leu Leu Gly Asn Lys Pro Leu Asn Trp 35 40 45

Asp Gly Pro Ile Ser Phe Gly Leu Phe Val Asp Phe His Ser Gln Lys 50 55 60

Ala Leu Asn Tyr Ile Ser Met Leu His Lys Cys Asp Ala Ala Phe Lys 65 70 75 80

Arg Gln Met Thr Val His Phe Ala Phe Arg Ile Ser Pro Ser Gln Ser 85 90 95

Glu Cys Pro Met Ile Gln Val Leu Gly Tyr Gln Asp Cys Ala Thr Phe 100 105 110

Leu Gln Lys Ser Lys Gln Leu Leu Glu Glu Ile Glu Asp Ser Phe Gln
115 120 125

Ile Tyr Pro Ile Asn Leu Met Arg Asn Ile Ala Arg Arg Gly Ala Lys
130 135 140

Ser Asp Leu His Leu Ile Ile Asp Thr Asp Met Met Met Ser Thr Asn 145 150 155 160

Phe Ala Lys Met Val Lys Pro Ile Ala Asn Arg Met Ile Asp Gly Lys
165 170 175

Asn Lys Gln Val Leu Val Val Arg Arg Phe Glu Thr Asn Glu Asn Glu 180 185 190

Leu Pro Met Ser Phe Gly Asp Leu Glu Glu Gly Ile Glu Asn His Lys
195 200 205

Thr Phe Gln Phe His His Lys Phe Phe Phe Val Gly His Gln Ile Pro 210 215 220

Asn Leu Met Glu Trp Phe Glu Arg Ser His Ala Ser Asn Asp Val Val 225 230 235 240

Ala Trp Glu Ile Pro Tyr Thr Gly Asn Asp Trp Glu Val Gln Ile Ile 245 250 255

Leu His Arg Asn Asp Pro Tyr Asn Val Glu Tyr Phe Pro Ser Arg Val 260 265 270

Lys Asp Met Gln Ser Leu Ile Tyr Lys Leu Cys Arg Ala Asn Tyr Thr 275 280 285

```
116
Phe Asn Leu Leu Ser His Val Phe Asn Val His Lys Gly Ile Lys Glu
Asp Asp Thr Met Tyr Ser Lys Val Val Thr Ala His Thr Lys Arg Gln
                    310
                                         315
Gly Arg Leu Arg Thr Leu Ser Arg Tyr Val Thr Glu Ile Asp Arg Lys
                                    330
Tyr Pro Asp Thr Met Lys Arg Cys Gly Gln Phe Leu Leu
42115 79
·211 · 1167
-111 - DNA
· 113 · Caenorhabditis elegans
• 4005 79
atmotoaaga titicotoaag attiactoca titigotitigi ticicotati ticaattota 60
stitigitigt ggtttttgaa gaaatattot caagatottt otaggatoto tatagaactt 120
tatgaaaatg agttttgcat tggctacaat ttcctggagg ctacagaaaa attccgagaa 180
gasggsttgg agcctgtgac acttgccatt catgggacat ccgatgtcct tgaagtagtg 240
gagaagaagc catcaaactg ggatgggcct atatcattcg ggatgtttgt tgactatcac 300
toccagaagg ctctggaata tgtggcaatg cttcatcagt gtgataagga gttcggggag 360
aaagtcaccg ttcactatgt gttccgaact tctccttccc agatggattg tccagtgata 420
astestgatg tgtcggtgaa ttgtgatgaa tttcgtcgga atcgaaagca gctcctcaaa 480
qaaataacst ccccgtttca aatctaccca ataaacttga tgagaaatgt tgcccgccgt 540
ggagcaactt ctgatctaca cttgatagtc gacgctgata tgacaatgag ctctqatttt 600
gcgagaaaag tgaagccaat cgcaaatcgc ataattgatg ggaaacagag acaagttttg 660
gtagttcgac gttttgagac aaacgaagat gagattccac tggaagttga gcagctgaag 720
atgggatttg agaatcaaaa agtattcgag ttccatcaca attttttctt tattgggcat 780
aaaattccag acgtggaaaa atggtttcac gcctcgaaga cagaaaatga agtgactgcc 840
tgggaaattc catactcagg aaatgcatgg gaagtgcaag tgattcttca ccggaacgac 900
atgtacaacg ccgagtactt tccgtctaga atccgagaca tgcagtcttt gatctacggt 960
ctctgccgag ccaactacac cttcaacttg ctctctcacg tattcaatgt tcaccaaggc 1020
atcaaagagg atgacacaat gtactcgaaa gttgtcacag ctcactcgaa gcgatatgga 1080
aggaatagag catteteeeg etaegteeat gagatgaata etgegtatee gggaactatt 1140
cagcggtgcg ggaagtttga gatgtga
                                                                   1167
<210> 80
<211> 388
<212> PRT
<213> Caenorhabditis elegans
<400> 80
Met Leu Lys Ile Ser Ser Arg Phe Thr Pro Phe Ala Leu Phe Leu Leu
                                     10
Phe Ser Ile Leu Leu Cys Leu Trp Phe Leu Lys Lys Tyr Ser Gln Asp
             20
Leu Ser Arg Ile Ser Ile Glu Leu Tyr Glu Asn Glu Phe Cys Ile Gly
Tyr Asn Phe Leu Glu Ala Thr Glu Lys Phe Arg Glu Asp Gly Leu Glu
                         55
```

117 Pro Val Thr Leu Ala Ile His Gly Thr Ser Asp Val Leu Glu Val Val 75 70 Glu Lys Lys Pro Ser Asn Trp Asp Gly Pro Ile Ser Phe Gly Met Phe Val Asp Tyr His Ser Gln Lys Ala Leu Glu Tyr Val Ala Met Leu His Gln Cys Asp Lys Glu Phe Gly Glu Lys Val Thr Val His Tyr Val Phe Arg Thr Ser Pro Ser Gln Met Asp Cys Pro Val Ile Thr Pro Asp Val Ser Val Asn Cys Asp Glu Phe Arg Arg Asn Arg Lys Gln Leu Leu Lys 150 145 Glu Ile Thr Ser Pro Phe Gln Ile Tyr Pro Ile Asn Leu Met Arg Asn 170 Val Ala Arg Arg Gly Ala Thr Ser Asp Leu His Leu Ile Val Asp Ala Asp Met Thr Met Ser Ser Asp Phe Ala Arg Lys Val Lys Pro Ile Ala 200 Asn Arg Ile Ile Asp Gly Lys Gln Arg Gln Val Leu Val Val Arg Arg 215 Phe Glu Thr Asn Glu Asp Glu Ile Pro Leu Glu Val Glu Gln Leu Lys 225 Met Gly Phe Glu Asn Gln Lys Val Phe Glu Phe His His Asn Phe Phe 250 Phe Ile Gly His Lys Ile Pro Asp Val Glu Lys Trp Phe His Ala Ser Lys Thr Glu Asn Glu Val Thr Ala Trp Glu Ile Pro Tyr Ser Gly Asn 275 Ala Trp Glu Val Gln Val Ile Leu His Arg Asn Asp Met Tyr Asn Ala 295 Glu Tyr Phe Pro Ser Arg Ile Arg Asp Met Gln Ser Leu Ile Tyr Gly 305 Leu Cys Arg Ala Asn Tyr Thr Phe Asn Leu Leu Ser His Val Phe Asn 330 Val His Gln Gly Ile Lys Glu Asp Asp Thr Met Tyr Ser Lys Val Val 345 Thr Ala His Ser Lys Arg Tyr Gly Arg Asn Arg Ala Phe Ser Arg Tyr 355

Val His Glu Met Asn Thr Ala Tyr Pro Gly Thr Ile Gln Arg Cys Gly

118

370 375 380

Lys Phe Glu Met 385

<210> 81

<211> 1275

<212> DNA

<213> Caenorhabditis elegans

<400> 81

atgtgtactt ttaaaaaatt cgatggagaa actcgaaaaa ctcggatcca gattttgtat 60 tttgctgcat cactcgttaa tctcgatctc aagcctgtga agctaaattc caatgcgaat 120 atatgcgtca aaattgaaac ttctcacttt acctctggca cttattatat taacttggca 180 tctgtacaat tcaaaggtaa tgctcctggt tctgatgctg aaggaaggtt tttcaagaaa 240 ctacacggaa aaccagaaaa taattataat teettacaga egaetgtaca etttgeatte 300 cgaatctcac catctcaaac cgaatgtcct gtgatctata cttccgggta taaggattgt 360 gtcacgtttt tccaaaagaa cacagagctc cttgaggaaa tggaggaccc ttttcagatc 420 tacccgataa atctaatgag aaatattgct cgacgcggag caaagtcgga tttacacttg 480 atagtcgata cagatatggt aatgagtact aactttgcaa agatggtaaa accagttgcg 540 aatcggatga ttgatgggat gaataaacaa gtcttggttg ttcgacgctt cgagaccaac 600 gaaaccgaac ttccactgaa cttggacgaa cttgagcaag ggcttctgaa tgagaacaca 660 tttgaattee atcactegtt ettttttgtt ggeeateaaa taeceaaett gtetgagtgg 720 tttgaaaatt cttacgcatc agaagaaacc actgcatggg agattccata cacaggaagt 780 gattgggaag ttcaaataat tcttcaccgc aacgacccat ataacattga gtacttccca 840 tegegagica gggatatgea gietitigati tataaaetet geegigegaa etaeaeatte 900 aatttgctct ctcacgtatt caatgttcac aaggggatca aagaagatga tacaatgtac 960 tcgaaagtcg tcactgctca cacaaagcaa ttttggaaaa tgaggtattt atttttttgt 1020 tgtagagaat tcccaagata tgcttgtgaa tttacagaac gctttcccgt tacactgccg 1080 aaatcgacaa gcagtaccca gacactacaa caagataatt tgccagatgt ttccttattt 1140 ttttcaggag tattcagaat gttcacgcaa ttctcgaaat tttcagagca tttgaacatt 1200 tttaaageeg gaaaagegta etgttttgtt gtttetgtea ettttetggt gtetttaaaa 1260 1275 tatggagaaa aataa

<210> 82

<211> 424

<212> PRT

<213> Caenorhabditis elegans

<400> 82

Met Cys Thr Phe Lys Lys Phe Asp Gly Glu Thr Arg Lys Thr Arg Ile
1 5 10 15

Gln Ile Leu Tyr Phe Ala Ala Ser Leu Val Asn Leu Asp Leu Lys Pro 20 25 30

Val Lys Leu Asn Ser Asn Ala Asn Ile Cys Val Lys Ile Glu Thr Ser 35 40 45

His Phe Thr Ser Gly Thr Tyr Tyr Ile Asn Leu Ala Ser Val Gln Phe 50 55 60

Lys Gly Asn Ala Pro Gly Ser Asp Ala Glu Gly Arg Phe Phe Lys Lys 65 70 75 80

Leu His Gly Lys Pro Glu Asn Asn Tyr Asn Ser Leu Gln Thr Thr Val 85 90 95

His	Phe	Alā	Phe 100	Arg	Ilė	Ser	Pro	Ser 105	Gln	Thr	Glu	Cys	Pro 110	Val	Ile
Tyr	Thr	Ser 115	Gly	Tyr	Lys	Asp	Cys 120	Val	Thr	Phe	Phe	Gln 125	Lys	Asn	Thr
Olu	Leu 130	Leu	Glu	Glu	Met	Glu 135	Asp	Pro	Phe	Gln	Ile 140	Tyr	Pro	Ile	Asn
145	Met	Arg	Asn	Ile	Ala 150	Arg	Arg	Gly	Ala	Lys 155	Ser	Asp	Leu	His	Leu 160
11e	Val	Asp	Thr	Asp 165	Met	Val	Met	Ser	Thr 170	Asn	Phe	Ala	Lys	Met 175	Val
i.ys	Pro	Val	Ala 180	Asn	Arg	Met	Ile	Asp 185	Gly	Met	Asn	Lys	Gln 190	Val	Leu
Val	Val	Arg 195	Arg	Phe	Glu	Thr	Asn 200	Glu	Thr	Glu	Leu	Pro 205	Leu	Asn	Leu
Asp	Glu 210	Leu	Glu	Gln	Gly	Leu 215	Leu	Asn	Glu	Asn	Thr 220	Phe	Glu	Phe	His
His 225	Ser	Phe	Phe	Phe	Val 230	Gly	His	Gln	Ile	Pro 235	Asn	Leu	Ser	Glu	Trp 240
Phe	Glu	Asn	Ser	Tyr 245	Ala	Ser	Glu	Glu	Thr 250	Thr	Ala	Trp	Glu	Ile 255	Pro
Tyr	Thr	Gly	Ser 260	Asp	Trp	Glu	Val	Gln 265	Ile	Ile	Leu	His	Arg 270	Asn	Asp
Pro	Tyr	Asn 275		Glu	Tyr	Phe	Pro 280	Ser	Arg	Val	Arg	Asp 285	Met	Gln	Ser
Leu	Ile 290		Lys	Leu	Cys	Arg 295		Asn	Tyr	Thr	Phe 300		Leu	Leu	Ser
His 305		Phe	Asn	Val	His 310	Lys	Gly	Ile	Lys	Glu 315		Asp	Thr	Met	Tyr 320
Ser	Lys	Val	Val	Thr 325		His	Thr	Lys	Gln 330		Trp	Lys	Met	Arg 335	Tyr
Leu	Phe	Phe	Cys 340		Arg	Glu	Phe	Pro 345		Tyr	Ala	Cys	Glu 350		Thr
Glu	Arg	Phe 355		Val	Thr	Leu	Pro 360		Ser	Thr	Ser	Ser 365	Thr	Gln	Thr
Leu	Glr 370		Asp	Asn	Leu	Pro 375		Val	Ser	Leu	Phe 380		Ser	Gly	Val
Phe		Met	Phe	Thr	Gln 390		Ser	Lys	Phe	Ser 395		His	Leu	Asn	11e

120

Phe Lys Ala Gly Lys Ala Tyr Cys Phe Val Val Ser Val Thr Phe Leu 405 410 415

Val Ser Leu Lys Tyr Gly Glu Lys 420

<210> 83

<211> 370

<212> PRT

<213> Caenorhabditis elegans

<400> 83

Met Glu Asp Asp Thr Pro Asp Val Ser Ser Asp Ser Asn Gly Asp Ala  $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$ 

Ala Tyr Ser Asp Tyr Phe Leu Asp Tyr Lys Ser Ile Met Asp Glu Ile 20 25 30

Thr Ile Thr Thr Gln Pro Lys Ser Gly Tyr Val Ile Arg Asn Lys Pro 35 40 45

Leu Arg Leu Gln Cys Arg Ala Asn His Ala Thr Lys Ile Arg Tyr Lys 50 55 60

Cys Ser Ser Lys Trp Ile Asp Asp Ser Arg Ile Glu Lys Leu Ile Gly 65 70 75 80

Thr Asp Ser Thr Ser Gly Val Gly Tyr Ile Asp Ala Ser Val Asp Ile 85 90 95

Ser Arg Ile Asp Val Asp Thr Ser Gly His Val Asp Ala Phe Gln Cys 100 105 110

Gln Cys Tyr Ala Ser Gly Asp Asp Gln Asp Val Val Ala Ser Asp 115 120 125

Val Ala Thr Val His Leu Ala Tyr Met Arg Lys His Phe Leu Lys Ser 130 135 140

Pro Val Ala Gln Arg Val Gln Glu Gly Thr Thr Leu Gln Leu Pro Cys 145 150 155 160

Gln Ala Pro Glu Ser Asp Pro Lys Ala Glu Leu Thr Trp Tyr Lys Asp 165 170 175

Gly Val Val Gln Pro Asp Ala Asn Val Ile Arg Ala Ser Asp Gly
180 185 190

Ser Leu Ile Met Ser Ala Ala Arg Leu Ser Asp Ser Gly Asn Tyr Thr 195 200 205

Cys Glu Ala Thr Asn Val Ala Asn Ser Arg Lys Thr Asp Pro Val Glu 210 215 220

Val Gln Ile Tyr Val Asp Gly Gly Trp Ser Glu Trp Ser Pro Trp Ile 225 230 235 240

121 Gly Thr Cys His Val Asp Cys Pro Leu Leu Arg Gln His Ala His Arg 245 250 Ile Arg Asp Pro His Asp Val Leu Pro His Gln Arg Arg Thr Arg Thr 265 Cys Asn Asn Pro Ala Pro Leu Asn Asp Gly Glu Tyr Cys Lys Gly Glu 280 Glu Glu Met Thr Arg Ser Cys Lys Val Pro Cys Lys Leu Asp Gly Gly Trp Ser Ser Trp Ser Asp Trp Ser Ala Cys Ser Ser Ser Cys His Arg 315 Tyr Arg Thr Arg Ala Cys Thr Val Pro Pro Pro Met Asn Gly Gly Gln 325 330 Pro Cys Phe Gly Asp Asp Leu Met Thr Gln Glu Cys Pro Ala Gln Leu 345 Cys Thr Ala Asp Ser Ser Arg Ile Val Ile Ser Asp Thr Ala Val Tyr 360 365 Gly Ser 370 <210> 84 <211> 20 <212> PRT <213> Caenorhabditis elegans <400> 84 Val Ala Ser Ile Phe Ile Val Ala Ser Phe Ile Leu Ala Ile Leu Ala 10 Met Phe Cys Cys <210> 85 <211> 122 <212> PRT <213> Caenorhabditis elegans <400> 85 Lys Arg Gly Asn Ser Lys Lys Ser Lys Pro Leu Lys Pro Gln Lys Met Asn Ser Glu Lys Ala Gly Gly Ile Tyr Tyr Ser Glu Pro Pro Gly Val Arg Arg Leu Leu Glu His Gln His Gly Thr Leu Leu Gly Glu Lys 40 Ile Ser Ser Cys Ser Gln Tyr Phe Glu Pro Pro Pro Leu Pro His Ser

55

50

122

Thr Thr Leu Arg Ser Gly Lys Ser Ala Phe Ser Gly Tyr Ser Ser Thr 65 70 75 80

Arg Asn Ala Gly Ser Arg Ala Ala Leu Ile Gln Glu Cys Ser Ser Ser Ser 85 90 95

Ser Ser Gly Ser Gly Gly Lys Arg Thr Met Leu Arg Thr Ser Ser Ser 100 105 110

Asn Cys Ser Asp Asp Asp Asn Tyr Ala Thr 115 120

<210> 86

<211> 165

<212> PRT

<213> Caenorhabditis elegans

<400> 86

Leu Tyr Asp Tyr Met Glu Asp Lys Ser Val Leu Gly Leu Asp Thr Ser 1 5 10 15

Gln Asn Ile Val Ala Ala Gln Ile Asp Ser Asn Gly Ala Arg Leu Ser 20 25 30

Leu Ser Lys Ser Gly Ala Arg Leu Ile Val Pro Glu Leu Ala Val Glu 35 40 45

Gly Glu Lys Met Leu Tyr Leu Ala Val Ser Asp Thr Leu Thr Asp Gln
50 55 60

Pro His Leu Lys Pro Ile Glu Ser Ala Leu Ser Pro Val Ile Val Ile 65 70 75 80

Gly Gln Cys Asp Val Ser Met Ser Ala His Asp Asn Ile Leu Arg Arg 85 90 95

Pro Val Val Ser Phe Arg His Cys Ala Ser Thr Phe Pro Arg Asp 100 105 110

Asn Trp Gln Phe Thr Leu Tyr Ala Asp Glu Gly Ser Gly Trp Gln Lys
115 120 125

Ala Val Thr Ile Gly Glu Glu Asn Leu Asn Thr Asn Met Phe Val Gln 130 135 140

Phe Glu Gln Pro Gly Lys Lys Asn Asp Gly Phe Gly Trp Cys His Val 145 150 155 160

Met Thr Tyr Ser Leu

165

<210> 87

<211> 157

<212> PRT

<213> Caenorhabditis elegans

<400> 87

Ala Arg Leu Met Leu Ala Gly His Pro Arg Arg Asn Ser Leu Ser Ala 1 5 10 15

Ala Lys Arg Val His Leu Ala Val Phe Gly Pro Thr Glu Met Ser Ala 20 25 30

Tyr Arg Arg Pro Phe Glu Leu Arg Val Tyr Cys Val Pro Glu Thr Gly
35 40 45

Ala Ala Met Glu Ser Val Trp Lys Gln Glu Asp Gly Ser Arg Leu Leu 50 55 60

Cys Glu Ser Asn Asp Phe Ile Leu Asn Glu Lys Gly Asn Leu Cys Ile 65 70 75 80

Cys Ile Glu Asp Val Ile Pro Gly Phe Ser Cys Asp Gly Pro Glu Val 85 90 95

Val Glu Ile Ser Glu Thr Gln His Arg Phe Val Ala Gln Asn Gly Leu 100 105 110

His Cys Ser Leu Lys Phe Arg Pro Lys Glu Ile Asn Gly Ser Gln Phe 115 120 125

Ser Thr Arg Val Ile Val Tyr Gln Lys Ala Ser Ser Thr Glu Pro Met 130 135 140

Val Met Glu Val Ser Asn Glu Pro Glu Leu Tyr Asp Ala 145 150 155

<210> 88

<211> 113

<212> PRT

<213> Caenorhabditis elegans

<400> 88

Thr Ser Glu Glu Arg Glu Lys Gly Ser Val Cys Val Glu Phe Arg Leu 1 5 10 15

Pro Phe Gly Val Lys Asp Glu Leu Ala Arg Leu Leu Asp Met Pro Asn 20 25 30

Glu Ser His Ser Asp Trp Arg Gly Leu Ala Lys Lys Leu His Tyr Asp 35 40 45

Arg Tyr Leu Gln Phe Phe Ala Ser Phe Pro Asp Cys Ser Pro Thr Ser 50 55 60

Leu Leu Asp Leu Trp Glu Ala Ser Ser Ser Gly Ser Ala Arg Ala 65 70 75 80

Val Pro Asp Leu Leu Gln Thr Leu Arg Val Met Gly Arg Pro Asp Ala 85 90 95

Val Met Val Leu Glu Arg Phe Leu Ser Ala Phe Pro Gln Ile Val Ser

110

124 100 105

Pro

<210> 89

<211> 437

<212> PRT

<213> Homo sapiens

<400> 89

His Met Ala Thr Leu His His Ser Ser Pro Thr Ser Glu Ala Glu Glu
1 5 10 15

Phe Val Ser Arg Leu Ser Thr Gln-Asn Tyr Phe Arg Ser Leu Pro Arg 20 25 30

Gly Thr Ser Asn Met Thr Tyr Gly Thr Phe Asn Phe Leu Gly Gly Arg
35 40 45

Leu Met Ile Pro Asn Thr Gly Ile Ser Leu Leu Ile Pro Pro Asp Ala 50 55 60

Ile Pro Arg Gly Lys Ile Tyr Glu Ile Tyr Leu Thr Leu His Lys Pro 65 70 75 80

Glu Asp Val Arg Leu Pro Leu Ala Gly Cys Gln Thr Leu Leu Ser Pro 85 90 95

Ile Val Ser Cys Gly Pro Pro Gly Val Leu Leu Thr Arg Pro Val Ile 100 105 110

Leu Ala Met Asp His Cys Gly Glu Pro Ser Pro Asp Ser Trp Ser Leu 115 120 125

Arg Leu Lys Lys Gin Ser Cys Glu Gly Ser Trp Glu Asp Val Leu His 130 135 140

Leu Gly Glu Glu Ala Pro Ser His Leu Tyr Tyr Cys Gln Leu Glu Ala 145 150 155 160

Ser Ala Cys Tyr Val Phe Thr Glu Gln Leu Gly Arg Phe Ala Leu Val 165 170 175

Gly Glu Ala Leu Ser Val Ala Ala Lys Arg Leu Lys Leu Leu 180 185 190

Phe Ala Pro Val Ala Cys Thr Ser Leu Glu Tyr Asn Ile Arg Val Tyr 195 200 205

Cys Leu His Asp Thr His Asp Ala Leu Lys Glu Val Val Gln Leu Glu 210 215 220

Lys Gln Leu Gly Gly Gln Leu Ile Gln Glu Pro Arg Val Leu His Phe 225 230 235 240

Lys Asp Ser Tyr His Asn Leu Arg Leu Ser Ile His Asp Val Pro Ser

255

125 245 250

Ser Leu Trp Lys Ser Lys Leu Leu Val Ser Tyr Gln Glu Ile Pro Phe 260 265 270

Tyr His Ile Trp Asn Gly Thr Gln Arg Tyr Leu His Cys Thr Phe Thr 275 280 285

Leu Glu Arg Val Ser Pro Ser Thr Ser Asp Leu Ala Cys Lys Leu Trp 290 295 300

Val Trp Gln Val Glu Gly Asp Gly Gln Ser Phe Ser Ile Asn Phe Asn 305 310 315 320

Ile Thr Lys Asp Thr Arg Phe Ala Glu Leu Leu Ala Leu Glu Ser Glu 325 330 335

Ala Gly Val Gln Ala Leu Val Gly Pro Ser Ala Phe Lys Ile Pro Phe 340 345 350

Leu Ile Arg Gln Lys Ile Ile Ser Ser Leu Asp Pro Pro Cys Arg Arg 355 360 365

Gly Ala Asp Trp Arg Thr Leu Ala Gln Lys Leu His Leu Asp Ser His 370 375 380

Leu Ser Phe Phe Ala Ser Lys Pro Ser Pro Thr Ala Met Ile Leu Asn 385 390 395 400

Leu Trp Glu Ala Arg His Phe Pro Asn Gly Asn Leu Ser Gln Leu Ala 405 410 415

Ala Ala Val Ala Gly Leu Gly Gln Pro Asp Ala Gly Leu Phe Thr Val 420 425 430

Ser Glu Ala Glu Cys 435

<210> 90

<211> 931

<212> PRT

<213> Homo sapiens

<400> 90

Met Arg Lys Gly Leu Arg Ala Thr Ala Ala Arg Cys Gly Leu Gly Leu 1 5 10 15

Gly Tyr Leu Leu Gln Met Leu Val Leu Pro Ala Leu Ala Leu Leu Ser 20 25 30

Ala Ser Gly Thr Gly Ser Ala Ala Gln Asp Asp Asp Phe Phe His Glu 35 40 45

Leu Pro Glu Thr Phe Pro Ser Asp Pro Pro Glu Pro Leu Pro His Phe 50 55 60

Leu Ile Glu Pro Glu Glu Ala Tyr Ile Val Lys Asn Lys Pro Val Asn

126

65 70 75 80 Leu Tyr Cys Lys Ala Ser Pro Ala Thr Gln Ile Tyr Phe Lys Cys Asn Ser Glu Trp Val His Gln Lys Asp His Ile Val Asp Glu Arg Val Asp 105 Glu Thr Ser Gly Leu Ile Val Arg Glu Val Ser Ile Glu Ile Ser Arg 115 Gln Gln Val Glu Glu Leu Phe Gly Pro Glu Asp Tyr Trp Cys Gln Cys 135 Val Ala Trp Ser Ser Ala Gly Thr Thr Lys Ser Arg Lys Ala Tyr Val 150 Arg Ile Ala Tyr Leu Arg Lys Thr Phe Glu Gln Glu Pro Leu Gly Lys Glu Val Ser Leu Glu Gln Glu Val Leu Leu Gln Cys Arg Pro Pro Glu Gly Ile Pro Val Ala Glu Val Glu Trp Leu Lys Asn Glu Asp Ile Ile 195 Asp Pro Val Glu Asp Arg Asn Phe Tyr Ile Thr Ile Asp His Asn Leu 215 Ile Ile Lys Gln Ala Arg Leu Ser Asp Thr Ala Asn Tyr Thr Cys Val 230 235 Ala Lys Asn Ile Val Ala Lys Arg Lys Ser Thr Thr Ala Thr Val Ile Val Tyr Val Asn Gly Gly Trp Ser Thr Trp Thr Glu Trp Ser Val Cys 265 Asn Ser Arg Cys Gly Arg Gly Tyr Gln Lys Arg Thr Arg Thr Cys Thr 275 Asn Pro Ala Pro Leu Asn Gly Gly Ala Phe Cys Glu Gly Gln Ser Val Gln Lys Ile Ala Cys Thr Thr Leu Cys Pro Val Asp Gly Arg Trp Thr 310 Pro Trp Ser Lys Trp Ser Thr Cys Gly Thr Glu Cys Thr His Trp Arg 325 Arg Arg Glu Cys Thr Ala Pro Ala Pro Lys Asn Gly Gly Lys Asp Cys 345 Asp Gly Leu Val Leu Gln Ser Lys Asn Cys Thr Asp Gly Leu Cys Met 355 360 Gln Thr Ala Pro Asp Ser Asp Val Ala Leu Tyr Val Gly Ile Val 370 375 380

WO 00/73328

11e 385	Ala	Val	Ile	Val	Cys 390	Leu	Ala	Ile	Ser	Va1 395	Val	Val	Ala	Leu	Phe 400
Val	Tyr	Arg	Lys	Asn 405	His	Arg	Asp	Phe	Glu 410	Ser	Asp	Ile	Ile	Asp 415	Ser
Ser	Ala	Leu	Asn 420	Gly	Gly	Phe	Gln	Pro 425	Val	Asn	Ile	Lys	Ala 430	Ala	Arg
Gln	qsA	Leu 435	Leu	Ala	Val	Pro	Pro 440	Asp	Leu	Thr	Ser	Ala 445	Ala	Ala	Met
Tyr	Arg 450	Gly	Pro	Val	Tyr	Ala 455	Leu	His	Asp	Val	Ser 460	Asp	Lys	Ile	Pro
Met 465	Thr	Asn	Ser	Pro	Ile 470	Leu	Asp	Pro	Leu	Pro 475	Asn	Leu	Lys	Ile	Lys 480
Val	Tyr	Asn	Thr	Ser 485	Gly	Ala	Val	Ser	Pro 490	Gln	Asp	Asp	Leu	Ser 495	Glu
Phe	Thr	Ser	Lys 500	Leu	Ser	Pro	Gln	Met 505	Thr	Gln	Ser	Leu	Leu 510	Glu	Asn
Glu	Ala	Leu 515	Ser	Leu	Lys	Asn	Gln 520	Ser	Leu	Ala	Arg	Gln 525	Thr	Asp	Pro
Ser	Cys 530	Thr	Ala	Phe	Gly	Ser 535	Phe	Asn	Ser	Leu	Gly 540	Gly	His	Leu	Ile
Val 545	Pro	Asn	Ser	Gly	Val 550	Ser	Leu	Leu	Ile	Pro 555	Ala	Gly	Ala	Ile	Pro 560
Gln	Gly	Arg	Val	Tyr 565	Glu	Met	Tyr	Val	Thr 570	Val	His	Arg	Lys	Glu 575	Thr
Met	Arg	Pro	Pro 580	Met	qzA	Asp	Ser	Gln 585	Thr	Leu	Leu	Thr	Pro 590	Val	Val
Ser	Cys	Gly 595	Pro	Pro	Gly	Ala	Leu 600	Leu	Thr	Arg	Pro	Val 605	Val	Leu	Thr
Met	His 610	His	Cys	Ala	qzA	Pro 615	Asn	Thr	Glu	Asp	Trp 620	Lys	Ile	Leu	Leu
Lys 625	Asn	Gln	Ala	Ala	Gln 630	Gly	Gln	Trp	Glu	Asp 635	Val	Val	Val	Val	Gly 640
Glu	Glu	Asn	Phe	Thr 645	Thr	Pro	Cys	Tyr	Ile 650	Lys	Leu	Asp	Ala	Glu 655	Ala
Cys	His	Ile	Leu 660	Thr	Glu	Asn	Leu	Ser 665	Thr	Tyr	Ala	Leu	Val 670	Gly	His
Ser	Thr	Thr 675		Ala	Ala	Ala	Lys 680	Arg	Leu	Lys	Leu	Ala 685	Ile	Phe	Gly

128

Pro Leu Cys Cys Ser Ser Leu Glu Tyr Ser Ile Arg Val Tyr Cys Leu 695 Asp Asp Thr Gln Asp Ala Leu Lys Glu Ile Leu His Leu Glu Arg Gln 715 Thr Gly Gly Gln Leu Leu Glu Glu Pro Lys Ala Leu His Phe Lys Gly For Thr His Ash Leu Arg Leu Ser Ile His Asp Ile Ala His Ser Leu 745 Irr Lys Ser Lys Leu Leu Ala Lys Tyr Gln Glu Ile Pro Phe Tyr His Tal Tr: Ser Gly Ser Gln Arg Asn Leu His Cys Thr Phe Thr Leu Glu Arg Fre Ser Leu Asn Thr Val Glu Leu Val Cys Lys Leu Cys Val Arg 790 Glm Val Glu Gly Glu Gly Gln Ile Phe Gln Leu Asn Cys Thr Val Ser 805 810 Glu Glu Pro Thr Gly Ile Asp Leu Pro Leu Leu Asp Pro Ala Asn Thr 825 Hie Tar Thr Val Thr Gly Pro Ser Ala Phe Ser Hie Pro Leu Pro Hie 845 Arg Gln Lys Leu Cys Ser Ser Leu Asp Ala Pro Gln Thr Arg Gly His 855 Asp Trp Arg Met Leu Ala His Lys Leu Asn Leu Asp Arg Tyr Leu Asn 870 Tyr Phe Ala Thr Lys Ser Ser Pro Thr Gly Val Ile Leu Asp Leu Trp 885 890 Glu Ala Gln Asn Phe Pro Asp Gly Asn Leu Ser Met Leu Ala Ala Val 905 Leu Glu Glu Met Gly Arg His Glu Thr Val Val Ser Leu Ala Ala Glu 920 925 Gly Gln Tyr 930

<210> 91

<220>

<sup>&</sup>lt;211> 9700

<sup>&</sup>lt;212> DNA

<sup>&</sup>lt;213> Artificial Sequence

<sup>&</sup>lt;223> Description of Artificial Sequence: plasmid
 pGC1037

<400> 91 tatggccaca ctgcaccaca gctctcccac ctctgaggcc gaggagttcg tctcccgcct 60 ctccacccag aactacttcc gctccctgcc ccgaggcacc agcaacatga cctatgggac 120 cttcaactic ctcgggggcc ggctgatgat ccctaataca ggaatcagcc tcctcatccc 180 eccagatgee atacecegag ggaagateta tgagatetae etcaegetge acaageegga 240 agacgtgagg ttgcccctag ctggctgtca gaccctgctg agtcccatcg ttagctgtgg accecetgge gteetgetea eeeggeeagt cateetgget atggaeeact gtggggagee 360 cagocotgae agotggagoo tgogootcaa aaagoagtog tgogagggoa gotgggagga 420 tgtgctgcac ctgggcgagg aggcgcctc ccacctctac tactgccagc tggaggccag 480 tgcctgctac gtcttcaccg agcagctggg ccgctttgcc ctggtgggag aggccctcag 540 cgtggctgcc gccaagcgcc tcaagctgct tctgtttgcg ccggtggcct gcacctccct 600 cgagtacaac atccgggtct actgcctgca tgacacccac gatgcactca aggaggtggt 660 gcagctggag aagcagctgg ggggacagct gatccaggag ccacgggtcc tgcacttcaa 720 ggacagttac cacaacctgc gcctatccat ccacgatgtg cccagctccc tgtggaagag 780 taagctcctt gtcagctacc aggagatccc cttttatcac atctggaatg gcacgcagcg 840 gtacttgcac tgcaccttca ccctggagcg tgtcagcccc agcactagtg acctggcctg 900 caagetgtgg gtgtggcagg tggagggcga cgggcagage ttcagcatca acttcaacat 960 caccaaggac acaaggtttg ctgagctgct ggctctggag agtgaagcgg gggtccaagc 1020 cctggtgggc cccagtgcct tcaagatccc cttcctcatt cggcagaaga taatttccag 1080 cctggaccca ccctgtaggc ggggtgccga ctggcggact ctggcccaga aactccacct 1140 ggacagccat ctcagcttct ttgcctccaa gcccagcccc acagccatga tcctcaacct 1200 gtgggaggeg eggeactice ceaaeggeaa eeteageeag etggetgeag eagtggetgg 1260 actgggccag ccagacgctg gcctcttcac agtgtcggag gctgagtgct gagtcgacct 1320 gcagccaagc taattccggg cgaatttctt atgatttatg atttttatta ttaaataagt 1380 tataaaaaaa ataagtgtat acaaatttta aagtgactct taggttttaa aacgaaaatt 1440 cttgttcttg agtaactctt tcctgtaggt caggttgctt tctcaggtat agcatgaggt 1500 cgctcttatt gaccacacct ctaccggcat gcaagcttgg cgtaatcatg gtcatagctg 1560 tttcctgtgt gaaattgtta tccgctcaca attccacaca acatacgagc cggaagcata 1620 aagtgtaaag cctggggtgc ctaatgagtg aggtaactca cattaattgc gttgcgctca 1680 ctgcccgctt tccagtcggg aaacctgtcg tgccagctgg attaatgaat cggccaacgc 1740 gcggggagag gcggtttgcg tattgggcgc tcttccgctt cctcgctcac tgactcgctg 1800 cgctcggtcg ttcggctgcg gcgagcggta tcagctcact caaaggcggt aatacggtta 1860 tccacagaat caggggataa cgcaggaaag aacatgtgag caaaaaggcca gcaaaaggcc 1920 aggaaccgta aaaaggccgc gttgctggcg tttttccata ggctccgccc ccctgacgag 1980 catcacaaaa atcgacgctc aagtcagagg tggcgaaacc cgacaggact ataaagatac 2040 caggogtttc cccctggaag ctccctcgtg cgctctcctg ttccgaccct gccgcttacc 2100 ggatacctgt ccgcctttct cccttcggga agcgttggcgc tttctcatag ctcacgctgt 2160 aggtatetea gtteggtgta ggtegttege tecaagetgg getgtgtgea egaaceece 2220 gttcagcccg accgctgcgc cttatccggt aactatcgtc ttgagtccaa cccggtaaga 2280 cacgacttat cgccactggc agcagccact ggtaacagga ttagcagagc gaggtatgta 2340 ggcggtgcta cagagttctt gaagtggtgg cctaactacg gctacactag aaggacagta 2400 tttggtatct gcgctctgct gaagccagtt accttcggaa aaagagttgg tagctcttga 2460 tccggcaaac aaaccaccgc tggtagcggt ggtttttttg tttgcaagca gcagattacg 2520 cgcagaaaaa aaggatctca agaagatcct ttgatctttt ctacggggtc tgacgctcag 2580 tggaacgaaa actcacgtta agggattttg gtcatgagat tatcaaaaag gatcttcacc 2640 tagateettt taaattaaaa atgaagtttt aaateaatet aaagtatata tgagtaaaet 2700 tggtctgaca gttaccaatg cttaatcagt gaggcaccta tctcagcgat ctgtctattt 2760 cgttcatcca tagttgcctg actccccgtc gtgtagataa ctacgatacg ggagggctta 2820 ccatctggcc ccagtgctgc aatgataccg cgagacccac gctcaccggc tccagattta 2880 tcagcaataa accagccagc cggaagggcc gagcgcagaa gtggtcctgc aactttatcc 2940 gcctccatcc agtctattaa ttgttgccgg gaagctagag taagtagttc gccagttaat 3000 agtttgcgca acgttgttgc cattgctaca ggcatcgtgg tgtcacgctc gtcgtttggt 3060 atggcttcat tcagctccgg ttcccaacga tcaaggcgag ttacatgatc ccccatgttg 3120 tgcaaaaaag cggttagctc cttcggtcct ccgatcgttg tcagaagtaa gttggccgca 3180 gtgttatcac tcatggttat ggcagcactg cataattctc ttactgtcat gccatccgta 3240 agatgetttt etgtgaetgg tgagtaetea accaagteat tetgagaata gtgtatgegg 3300 cgaccgagtt getettgeec ggegteaata egggataata eegegeeaca tageagaact 3360 ttaaaagtgc tcatcattgg aaaacgttct tcggggcgaa aactctcaag gatcttaccg 3420

ctgttgagat ccagttcgat gtaacccact cgtgcaccca actgatcttc agcatctttt 3480 actttcacca gcgtttctgg gtgagcaaaa acaggaaggc aaaatgccgc aaaaaaggga 3540 ataagggcga cacggaaatg ttgaatactc atactcttcc tttttcaata ttattgaagc 3600 atttatcagg gttattgtct catgagcgga tacatatttg aatgtattta gaaaaataaa 3660 caaatagggg ttccgcgcac atttccccga aaagtgccac ctgaacgaag catctgtgct 3720 tcattttgta gaacaaaaat gcaacgcgag agcgctaatt tttcaaacaa agaatctgag 3780 ctgcattttt acagaacaga aatgcaacgc gaaagcgcta ttttaccaac gaagaatctg 3840 tgcttcattt ttgtaaaaca aaaatgcaac gcgagagcgc taatttttca aacaaagaat 3900 ctgagctgca tttttacaga acagaaatgc aacgcgagag cgctatttta ccaacaaaga 3960 atctatactt cttttttgtt ctacaaaaat gcatcccgag agcgctattt ttctaacaaa 4020 gcatcttaga tracttttt teteettigt gegetetata atgeagtete tigataaett 4080 tttgcactgt aggtccgtta aggttagaag aaggctactt tggtgtctat tttctcttcc 4140 ataaaaaaag cctgactcca cttcccgcgt ttactgatta ctagcgaagc tgcgggtgca 4200 ttttttcaag ataaaggcat ccccgattat attctatacc gatgtggatt gcgcatactt 4260 tgtgaacaga aagtgatagc gttgatgatt cttcattggt cagaaaatta tgaacggttt 4320 cttctatttt gtctctatat actacgtata ggaaatgttt acattttcgt attgttttcg 4380 attcactcta tgaatagttc ttactacaat ttttttgtct aaagagtaat actagagata 4440 aacataaaaa atgtagaggt cgagtttaga tgcaagttca aggagcgaaa ggtggatggg 4500 taggttatat agggatatag cacagagata tatagcaaag agatactttt gagcaatgtt 4560 tgtggaagcg gtattcgcaa tattttagta gctcgttaca gtccggtgcg tttttggttt 4620 tttgaaagtg cgtcttcaga gcgcttttgg ttttcaaaag cgctctgaag ttcctatact 4680 ttctagagaa taggaacttc ggaataggaa cttcaaagcg tttccgaaaa cgagcgcttc 4740 cgaaaatgca acgcgagctg cgcacataca gctcactgtt cacgtcgcac ctatatctgc 4800 gtgttgcctg tatatata tacatgagaa gaacggcata gtgcgtgttt atgcttaaat 4860 gcgtacttat atgcgtctat ttatgtagga tgaaaggtag tctagtacct cctgtgatat 4920 tateceatte catgeggggt ategratget teetteagea etaceettta getgttetat 4980 atgctgccac tectcaattg gattagtete atectteaat getateattt cetttgatat 5040 tggatcatat taagaaacca ttattatcat gacattaacc tataaaaata ggcgtatcac 5100 gaggcccttt cgtctcgcgc gtttcggtga tgacggtgaa aacctctgac acatgcagct 5160 cccggagacg gtcacagctt gtctgtaagc ggatgccggg agcagacaag cccgtcaggg 5220 cgcgtcagcg ggtgttggcg ggtgtcgggg ctggcttaac tatgcggcat cagagcagat 5280 aatagacage ategtaatat atgtgtaett tgeagttatg aegeeagatg geagtagtgg 5400 aagatattot ttattgaaaa atagottgto acottacgta caatottgat coggagottt 5460 tctttttttg ccgattaaga attaattcgg tcgaaaaaag aaaaggagag ggccaagagg 5520 gagggcattg gtgactattg agcacgtgag tatacgtgat taagcacaca aaggcagctt 5580 ggagtatgtc tgttattaat ttcacaggta gttctggtcc attggtgaaa gtttgcggct 5640 tgcagagcac agaggccgca gaatgtgctc tagattccga tgctgacttg ctgggtatta 5700 tatgtgtgcc caatagaaag agaacaattg acccggttat tgcaaggaaa atttcaagtc 5760 ttgtaaaagc atataaaaat agttcaggca ctccgaaata cttggttggc gtgtttcgta 5820 atcaacctaa ggaggatgtt ttggctctgg tcaatgatta cggcattgat atcgtccaac 5880 tgcatggaga tgagtcgtgg caagaatacc aagagttcct cggtttgcca gttattaaaa 5940 gactegtatt tecaaaagae tgeaacatae taeteagtge agetteaeag aaaceteatt 6000 cgtttattcc cttgtttgat tcagaagcag gtgggacagg tgaacttttg gattggaact 6060 cgatttctga ctgggttgga aggcaagaga gccccgaaag cttacatttt atgttagctg 6120 gtggactgac gccagaaaat gttggtgatg cgcttagatt aaatggcgtt attggtgttg 6180 atgtaagcgg aggtgtggag acaaatggtg taaaagactc taacaaaata gcaaatttcg 6240 tcaaaaatgc taagaaatag gttattactg agtagtattt atttaagtat tgtttgtgca 6300 cttgccgatc tatgcggtgt gaaataccgc acagatgcgt aaggagaaaa taccgcatca 6360 ggaaattgta aacgttaata ttttgttaaa attcgcgtta aatttttgtt aaatcagctc 6420 attttttaac caataggccg aaatcggcaa aatcccttat aaatcaaaag aatagaccga 6480 gatagggttg agtgttgttc cagtttggaa caagagtcca ctattaaaga acgtggactc 6540 caacgtcaaa gggcgaaaaa ccgtctatca gggcgatggc ccactacgtg aaccatcacc 6600 ctaatcaagt tttttggggt cgaggtgccg taaagcacta aatcggaacc ctaaagggag 6660 cccccgattt agagcttgac ggggaaagcc ggcgaacgtg gcgagaaagg aagggaagaa 6720 agcgaaagga gcgggcgcta gggcgctggc aagtgtagcg gtcacgctgc gcgtaaccac 6780 cacaccegee gegettaatg egeegetaea gggegegteg egeeattege catteagget 6840 gcgcaactgt tgggaagggc gatcggtgcg ggcctcttcg ctattacgcc agctggcgaa 6900

131

```
agggggatgt gctgcaaggc gattaagttg ggtaacgcca gggttttccc aqtcacgacg 6960
ttgtaaaacg acggccagtc gtccaagctt tcgcgagctc gagatcccga gctttgcaaa 7020
ttaaagcett egagegteee aaaacettet caagcaaggt ttteagtata atgttacatg 7080
cgtacacgcg totgtacaga aaaaaaaqaa aaatttgaaa tataaataac qttottaata 7140
ctaacataac tataaaaaaa taaataggga cctagacttc aggttgtcta actccttcct 7200
tttcggttag agcggatgtg gggggagggc gtgaatgtaa gcgtgacata actaattaca 7260
igatatogae aaaggaaaag gggeetgtti acteacagge tittiteaag taggtaatta 7320
agtogittot giotititos ticticaaco caccaaaggo catotiggia cittititi 7380
coordinate terreterial electrones relationed terreterial terreterial 7440
titttttttt tttttttt tttttcatag aaataataca gaagtagatg ttgaattaga 7500
ttaaaactgaa gatatataat ttattggaaa atacatagag ctttttgttg atgegettaa 7560
gagateaatt caacaacace accageaget etgatttttt etteageeaa ettggagaeg 7620
distotagett tgacgataac tggaacattt ggaattetae eettaeeeaa gatettaeeg 7680
taaccagety ccaaagtyte aataactyya yeayttteet tagaayeaya ttteaaytat 7740
tratetetet tgtettetgg gateaatgte cacaatttgt ceaagtteaa gaetggette 7800
sugaaatgag cttgttgctt gtggaagtat ctcataccaa neettaccga aataacctgg 7860
eiggtattta tocatgttaa ttotgtggtg atgttgacca coggocatac ototaccaco 7920
qqqqtqcttt ctgtgcttac cgatacgacc tttaccggct gagacgtgac ctctgtgctt 7980
totagtotta gtgaatotgg aaggoattot tgattagttg gatgattgtt otgggattta 8040
atgcaaaaaa atcactaaga aggaaaaaaa tcaacggaga aagcaaacgc catcttaaat 8100
stacgggata cagatgaaag gtttgaacct atctgggaaa atacgcatta aacaagcgaa 8160
asactgcgag gaaaattgtt tgcgtctctg cgggctattc acgcgccaga ggaaaatagg 8220
aaaaataaca gggcattaga aaaataattt tgatttttggt aatgtgtggg tccctggtgt 8280
acagatgita cattggttac agtactettg titttgetgt gittitegat gaateteeaa 8340
aatggttgtt agcacatgga agagtcaccg atgctaagtt atctctatgt aagctacgtg 8400
gogtgacttt tgatgaagcc gcacaagaga tacaggattg gcaactgcaa atagaatctg 8460
gggatctaga tatcettttg ttgtttccgg gtgtacaata tggactteet ettttctgge 8520
aaccaaaccc atacatcggg attoctataa taccttcgtt ggtctcccta acatgtaggt 8580
ggcggagggg agatatacaa tagaacagat accagacaag acataatggg ctaaacaaga 8640
ctacaccaat tacactgcct cattgatggt ggtacataac gaactaatac tgtagcccta 8700
gactigatag ccatcatcat atcgaagtti cactaccett titccattig ccatciatig 8760
aagtaataat aggcgcatgc aacttetttt etttttttt ettttetete teeecegttg 8820
ttgtctcacc atatccqcaa tqacaaaaaa aatqatqqaa qacactaaaq qaaaaaatta 8880
acgacaaaga cagcaccaac agatgtcqtt gttccagagc tgatgagggg tatcttcgaa 8940
cacacgaaac tttttccttc cttcattcac qcacactact ctctaatgag caacggtata 9000
eggeetteet tecagitaet tgaattigaa ataaaaaaag titgeegett tgetateaag 9060
tataaataga cotgoaatta traatotttt gtttootogt cattgttoto gttooottto 9120
ttccttgttt ctttttctgc acaatatttc aagctatacc aagcatacaa tcaactccaa 9180
gettgaagea ageeteetga aagatgaage taetgtette tategaacaa geatgegata 9240
tttgccgact taaaaaqctc aagtgctcca aaqaaaaacc qaagtgcgcc aagtgtctga 9300
agaacaactg ggagtgtcgc tactctccca aaaccaaaag gtctccgctg actagggcac 9360
atctgacaga agtggaatca aggctagaaa gactggaaca gctatttcta ctgatttttc 9420
ctcgagaaga ccttgacatg attttgaaaa tggattcttt acaggatata aaagcattgt 9480
taacaggatt atttgtacaa gataatgtga ataaagatgc cgtcacagat agattggctt 9540
cagtggagac tgatatgcct ctaacattga gacagcatag aataagtgcg acatcatcat 9600
cggaagagag tagtaacaaa ggtcaaagac agttgactgt atcgccggaa ttcatggctt 9660
acccatacga tgttccagat tacgctagct tgggtggtca
                                                                   9700
```

<210> 92

<211> 9749

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: plasmid pGC1003

<400> 92

agaatctggg gatctagata teettttgtt gttteegggt gtacaatatg gaetteetet 60 tttctggcaa ccaaacccat acatcgggat tcctataata ccttcgttgg tctccctaac 120 atgtaggtgg cggaggggag atatacaata gaacagatac cagacaagac ataatgggct 180 aaacaagact acaccaatta cactgcctca ttgatggtgg tacataacga actaatactg 240 tagccctaga cttgatagcc atcatcatat cgaagtttca ctaccctttt tccatttgcc 300 atctattgaa gtaataatag gcgcatgcaa cttcttttct tttttttct tttctctctc 360 ccccgttgtt gtctcaccat atccgcaatg acaaaaaaaa tgatggaaga cactaaagga 420 aaaaattaac gacaaagaca gcaccaacag atgtcgttgt tccagagctg atgaggggta 480 tottogaaca cacgaaactt tttoottoot toattoacgo acactactot otaatgagoa 540 acggtatacg gccttccttc cagttacttg aatttgaaat aaaaaaagtt tgccgctttg 600 ctatcaagta taaatagacc tgcaattatt aatcttttgt ttcctcgtca ttgttctcgt 660 tccctttctt ccttgtttct ttttctgcac aatatttcaa gctataccaa gcatacaatc 720 aactccaagc ttgaagcaag cctcctgaaa gatgaagcta ctgtcttcta tcgaacaagc 780 atgcgatatt tgccgactta aaaagctcaa gtgctccaaa gaaaaaccga agtgcgccaa 840 gtgtctgaag aacaactggg agtgtcgcta ctctcccaaa accaaaaggt ctccgctgac 900 tagggcacat ctgacagaag tggaatcaag gctagaaaga ctggaacagc tatttctact 960 gatttttcct cgagaagacc ttgacatgat tttgaaaatg gattctttac aggatataaa 1020 agcattgtta acaggattat ttgtacaaga taatgtgaat aaagatgccg tcacagatag 1080 attggcttca gtggagactg atatgcctct aacattgaga cagcatagaa taagtgcgac 1140 atcatcatcg gaagagata gtaacaaagg tcaaagacag ttgactgtat cgccggaatt 1200 catggcttac ccatacgatg ttccagatta cgctagcttg ggtggtcata tggccatgga 1260 gtgctgtaaa cgtggcaatt caaaaaagtc gaaaccattg aaaccgcaga aaatgaattc 1320 ggaaaaagca ggaggaatct actattctga gcctccaggt gttcgaagat tacttttgga 1380 gcatcaacat ggaacattgc tcggagagaa aatatcatcg tgttctcaat attttgagcc 1440 tecteeteta ecacatteaa caactetteg atetggaaaa agtgeattea gtggatatte 1500 ttcaacaaga aacgctggct cacgagctgc tttaattcaa gaatgtagtt cgagtagttc 1560 aggatctggt ggaaaacgga caatgcttag aacttcaagc tcaaattgct cggatgacga 1620 taattatgct acgttatatg attatatgga agacaagagt gttcttggat tagacacttc 1680 acaaaatatt gttgctgcgc agattgatag caatggagca cgattgtctt tatcaaaaag 1740 tggagcaaga ttaattgtac ctgaattggc agtggaagga gagaaaatgc tttatctggc 1800 tgtttcggac accttaacag atcaacctca cctcaaacca atcgaatccg ctctctcccc 1860 agtcatcgtc atcggacaat gtgatgtttc aatgtcagct catgataata ttctccgtcg 1920 tcctgttgtt gtatccttcc gtcattgtgc ttcaactttt ccacgtgaca attggcaatt 1980 cttgaatacc aacatgtttg tacaattcga gcaacctggg aagaagaatg atggatttgg 2100 atggtgccac gttatgacat attccttagc gaggttaatg ctagctggtc atccgaggag 2160 aaattetttg agtgetgeaa aaagagttea tttagetgta tttggteeaa etgaaatgte 2220 agcttatcga agaccatttg aattgagagt ttattgtgtt cctgaaactg gagcagcaat 2280 ggaaagtgta tggaaacagg aagatggatc tcgtctactt tgtgaatcaa atgattttat 2340 tttaaatgaa aaaggaaatc tttgcatttg tattgaagat gttattcctg gattctcatg 2400 ccttcattgc tcattgaaat tccgaccaaa ggaaatcaac ggctcacagt tttcaacgag 2520 agtaattgtc tatcaaaagg caagctcaac ggagccaatg gtgatggaag tgagcaatga 2580 gccggagctc tatgatgcag ccccggggcg tcgacctgca gccaagctaa ttccgggcga 2640 aattttaaag tgactcttag gttttaaaac gaaaattctt gttcttgagt aactctttcc 2760 tgtaggtcag gttgctttct caggtatagc atgaggtcgc tcttattgac cacacctcta 2820 ccggcatgca agcttggcgt aatcatggtc atagctgttt cctgtgtgaa attgttatcc 2880 gctcacaatt ccacacaaca tacgagccgg aagcataaag tgtaaagcct ggggtgccta 2940 atgagtgagg taactcacat taattgcgtt gcgctcactg cccgctttcc agtcgggaaa 3000 cctgtcgtgc cagctggatt aatgaatcgg ccaacgcgcg gggagaggcg gtttgcgtat 3060 tgggcgctct tccgcttcct cgctcactga ctcgctgcgc tcggtcgttc ggctgcggcg 3120 agcggtatca gctcactcaa aggcggtaat acggttatcc acagaatcag gggataacgc 3180 aggaaagaac atgtgagcaa aaggccagca aaaggccagg aaccgtaaaa aggccgcgtt 3240 gctggcgttt ttccataggc tccgccccc tgacgagcat cacaaaaatc gacgctcaag 3300 tcagaggtgg cgaaacccga caggactata aagataccag gcgtttcccc ctggaagctc 3360 cctcgtgcgc tctcctgttc cgaccctgcc gcttaccgga tacctgtccg cctttctccc 3420 ttcgggaagc gtggcgcttt ctcatagctc acgctgtagg tatctcagtt cggtgtaggt 3480

egttegetee aagetggget gtgtgeaega acceeegtt eageeegaee getgegeett 3540 atcoggtaac tatogtottg agtocaacco ggtaagacac gacttatogo cactggoago 3600 agccactggt aacaggatta gcagagcgag gtatgtaggc ggtgctacag agttcttgaa 3660 gtggtggcct aactacggct acactagaag gacagtattt ggtatctgcg ctctgctgaa 3720 gecagttace tteggaaaaa gagttggtag etettgatee ggeaaacaaa eeacegetgg 3780 tagcggtggt ttttttgttt gcaagcagca gattacgcgc agaaaaaaag gatctcaaga 3840 agateettig atetitieta eggggietga egeteagigg aaegaaaaet eaegitaagg 3900 gattttggtc atgagattat caaaaaggat cttcacctag atccttttaa attaaaaatg 3960 aagttttaaa tcaatctaaa gtatatatga gtaaacttgg tctgacagtt accaatgctt 4020 aatcagtgag gcacctatct cagcgatctg tctatttcgt tcatccatag ttgcctgact 4080 eccegtegtg tagataacta egataeggga gggettaeca tetggeecea gtgetgeaat 4140 gatacegega gacecaeget caeeggetee agatttatea geaataaaee ageeageegg 4200 aagggccgag cgcagaagtg gtcctgcaac tttatccgcc tccatccagt ctattaattg 4260 ttgccgggaa gctagagtaa gtagttcgcc agttaatagt ttgcgcaacg ttgttgccat 4320 tgctacaggc atcgtggtgt cacgctcgtc gtttggtatg gcttcattca gctccggttc 4380 ccaacgatca aggcgagtta catgatcccc catgttgtgc aaaaaagcgg ttagctcctt 4440 eggteeteeg ategttgtea gaagtaagtt ggeegeagtg ttateactea tggttatgge 4500 agcactgcat aattetetta etgteatgee ateegtaaga tgettttetg tgaetggtga 4560 gtactcaacc aagtcattct gagaatagtg tatgcggcga ccgagttgct cttgcccggc 4620 gtcaatacgg gataataccg cgccacatag cagaacttta aaagtgctca tcattggaaa 4680 acgttcttcg gggcgaaaac tctcaaggat cttaccgctg ttgagatcca gttcgatgta 4740 acceaetegt geaeceaact gatetteage atettttaet tteaecageg tttetgggtg 4800 agcaaaaaca ggaaggcaaa atgccgcaaa aaagggaata agggcgacac ggaaatgttg 4860 aatactcata ctcttccttt ttcaatatta ttgaagcatt tatcagggtt attgtctcat 4920 gagcggatac atatttgaat qtatttaqaa aaataaacaa ataggggttc cqcqcacatt 4980 tccccgaaaa gtgccacctg aacgaagcat ctgtgcttca ttttgtagaa caaaaatgca 5040 acgcgagage getaattttt caaacaaaga atetgagetg catttttaca gaacagaaat 5100 gcaacgcgaa agcgctattt taccaacgaa gaatctgtgc ttcatttttg taaaacaaaa 5160 atgcaacgcg agagcgctaa tttttcaaac aaagaatctg agctgcattt ttacagaaca 5220 gaaatgcaac gcgagagcgc tattttacca acaaagaatc tatacttctt ttttgttcta 5280 caaaaatgca tcccgagagc gctatttttc taacaaagca tcttagatta ctttttttct 5340 ectttgtgeg etetataatg cagtetettg ataacttttt geaetgtagg teegttaagg 5400 ttagaagaag gctactttgg tgtctatttt ctcttccata aaaaaagcct gactccactt 5460 eccgcgttta etgattacta gegaagetge gggtgeattt ttteaagata aaggeateee 5520 cgattatatt ctataccgat gtggattgcg catactttgt gaacagaaag tgatagcgtt 5580 gatgattett eattggteag aaaattatga aeggtttett etattttgte tetatataet 5640 acgtatagga aatgtttaca ttttcgtatt gttttcgatt cactctatga atagttctta 5700 ctacaatttt tttgtctaaa gagtaatact agagataaac ataaaaaatg tagaggtcga 5760 gtttagatgc aagttcaagg agcgaaaggt ggatgggtag gttatatagg gatatagcac 5820 agagatatat agcaaagaga tacttttgag caatgtttgt ggaagcggta ttcgcaatat 5880 tttagtaget egttacagte eggtgegttt ttggtttttt gaaagtgegt etteagageg 5940 cttttggttt tcaaaagcgc tctgaagttc ctatactttc tagagaatag gaacttcgga 6000 ataggaactt caaagcgttt ccgaaaacga gcgcttccga aaatgcaacg cgagctgcgc 6060 acatacaget cactgiteae giegeaecta tateigegig tigeeigtat atatatatae 6120 atgagaagaa cggcatagtg cgtgtttatg cttaaatgcg tacttatatg cgtctattta 6180 tgtaggatga aaggtagtet agtaceteet gtgatattat eccatteeat geggggtate 6240 gtatgcttcc ttcagcacta ccctttagct gttctatatg ctgccactcc tcaattggat 6300 tagteteate etteaatget ateattteet tigatatigg ateatattaa gaaaceatta 6360 ttatcatgac attaacctat aaaaataggc gtatcacgag gccctttcgt ctcgcgcgtt 6420 teggtgatga eggtgaaaac etetgaeaca tgeageteee ggagaeggte acagettgte 6480 tgtaagcgga tgccgggagc agacaagccc gtcagggcgc gtcagcgggt gttggcgggt 6540 gtcggggctg gcttaactat gcggcatcag agcagattgt actgagagtg caccatagat 6600 caacgacatt actatata taatatagga agcatttaat agacagcatc gtaatatatg 6660 tgtactttgc agttatgacg ccagatggca gtagtggaag atattcttta ttgaaaaata 6720 gettgteace ttaegtaeaa tettgateeg gagettttet ttttttgeeg attaagaatt 6780 aattcggtcg aaaaaagaaa aggagagggc caagagggag ggcattggtg actattgagc 6840 acgtgagtat acgtgattaa gcacacaaag gcagcttgga gtatgtctgt tattaatttc 6900 acaggtagtt ctggtccatt ggtgaaagtt tgcggcttgc agagcacaga ggccgcagaa 6960

```
tgtgctctag attccgatgc tgacttgctg ggtattatat gtgtgcccaa tagaaaqaqa 7020
acaattgacc cggttattgc aaggaaaatt tcaagtcttg taaaagcata taaaaatagt 7080
teaggeacte egaaataett ggttggegtg tttegtaate aacetaagga ggatgttttg 7140
gctctggtca atgattacgg cattgatatc gtccaactgc atggagatga gtcgtggcaa 7200
gaataccaag agttcctcgg tttgccagtt attaaaagac tcgtatttcc aaaagactgc 7260
aacatactac tcagtgcagc ttcacagaaa cctcattcgt ttattccctt gtttgattca 7320
gaagcaggtg ggacaggtga acttttggat tggaactcga tttctgactg ggttggaagg 7380
caagagagee eegaaagett acattttatg ttagetggtg gaetgaegee agaaaatgtt 7440
ggtgatgcgc ttagattaaa tggcgttatt ggtgttgatg taagcggagg tgtggagaca 7500
aatggtgtaa aagactctaa caaaatagca aatttcgtca aaaatgctaa gaaataggtt 7560
attactgagt agtatttatt taagtattgt ttgtgcactt gccgatctat gcggtgtgaa 7620
ataccgcaca gatgcgtaag gagaaaatac cgcatcagga aattgtaaac gttaatattt 7680
tgttaaaatt cgcgttaaat ttttgttaaa tcagctcatt ttttaaccaa taggccgaaa 7740
tcggcaaaat cccttataaa tcaaaagaat agaccgagat agggttgagt gttgttccag 7800
tttggaacaa gagtccacta ttaaagaacg tggactccaa cgtcaaaggg cgaaaaaccg 7860
tetateaggg egatggeeca etaegtgaae eateaeceta ateaagtttt ttggggtega 7920
ggtgccgtaa agcactaaat cggaacccta aagggagccc ccgatttaqa gcttgacqqg 7980
gaaagccggc gaacgtggcg agaaaggaag ggaagaaagc gaaaggagcg ggcqctaggg 8040
cgctggcaag tgtagcggtc acgctgcgcg taaccaccac acccqccqcq cttaatqcqc 8100
cgctacaggg cgcgtcgcgc cattcgccat tcaggctgcg caactgttgg gaagggcqat 8160
cggtgcgggc ctcttcgcta ttacgccagc tggcgaaagg gggatgtgct gcaagqcgat 8220
taagttgggt aacgccaggg ttttcccagt cacgacgttg taaaacgacg gccagtcgtc 8280
caagettteg egagetegag atceegaget ttgcaaatta aageettega gegteecaaa 8340
accttctcaa gcaaggtttt cagtataatg ttacatgcgt acacgcgtct gtacagaaaa 8400
aaaagaaaaa tttgaaatat aaataacgtt cttaatacta acataactat aaaaaaataa 8460
atagggacct agacttcagg ttgtctaact ccttcctttt cggttagagc qgatgtgqqq 8520
ggagggcgtg aatgtaagcg tgacataact aattacatga tatcgacaaa ggaaaagggg 8580
cctgtttact cacaggettt tttcaagtag gtaattaagt cgtttctgtc tttttccttc 8640
ttcatagaaa taatacagaa gtagatgttg aattagatta aactgaagat atataattta 8820
ttggaaaata catagagett tttgttgatg egettaageg ateaatteaa caacaccace 8880
agcagetetg attititett eagceaacti ggagaegaat etagetitga egataactgg 8940
aacatttgga attctaccct tacccaagat cttaccgtaa ccggctgcca aagtgtcaat 9000
aactggagca gtttccttag aagcagattt caagtattgg tctctcttgt cttctgggat 9060
caatgtccac aatttgtcca agttcaagac tggcttccag aaatgagctt gttgcttgtg 9120
gaagtatctc ataccaance ttaccgaaat aacctggatg gtatttatcc atgttaattc 9180
tgtggtgatg ttgaccaccg gccatacctc taccaccggg gtgctttctg tgcttaccga 9240
tacgacettt accggetgag acgtgacete tgtgetttet agtettagtg aatetggaag 9300
gcattettga ttagttggat gattgttetg ggatttaatg caaaaaaate actaagaagg 9360
aaaaaaatca acggagaaag caaacgccat cttaaatata cgggatacag atgaaaggtt 9420
tgaacctatc tgggaaaata cgcattaaac aagcgaaaaa ctgcgaggaa aattgtttgc 9480
gtctctgcgg gctattcacg cgccagagga aaataggaaa aataacaggg cattagaaaa 9540
ataattttga ttttggtaat gtgtgggtcc ctggtgtaca gatgttacat tggttacagt 9600
acticttgttt ttgctgtgtt tttcgatgaa tctccaaaat ggttgttagc acatggaaga 9660
gtcaccgatg ctaagttatc tctatgtaag ctacgtggcg tgacttttga tgaagccgca 9720
caagagatac aggattggca actgcaaat
                                                               9749
```

```
<210> 93
```

```
Met Ile Leu Arg His Phe Gly Phe Ile Leu Ile Ile Leu Thr Val Tyr 1 5 10 15
```

Leu Ser Ser Thr His Ala Thr Thr Arg Lys His His Arg Arg Ser Ile

<sup>&</sup>lt;211> 1415

<sup>&</sup>lt;212> PRT

<sup>&</sup>lt;213> Caenorhabditis elegans

<sup>&</sup>lt;400> 93

135

20 25

30 Asp Asn Asp Ala Arg Asn Leu Gly Phe Gln Phe Val Met Glu Pro Arg Arg Asn Val Thr Val Met Glu Ser Ser Ser His Leu Leu Glu Cys Ser Tyr Val Leu Ala His Glu Arg Leu Val His Asp Val Arg Ile Glu Trp Lys Arg Asp Gly Val Leu Leu Ser Glu Arg Thr Ser Ser Arg Ile Lys Val Met Ser Asn Gly Ser Leu Trp Ile Glu Ser Val Ser Ser Ala Glu 105 Glu Gly Thr Tyr Gln Cys Ala Val His Val Thr Thr Lys Ser Asp Gln Thr Ser Asp Thr Trp Thr Phe Leu Ser Arg Lys Ala Thr Leu Arg Leu 135 Ala Asp Leu Ala Lys Phe Glu Leu Gln Ala Ile Asp Arg Thr Leu Ala 145 Lys Gly Gln Pro Thr Ala Phe His Cys Leu Ile Asn Ser Lys Pro Thr 165 Pro Thr Ala Val Trp Leu His Asn Asp Glu Pro Ile Val Asn Gly Gly 185 Glu Tyr His Ile Leu Pro Val Ser Asn Thr Leu Glu Ile Ser Ser Thr Gln Ser Arg His Glu Gly Thr Tyr Arg Cys Thr Val Glu Gly Ala Gly 215 220 Lys Arg Arg Ser Ser Gln Thr Ala Arg Leu Thr Val Thr Thr Glu Thr 225 230 235 Val Ser Asn Glu Leu Val Phe Ile Thr Thr Pro Arg Leu Gln Val Val Glu Gln Gly Asp Glu Phe Leu Leu Glu Cys Leu Val Ala Ser Leu Ile 265 Arg Pro Gln Val Arg Trp Leu Lys Asp Ser Arg Gln Ile Ile Val Asp 275 Gly Val Arg Ile Arg Arg Val Gly Val Ser Ser Ile Leu Val Ser Arg Ala Ser Ile Glu Asp Thr Gly Leu Tyr Thr Cys Arg Ala Ser Asn Asn 305 310 315 Asp Asp Ser Ile Asp Arg Ala Val Ser Val Glu Val Arg Ala Pro Pro 325 330 335

Arg	Ile	Thr	Thr 340	Arg	Pro	Thr	Thr	Lys 345	Val	Ala	Val	Glu	Thr 350	Ala	Asp
Val	Glu	Leu 355	Glu	Cys	Gly	Thr	Ala 360	Ala	Ala	Arg	Pro	Glu 365	Ala	Arg	Val
Asn	Trp 370	Tyr	Lys	Asn	Gly	Glu 375	Ala	Ile	Ile	Gly	Ser 380	Glu	Tyr	Phe	Val
Ile 385	Glu	Pro	Asn	Arg	Leu 390	Arg	Ile	Leu	Gly	Val 395	Val	Arg	Ala	Asp	Gln 400
Ala	Ile	Tyr	Gln	Cys 405	Ile	Ala	Glu	Asn	Asp 410	Val	Gly	Ser	Glu	Gln 415	Ala
Ser	Ala	Gln	Leu 420	Leu	Val	Asp	Ala	Pro 425	Asp	Ser	Ser	Ser	Val 430	Ala	Ala
Ser	Ser	Gly 435	Val	Pro	Met	Thr	Ser 440	Ser	Ala	Pro	Leu	Gly 445	Leu	Arg	Ser
Thr	Ser 450	Ser	Gly	Ser	Arg	Phe 455	Ile	Asn	Val	Glu	Trp 460	Asp	Pro	Pro	Val
Gln 465	Arg	Asn	Gly	Asn	Ile 470	Met	Arg	Tyr	His	Ile 475	Phe	Tyr	Lys	Asp	Asn 480
Leu	Ile	Asp	Arg	Glu 485	Arg	Met	Ile	Asn	Ser 490	Ser	Ser	Thr	Ser	Ala 495	Thr
Leu	Thr	Ser	Leu 500	Gln	Pro	Ser	Thr	Met 505	Tyr	Leu	Ile	Arg	Val 510	Thr	Ala
Glu	Asn	Glu 515	Ala	Gly	Met	Gly	Lys 520	Phe	Ser	Asp	Ser	Leu 525	Lys	Val	Thr
Thr	Asn 530	Lys	Glu	Gln	Ala	Val 535	Pro	Gly	Lys	Val	Ala 540	Ser	Leu	Thr	Thr
Thr 545	Ala	Thr	Gly	Pro	Glu 550	Thr	Ile	Asp	Ile	Arg 555	Trp	Ser	Pro	Pro	Ser 560
Gly	Gly	Gln	Pro	Ala 565	Leu	Arg	Tyr	Lys	Ile 570	Phe	Tyr	Ser	His	Asp 575	Pro
Leu	Glu	Lys	Asn 580	Glu	Lys	Glu	Thr	Leu 585	Ile	Thr	Thr	Ser	Thr 590	Thr	His
Tyr	Thr	Leu 595	His	Gly	Met	Asp	Lys 600	Tyr	Thr	Gly	Tyr	Gln 605	Ile	Arg	Ile
Glu	Ala 610	Glu	Gly	Ser	Asn	Gly 615	Ser	Gly	Leu	Ser	Ser 620	Asp	Thr	Val	Lys
Val 625	Arg	Thr	Gln	Ser	Asp 630	Glu	Pro	Ser	Ala	Pro 635	Pro	Val	Asn	Ile	Gln 640

137 Ala Glu Ala Asp Ser Ser Thr Ser Val Arg Val Ser Trp Asp Glu Pro Glu Glu Glu Ser Val Asn Gly Glu Ile Thr Gly Tyr Arg Leu Lys Tyr 665 Lys Thr Lys Ala Arg Gly Ala Lys Gly Asn Thr Leu Val Ile Asp Ala Thr Ala Arg Glu Tyr Thr Met Gly Asn Leu Glu Pro Asn Thr Gln Tyr 695 Leu Ile Arg Met Ala Val Val Asn His Asn Gly Thr Gly Pro Phe Ser 710 Asp Trp Val Ser Ile Asp Thr Pro Gly Gln Asp Lys Glu Glu Arg Thr Leu Gly Ala Pro Arg Glu Ile Arg Pro His Ala Gly Ile Asp Tyr Ile Leu Val Ser Trp Leu Pro Pro Ala Asp Glu Gln Asn Leu Val Arg Gly 755 Tyr Gln Ile Gly Trp Gly Leu Ser Val Pro Asp Thr Glu Thr Ile Arg 775 Val Thr Ala Ser Thr Thr Gln Tyr Lys Ile Ala Arg Leu His Ser Glu Arg Asp Tyr Val Ile Ser Leu Arg Ala Phe Asn Asn Leu Gly Ser Gly Phe Pro Ile Tyr Glu Thr Val Arg Thr Leu Ser Arg Glu Thr Pro Ser His Phe Asn Glu Asp Ser Asp Ser Asp Ser Asp Val Gly Ser Ser 835 840 845 Glu Ser Thr Pro Val Gly Val Arg Ala Glu Ala Ile Ser Ala Thr Ser Ile Arg Val Met Trp Thr Glu Ser Asp Glu Thr Ala Phe Asn Thr Gln 870 Tyr Thr Val Arg Tyr Ser Thr Ala Val Asp Gly Asn Gln His Arg Tyr Val Asn Ser Thr Glu Thr Trp Ala Thr Val Glu Gly Leu Arg Pro Ala Thr Glu Tyr Glu Phe Ala Val Arg Ala Val Ala Ser Asn Gly Gln Leu 915 920 Ser Thr Trp Ser Met Ala Thr Arg Asn Arg Thr Leu Ala Ala Pro Pro 935 Ser Ser Ala Pro Arg Asp Leu Thr Val Leu Pro Ala Glu Ser Gly Asp

Pro His Ser Ser Ser Leu His Trp Gln Pro Pro Lys Tyr Ser Asn Gly Glu Ile Glu Glu Tyr Leu Val Phe Tyr Thr Asp Arg Ala Ser Leu Ala Asp Lys Asp Trp Thr Ile Asn Tyr Val Ala Gly Asp Lys Leu Ser His Gln Val Ser Asn Leu Leu Pro Lys Ala Asn Tyr Phe Phe Lys Ile Gln Ala Arg Asn Glu Lys Gly His Gly Pro Phe Ser Ser Val Val Gly Tyr Thr Pro Ser Gly Gly Ala Ile Leu Ser Gly Lys Asp Arg His Asn Ala Arg Gly His Gly Ser Ala Ala Ser Gly Asp Thr Val Ser Leu Val Asp Gln Leu Gln Ser Leu Leu His Ser Asn Pro Leu Tyr Leu Ile Leu Leu Ala Ala Phe Ala Leu Ile Leu Ile Leu Thr Leu Ile Leu Ile Met Cys Cys Trp Lys Arg Ser Ser Gly Gly Gly Arg Lys Asn Gly Tyr Gln Ser Gly Lys Lys Thr Ser Ala Gly Ala Gly Ser Gly Gly Ile Gly Gly Leu Gly Gly Pro Pro Asn Asp Leu Trp Ile Asn Gly Thr Gly Ser His Met Arg Ala Gly Ala Ser Asp Tyr Met Val Asp Gly Leu Ala Thr Ala His Leu Thr Ala Ala Asp Ile Glu Ser Pro Thr Pro Arg Tyr His His Leu Gln Gly Gln Gly Thr Leu Thr Arg Ser Tyr His Gln Ser Ser Gln Ser Leu Glu Gly Arg Gln Arg Thr Pro Gln Val Val Tyr Thr Gly Thr Gly Arg His Gln Pro Ile Gln Arg Ile Asp Phe Glu Ser Pro Tyr 

Gly Ser Ser Ser Ala Ile Gly Ser Ala Ser Thr Pro Pro Leu Pro Met

Gln Ala Pro Pro Ser Gly Pro Pro Thr Val Ile Asp Gly Tyr Arg Thr

139

Leu Arg Gly Thr Pro Pro Asn Ser Ser Ala Ala Asn Ala Leu Arg Ser 1265 1270 1275 1280

Phe Thr Gln Leu Ala Gly Ala Thr Pro Pro Pro Pro His Ser Ala Ala 1285 1290 1295

Ser Ser Ser Ser Arg Pro Thr Ile Ile Ala Ala Gly Gly Arg Gln Val 1300 1305 1310

Pro Val Gly Arg Ala Thr Ala Gln Pro Arg Val Asn Val Ala Asn Ile 1315 1320 1325

Tyr Ser Pro Phe Ala Ser Cys Ser Ala Ser Ser Asp Ala Gly Glu Ser 1330 1335 1340

Asp Lys Lys Ser Gly Glu Cys Met Glu Met Arg Glu Thr Thr Pro Ile 1345 1350 1355 1360

Lys Ser Asn Thr Ala Gly Ser Ser Asn Gly Glu Lys Met Asn Thr Asn 1365 1370 1375

Met Asn Pro Ser His Ser Ala Glu Asp Leu Asn Ala His Leu Glu Asn 1380 1385 1390

Leu Asp Thr Met Leu Asp Asp Leu Gln Gln Leu Gln His Asn Leu His 1395 1400 1405

Phe Glu Thr Ser Met Asp Lys 1410 1415

<210> 94

<211> 4248

<212> DNA

<213> Caenorhabditis elegans

<400> 94

atgattttgc gacatttcgg tttcattctt ataattctga cagtttatct gtcatctact 60 catgccacaa cacggaaaca tcatcgtcga tcgattgata atgatgctcg gaatcttggc 120 tttcaattcg taatggaacc acgacggaat gtgactgtta tggaatcatc gtctcattta 180 ttagaatgta gttatgttct ggctcatgag agacttgtac acgatgtccg aattgaatgg 240 aaacgtgatg gtgtgttgct cagtgaacgg acatcttcta gaataaaagt aatgtcaaat 300 ggttcattat ggatagaatc agtgagcagt gccgaagaag gaacatatca atgcgctgta 360 catgtgacta caaaaaqcga tcaaacaagt gatacgtgga catttttgag tcgaaaagct 420 acgttacgat tggcggattt ggcaaagttt gaactgcaag cgattgatcg aactctagca 480 aaagggcagc caactgcgtt tcattgtctt attaactcga aaccaacccc aacagcagtt 540 tggcttcaca acgatgaacc tattgtaaat ggtggcgaat atcacattct accagtgtca 600 aacactttgg agattagttc cactcaatct agacacgaag ggacgtatag gtgtacggta 660 gaaggtgctg ggaagagaag aagtagccaa actgcacgat tgaccgttac tactgaaaca 720 gtatcgaatg agctagtttt catcacaacg ccacgtctac aagttgttga acaaggcgac 780 gaattettae ttgaatgeet tgttgeetea etaateagae eteaagttag atggeteaaa 840 gattctcgtc aaattattgt cgatggagtt cgtattcgac gtgttggcgt atcgtcaatt 900 cttgtctcac gtgcttctat cgaagatact gggctataca cttgtcgagc ttcgaataat 960 gatgattcaa ttgatcgagc tgtatctgta gaagttcgtg ctccgccgag aatcactaca 1020 cgacctacca cgaaagttgc tgttgaaact gctgatgttg aattagagtg tggaacggcg 1080 gctgctagac cagaggcacg cgttaattgg tacaaaaatg gagaagcaat aattgggagc 1140 gagtattttg taattgagcc gaacagactc cgcatccttg gagtcgtacg agccgatcaa 1200

```
gcaatctacc aatgtattgc agaaaatgat gttggaagtg aacaagctag tgcacaactt 1260
cttgttgatg ctccagattc atcatcagtg gctgcttcct caggagttcc aatgacttcg 1320
tetgeacegt taggeeteeg ttegacgtet tetggttete getttataaa tgttgaatgg 1380
gatccaccag ttcaaagaaa tgggaatatt atgagatatc atatattcta caaagataat 1440
ttaatcgaca gagaaaggat gatcaattca tcaagtacat ctgcaacgtt aacatctcta 1500
caaccatcaa caatgtattt aattcgagtt actgctgaaa atgaagctgg aatgggaaag 1560
tttagtgatt cacttaaagt taccacaaac aaagaacaag cagttcctgg aaaagtcgca 1620
tcastaacaa caactgcaac tggccccgaa acgattgaca tccgttggag cccaccaagt 1680
spaggacaac ctgcccttcg atacaaaata ttctattcgc atgatccatt ggagaaaaat 1740
gaaaaagaaa cattgattac gacctcgaca acacattata cacttcatgg aatggataaa 1800
tacactggat atcagattcg aattgaagct gaaggatcca atggatcggg gctttcaagt 1860
catactgtga aagtacgaac acaatccgat gaaccatcag caccgcctgt aaacattcaa 1920
gragaagetg atageteaac aagtgttega gttagttggg atgageeaga agaggaatet 1980
attaacggag aaattactgg atatcggttg aagtacaaga caaaagctcg tggagccaaa 2040
gacaatactc ttgtgattga cgccactgct agagagtata ctatgggaaa tttggaaccg 2100
aatacacagt atctgataag aatggcagta gtgaatcaca atggaacggg accetteteg 2160
gattgggttt ctattgatac teetggacaa gataaagaag aacgaacact tggagcaccg 2220
agagagatte gaccacatge tggaattgat tatattettg tateatgget tecaccagea 2280
gatgaacaga atcttgttag aggatatcaa attggatggg gattgagtgt teetgataet 2340
gaaacaatto gtgtaactgo ttocacaact caatataaaa ttgccagatt gcattoggaa 2400
cgagattatg tgatttctct tcgagcattt aataatctag gatctggatt tccgatttat 2460
gaqactgtcc gaacattgtc tcgtgaaact ccatcacatt tcaatgaaga ttctgattct 2520
gacgattctg acgttggatc ctcagaatct actccagttg gagtgcgtgc tgaggcaatc 2580
tctgcaacat caatacgtgt tatgtggacg gaatctgatg aaactgcttt caatacacag 2640
tatacagttc gatatagtac agctgttgat gggaatcaac atagatacgt gaatagcacc 2700
gagacatggg ctactgtgga aggactacga ccagctactg agtatgagtt tgcggttaga 2760
gctgttgcat caaatgggca gttgagtact tggtcaatgg ctaccaggaa tcgaacatta 2820
gcggctccac caagttcagc tccacgtgat ctcactgtgc tgcctgcaga aagtggcgat 2880
cctcactctt caagtcttca ttggcaacct ccgaaatatt caaatggaga aattgaagaa 2940
tatttagtgt tttatacgga tcgagcttct cttgcggaca aagattggac aattaactat 3000
gtagctggtg ataagttgtc acatcaagtc agcaatttac ttccaaaagc taattatttc 3060
ttcaagattc aagcaagaaa tgagaaaggt catggcccat tctcttctgt agttggatac 3120
actocatcag goggtgotat totatoagga aaagatogto acaatgoacg tgggcatgga 3180
tcagcggctt ctggcgatac agtttcctta gtcgatcaac ttcaatctct tcttcactct 3240
aacccattgt atctcatact tttggctgcg tttgctctga ttctgatcct tacactgatt 3300
cttatcataa tgtgttgttg gaaacgatct agtggtggag ggcgaaagaa tggatatcag 3360
tctggaaaaa agacgagtgc cggagctgga agtggaggtg gaataggtgg tcttggaggt 3420
ccacctaatg atttatggat taatggaact ggaagtcata tgagagctgg tgcttctgat 3480
tatatggttg atggtctagc aaccgcccat cttactgctg ctgacattga atcacccaca 3540
cctagatacc atcatctaca agggcaagga actctaacac gaagttatca tcaaagctca 3600
caaagtettg aaggacgaca acgaacacet caagtggttt atacaggaac tggaaggcat 3660
cagccgattc aaagaatcga ctttgaaagt ccttatggtt catcatctgc aattggatcc 3720
gcctcgactc cgcctctccc aatgcaagct ccaccttctg gtccacctac agtaatcgat 3780
ggataccgta ctctacgtgg aacacctcca aattcatcag ctgcaaatgc tcttcggtca 3840
ttcactcaat tggcaggagc aacaccacct ccaccacact ctgcggcatc atcatcttct 3900
cgaccgacta ttattgcagc cggtggacgg caagttccag ttggaagagc aactgctcaa 3960
ccacgigica aigtigcaaa taictacagi ccattigcai catgetetge atetictgat 4020
gcaggagaat cagataaaaa gagtggagaa tgtatggaaa tgagagaaac cacaccatt 4080
aaatctaata cagctggttc atcgaatgga gagaagatga acacaaatat gaatccttca 4140
cactoggoag aagatotoaa ogcacatott gagaacottg acacaatgot tgatgatota 4200
caacaattac agcacaattt gcattttgag acgagtatgg ataagtaa
                                                                  4248
```

<sup>&</sup>lt;210> 95

<sup>&</sup>lt;211> 1447

<sup>&</sup>lt;212> PRT

<sup>&</sup>lt;213> Homo sapiens

Met Glu Asn Ser Leu Arg Cys Val Trp Val Pro Lys Leu Ala Phe Val 15

Leu Phe Gly Ala Ser Leu Leu Ser Ala His Leu Gln Val Thr Gly Phe 25

Gln Ile Lys Ala Phe Thr Ala Leu Arg Phe Leu Ser Glu Pro Ser Asp 35 40 45

Ala Val Thr Met Arg Gly Gly Asn Val Leu Leu Asp Cys Ser Ala Glu 50 55 60

Ser Asp Arg Gly Val Pro Val Ile Lys Trp Lys Lys Asp Gly Ile His 65 70 75 80

Leu Ala Leu Gly Met Asp Glu Arg Lys Gln Gln Leu Ser Asn Gly Ser 85 90 95

Leu Leu Ile Gln Asn Ile Leu His Ser Arg His His Lys Pro Asp Glu 100 105 110

Gly Leu Tyr Gln Cys Glu Ala Ser Leu Gly Asp Ser Gly Ser Ile Ile 115 120 125

Ser Arg Thr Ala Lys Val Ala Val Ala Gly Pro Leu Arg Phe Leu Ser 130 135 140

Gln Thr Glu Ser Val Thr Ala Phe Met Gly Asp Thr Val Leu Leu Lys 145 150 155 160

Cys Glu Val Ile Gly Glu Pro Met Pro Thr Ile His Trp Gln Lys Asn 165 170 175

Gln Gln Asp Leu Thr Pro Ile Pro Gly Asp Ser Arg Val Val Leu 180 185 190

Pro Ser Gly Ala Leu Gln Ile Ser Arg Leu Gln Pro Gly Asp Ile Gly 195 200 205

Ile Tyr Arg Cys Ser Ala Arg Asn Pro Ala Ser Ser Arg Thr Gly Asn 210 215 220

Glu Ala Glu Val Arg Ile Leu Ser Asp Pro Gly Leu His Arg Gln Leu 225 230 235 240

Tyr Phe Leu Gln Arg Pro Ser Asn Val Val Ala Ile Glu Gly Lys Asp
245 250 255

Ala Val Leu Glu Cys Cys Val Ser Gly Tyr Pro Pro Pro Ser Phe Thr 260 265 270

Trp Leu Arg Gly Glu Glu Val Ile Gln Leu Arg Ser Lys Lys Tyr Ser 275 280 285

Leu Leu Gly Gly Ser Asn Leu Leu Ile Ser Asn Val Thr Asp Asp Asp 290 295 300

Ser Glv Met Tyr Thr Cys Val Val Thr Tyr Lys Asn Glu Asn Ile Ser

142 305 310 315 320 Ala Ser Ala Glu Leu Thr Val Leu Val Pro Pro Trp Phe Leu Asn His 330 Pro Ser Asn Leu Tyr Ala Tyr Glu Ser Met Asp Ile Glu Phe Glu Cys 340 345 Thr Val Ser Gly Lys Pro Val Pro Thr Val Asn Trp Met Lys Asn Gly Asp Val Val Ile Pro Ser Asp Tyr Phe Gln Ile Val Gly Gly Ser Asn 375 Leu Arg Ile Leu Gly Val Val Lys Ser Asp Glu Gly Phe Tyr Gln Cys 390 Val Ala Glu Asn Glu Ala Gly Asn Ala Gln Thr Ser Ala Gln Leu Ile 410 Val Pro Lys Pro Ala Ile Pro Ser Ser Ser Val Leu Pro Ser Ala Pro 420 425 Arg Asp Val Val Pro Val Leu Val Ser Ser Arg Phe Val Arg Leu Ser 440 Trp Arg Pro Pro Ala Glu Ala Lys Gly Asn Ile Gln Thr Phe Thr Val Phe Phe Ser Arg Glu Gly Asp Asn Arg Glu Arg Ala Leu Asn Thr Thr 475 Gln Pro Gly Ser Leu Gln Leu Thr Val Gly Asn Leu Lys Pro Glu Ala 490 Met Tyr Thr Phe Arg Val Val Ala Tyr Asn Glu Trp Gly Pro Gly Glu 505 Ser Ser Gln Pro Ile Lys Val Ala Thr Gln Pro Glu Leu Gln Val Pro 520 Gly Pro Val Glu Asn Leu Gln Ala Val Ser Thr Ser Pro Thr Ser Ile 535 Leu Ile Thr Trp Glu Pro Pro Ala Tyr Ala Asn Gly Pro Val Gln Gly 545 550 555 Tyr Arg Leu Phe Cys Thr Glu Val Ser Thr Gly Lys Glu Gln Asn Ile 565 Glu Val Asp Gly Leu Ser Tyr Lys Leu Glu Gly Leu Lys Lys Phe Thr 585 Glu Tyr Ser Leu Arg Phe Leu Ala Tyr Asn Arg Tyr Gly Pro Gly Val 595 Ser Thr Asp Asp Ile Thr Val Val Thr Leu Ser Asp Val Pro Ser Ala 610 615 620

Pro Pro Gln Asn Val Ser Leu Glu Val Val Asn Ser Arg Ser Ile Lys Val Ser Trp Leu Pro Pro Pro Ser Gly Thr Gln Asn Gly Phe Ile Thr 645 650 Gly Tyr Lys Ile Arg His Arg Lys Thr Thr Arg Arg Gly Glu Met Glu 665 Thr Leu Glu Pro Asn Asn Leu Trp Tyr Leu Phe Thr Gly Leu Glu Lys Gly Ser Gln Tyr Ser Phe Gln Val Ser Ala Met Thr Val Asn Gly Thr 695 Gly Pro Pro Ser Asn Trp Tyr Thr Ala Glu Thr Pro Glu Asn Asp Leu 710 715 Asp Glu Ser Gln Val Pro Asp Gln Pro Ser Ser Leu His Val Arg Pro Gln Thr Asn Cys Ile Ile Met Ser Trp Thr Pro Pro Leu Asn Pro Asn 745 Ile Val Val Arg Gly Tyr Ile Ile Gly Tyr Gly Val Gly Ser Pro Tyr Ala Glu Thr Val Arg Val Asp Ser Lys Gln Arg Tyr Tyr Ser Ile Glu Arg Leu Glu Ser Ser Ser His Tyr Val Ile Ser Leu Lys Ala Phe Asn 795 Asn Ala Gly Glu Gly Val Pro Leu Tyr Glu Ser Ala Thr Thr Arg Ser 810 Ile Thr Asp Pro Thr Asp Pro Val Asp Tyr Tyr Pro Leu Leu Asp Asp 820 Phe Pro Thr Ser Val Pro Asp Leu Ser Thr Pro Met Leu Pro Pro Val 840 Gly Val Gln Ala Val Ala Leu Thr His Asp Ala Val Arg Val Ser Trp 855 Ala Asp Asn Ser Val Pro Lys Asn Gln Lys Thr Ser Glu Val Arg Leu 875 Tyr Thr Val Arg Trp Arg Thr Ser Phe Ser Ala Ser Ala Lys Tyr Lys Ser Glu Asp Thr Thr Ser Leu Ser Tyr Thr Ala Thr Gly Leu Lys Pro 900 905 Asn Thr Met Tyr Glu Phe Ser Val Met Val Thr Lys Asn Arg Arg Ser 925 920

144

Ser Thr Trp Ser Met Thr Ala His Ala Thr Thr Tyr Glu Ala Ala Pro 930 935 940

Thr Ser Ala Pro Lys Asp Phe Thr Val Ile Thr Arg Glu Gly Lys Pro 945 950 955 960

Arg Ala Val Ile Val Ser Trp Gln Pro Pro Leu Glu Ala Asn Gly Lys 965 970 975

Ile Thr Ala Tyr Ile Leu Phe Tyr Thr Leu Asp Lys Asn Ile Pro Ile 980 985 990

Asp Asp Trp Ile Met Glu Thr Ile Ser Gly Asp Arg Leu Thr His Gln 995 1000 1005

Ile Met Asp Leu Asn Leu Asp Thr Met Tyr Tyr Phe Arg Ile Gln Ala 1010 1015 1020

Arg Asn Ser Lys Gly Val Gly Pro Leu Ser Asp Pro Ile Leu Phe Arg 1025 1030 1035 1040

Thr Leu Lys Val Glu His Pro Asp Lys Met Ala Asn Asp Gln Gly Arg 1045 1050 1055

His Gly Asp Gly Gly Tyr Trp Pro Val Asp Thr Asn Leu Ile Asp Arg 1060 1065 1070

Ser Thr Leu Asn Glu Pro Pro Ile Gly Gln Met His Pro Pro His Gly 1075 1080 1085

Ser Val Thr Pro Gln Lys Asn Ser Asn Leu Leu Val Ile Ile Val Val 1090 1095 1100

Thr Val Gly Val Ile Thr Val Leu Val Val Val Ile Val Ala Val Ile 1105 1110 1115 1120

Cys Thr Arg Arg Ser Ser Ala Gln Gln Arg Lys Lys Arg Ala Thr His 1125 1130 1135

Ser Ala Gly Lys Arg Lys Gly Ser Gln Lys Asp Leu Arg Pro Pro Asp 1140 1145 1150

Leu Trp Ile His His Glu Glu Met Glu Met Lys Asn Ile Glu Lys Pro 1155 1160 1165

Ser Gly Thr Asp Pro Ala Gly Arg Asp Ser Pro Ile Gln Ser Cys Gln 1170 1175 1180

Asp Leu Thr Pro Val Ser His Ser Gln Ser Glu Thr Gln Leu Gly Ser 1185 1190 1195 1200

Lys Ser Thr Ser His Ser Gly Gln Asp Thr Glu Glu Ala Gly Ser Ser 1205 1210 1215

Met Ser Thr Leu Glu Arg Ser Leu Ala Ala Arg Arg Ala Pro Arg Ala 1220 1225 1230

Lys Leu Met Ile Pro Met Asp Ala Gln Ser Asn Asn Pro Ala Val

145

1235 1240 1245

Ser Ala Ile Pro Val Pro Thr Leu Glu Ser Ala Gln Tyr Pro Gly Ile 1250 1260

Leu Pro Ser Pro Thr Cys Gly Tyr Pro His Pro Gln Phe Thr Leu Arg 1265 1270 1275 1280

Pro Val Pro Phe Pro Thr Leu Ser Val Asp Arg Gly Phe Gly Ala Gly 1285 1290 1295

Arg Ser Gln Ser Val Ser Glu Gly Pro Thr Thr Gln Gln Pro Pro Met 1300 1305 1310

Leu Pro Pro Ser Gln Pro Glu His Ser Ser Ser Glu Glu Ala Pro Ser 1315 1320 1325

Arg Thr Ile Pro Thr Ala Cys Val Arg Pro Thr His Pro Leu Arg Ser 1330 1340

Phe Ala Asn Pro Leu Leu Pro Pro Pro Met Ser Ala Ile Glu Pro Lys 1345 1350 1355 1360

Val Pro Tyr Thr Pro Leu Leu Ser Gln Pro Gly Pro Thr Leu Pro Lys 1365 1370 1375

Thr His Val Lys Thr Ala Ser Leu Gly Leu Ala Gly Lys Ala Arg Ser 1380 1385 1390

Pro Leu Leu Pro Val Ser Val Pro Thr Ala Pro Glu Val Ser Glu Glu 1395 1400 1405

Ser His Lys Pro Thr Glu Asp Ser Ala Asn Val Tyr Glu Gln Asp Asp 1410 1420

Leu Ser Glu Gln Met Ala Ser Leu Glu Gly Leu Met Lys Gln Leu Asn 1425 1430 1435 1440

Ala Ile Thr Gly Ser Ala Phe 1445

<210> 96

<211> 4344

<212> DNA

<213> Homo sapiens

<400> 96

atggagaata gtcttagatg tgtttgggta cccaagctgg cttttgtact cttcggagct 60 tccttgctca gcgcgcatct tcaagtaacc ggttttcaaa ttaaagcttt cacagcactg 120 cgcttcctct cagaaccttc tgatgccgtc acaatgcggg gaggaaatgt cctcctcgac 180 tgctccgcgg agtccgaccg aggagttcca gtgatcaagt ggaagaaaga tggcattcat 240 ctggccttgg gaatggatga aaggaagcag caactttcaa atgggtctct gctgatacaa 300 aacatacttc attccagaca ccacaagcca gatgagggac tttaccaatg tgaggcatct 360 taggaggat ctggctcaat tattagtcgg acagcaaaag ttgcagtagc aggaccactg 420 aggttcctt cacagacaa atctgtcaca gccttcatgg gagacacagt gctactcaag 480 tgtgaagtca ttggggagcc catgccaaca atccactggc agaagaacca acaagacctg 540 actccaatcc caggtgactc ccgagtggtg gtcttgccct ctggagcatt gcagatcagc 600

cgactccaac cgggggacat tggaatttac cgatgctcag ctcgaaatcc agccagctca 660 agaacaggaa atgaagcaga agtcagaatt ttatcagatc caggactgca tagacagctg 720 tattttctgc aaagaccatc caatgtagta gccattgaag gaaaagatgc tgtcctggaa 780 tgttgtgttt ctggctatcc tccaccaagt tttacctggt tacgaggcga ggaagtcatc 840 caactcaggt ctaaaaagta ttctttattg ggtggaagca acttgcttat ctccaatgtg 900 acagatgatg acagtggaat gtatacctgt gttgtcacat ataaaaatga gaatattagt 960 gcctctgcag agctcacagt cttggttccg ccatggtttt taaatcatcc ttccaacctg 1020 tatgcctatg aaagcatgga tattgagttt gaatgtacag tctctggaaa gcctgtgccc 1080 actgtgaatt ggatgaagaa tggagatgtg gtcattccta gtgattattt tcagatagtg 1140 ggaggaagca acttacggat acttggggtg gtgaagtcag atgaaggctt ttatcaatgt 1200 gtggctgaaa atgaggctgg aaatgcccag accagtgcac agctcattgt ccctaagcct 1260 gcaatcccaa gctccagtgt cctcccttcg gctcccagag atgtggtccc tgtcttggtt 1320 tccagccgat ttgtccgtct cagctggcgc ccacctgcag aagcgaaagg gaacattcaa 1380 actttcacgg tctttttctc cagagaaggt gacaacaggg aacgagcatt gaatacaaca 1440 cagectgggt ceetteaget caetgtggga aacetgaage cagaagecat gtacacettt 1500 cgagttgtgg cttacaatga atggggaccg ggagagagtt ctcaacccat caaggtggcc 1560 acacageetg agttgcaagt tecagggeea gtagaaaace tgcaagetgt atetacetea 1620 cctacctcaa ttcttattac ctgggaaccc cctgcctatg caaacggtcc agtccaaggt 1680 tacagattgt tctgcactga ggtgtccaca ggaaaagaac agaatataga ggttgatgga 1740 ctatcttata aactggaagg cctgaaaaaa ttcaccgaat atagtcttcg attcttagct 1800 tataatcgct atggtccggg cgtctctact gatgatataa cagtggttac actttctgac 1860 gtgccaagtg ccccgcctca gaacgtctcc ctggaagtgg tcaattcaag aagtatcaaa 1920 gttagctggc tgcctcctcc atcaggaaca caaaatggat ttattaccgg ctataaaatt 1980 cgacacagaa agacgacccg caggggtgag atggaaacac tggagccaaa caacctctgg 2040 tacctattca caggactgga gaaaggaagt cagtacagtt tccaggtgtc agccatgaca 2100 gtcaatggta ctggaccacc ttccaactgg tatactgcag agactccaga gaatgatcta 2160 gatgaatctc aagttcctga tcaaccaagc tctcttcatg tgaggcccca gactaactgc 2220 atcatcatga gttggactcc tcccttgaac ccaaacatcg tggtgcgagg ttatattatc 2280 ggttatggcg ttgggagccc ttacgctgag acagtgcgtg tggacagcaa gcagcgatat 2340 tattccattg agaggttaga gtcaagttcc cattatgtaa tctccctaaa agcttttaac 2400 aatgccggag aaggagttcc tctttatgaa agtgccacca ccaggtctat aaccgatccc 2460 actgacccag ttgattatta tcctttgctt gatgatttcc ccacctcggt cccagatctc 2520 tecaececca tgeteceaec agtaggtgta caggetgtgg etettaecca tgatgetgtg 2580 agggtcagct gggcagacaa ctctgtccct aagaaccaaa agacgtctga ggtgcgactt 2640 tacaccgtcc ggtggagaac cagcttttct gcaagtgcaa aatacaagtc agaagacaca 2700 acatetetaa gttacacage aacaggeete aaaccaaaca caatgtatga atteteggte 2760 atggtaacaa aaaacagaag gtccagtact tggagcatga ctgcacatgc caccacgtat 2820 gaagcageee ecaectetge teecaaggae tttacagtea ttactaggga agggaageet 2880 cgtgccgtca ttgtgagttg gcagcctccc ttggaagcca atgggaaaat tactgcttac 2940 atcttatttt ataccttgga caagaacatc ccaattgatg actggattat ggaaacaatc 3000 agtggtgata ggcttactca tcaaatcatg gatctcaacc ttgatactat gtattacttt 3060 cgaattcaag cacgaaattc aaaaggagtg gggccactct ctgatcccat cctcttcagg 3120 actctgaaag tggaacaccc tgacaaaatg gctaatgacc aaggtcgtca tggagatgga 3180 ggttattggc cagttgatac taatttgatt gatagaagca ccctaaatga gccgccaatt 3240 ggacaaatgc acccccgca tggcagtgtc actcctcaga agaacagcaa cctgcttgtg 3300 atcattgtgg tcaccgttgg tgtcatcaca gtgctggtag tggtcatcgt ggctgtgatt 3360 tgcacccgac gctcttcagc ccagcagaga aagaaacggg ccacccacag tgctggcaaa 3420 aggaagggca gccagaagga cctccgaccc cctgatcttt ggatccatca tgaagaaatg 3480 gagatgaaaa atattgaaaa gccatctggc actgaccctg caggaaggga ctctcccatc 3540 caaagttgcc aagacctcac accagtcagc cacagccagt cagaaaccca actgggaagc 3600 aaaagcacct ctcattcagg tcaagacact gaggaagcag ggagctctat gtccactctg 3660 gagaggtege tggetgeacg ecgageeece egggeeaage teatgattee catggatgee 3720 cagtecaaca atcetgetgt egtgagegee atceeggtge caaegetaga aagtgeecag 3780 tacccaggaa tectecegte teccaectgt ggatatecee accegeagtt cacteteegg 3840 cctgtgccat tcccaacact ctcagtggac cgaggtttcg gagcaggaag aagtcagtca 3900 gtgagtgaag gaccaactac ccaacaacca cctatgctgc ccccatctca gcctgagcat 3960 tctagcagcg aggaggcacc aagcagaacc atccccacag cttgtgttcg accaactcac 4020 ccactccgca gctttgctaa tcctttgcta cctccaccaa tgagtgcaat agaaccgaaa 4080

Interna ial Application No PCT/EP 00/05108

a. classification of subject matter IPC 7 C12N15/12 C07K14/71 C12Q1/68 G01N33/50 G01N33/68 C07K16/18 C07K14/435 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) CO7K C12N C12Q G01N Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) BIOSIS, EMBASE C. DOCUMENTS CONSIDERED TO BE RELEVANT Category ° Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. ACKERMAN SUSAN L ET AL: Х "Cloning and 3,9,15 mapping of the UNC5C gene to human chromosome 4q21-q23." GENOMICS, vol. 52, no. 2, 1998, pages 205-208, XP000946854 ISSN: 0888-7543 cited in the application the whole document 1-18 WO 98 37085 A (UNIV CALIFORNIA) Α 1-28, 27 August 1998 (1998-08-27) 30-59. 61-64, 66,67,69 the whole document -/--Further documents are listed in the continuation of box C. Х X Patent family members are listed in annex. Special categories of cited documents: "T" later document published after the international filing date or priority date and not in conflict with the application but "A" document defining the general state of the art which is not considered to be of particular relevance cited to understand the principle or theory underlying the earlier document but published on or after the international "X" document of particular relevance; the claimed invention filing date cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "O" document referring to an oral disclosure, use, exhibition or other means document published prior to the international filing date but "&" document member of the same patent family later than the priority date claimed Date of the actual completion of the international search Date of mailing of the international search report 08. 01. 2001 17 October 2000 Name and mailing address of the ISA Authorized officer European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk

L

Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016

ANDRES S.M.

Intern. 1al Application No PCT/EP 00/05108

C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Α	WO 97 14424 A (UNIV CALIFORNIA) 24 April 1997 (1997-04-24) the whole document	19-23
A	24 April 1997 (1997-04-24)	23-25, 27,28

L

International application No. PCT/EP 00/05108

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)	
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:	
Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:	
Claims Nos.:  because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:	
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).	
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)	
This International Searching Authority found multiple inventions in this international application, as follows:	
see additional sheet	
As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.	
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.	
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:	
No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:  see further information sheet invention 1	
Remark on Protest  The additional search fees were accompanied by the applicant's protest.  No protest accompanied the payment of additional search fees.	

# FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

- 1. Claims: 1-18 (totally) and 19-28,30-59,61-64,66-67, 69 (all partially)
  - 1.1. Claims: 1-6 (totally) and 19-28,30-59,61-64,66-67, 69 (all partially)

A human Unc-5Cb protein (SEQ ID 2), nucleic acids encoding it (SEQ ID 1), vectors and cells expressing it and an antibody binding thereto. Methods for identifying compounds which are capable of modulating the binding of Unc-5Cb to an interacting protein.

1.2. Claims: 7-12,71,85 (totally) and 19-28,30-59,61-64, 66-67,69 (all partially)

As for subject 1.1, but concerning a human Unc-5Cc protein (SEQ ID 4).

1.3. Claims: 13-18 (totally) and 19-28,30-59,61-64,66-67, 69 (all partially)

As for subject 1.1, but concerning a human Unc-5C8 protein (SEQ ID 6).

2. Claims: 19,29-58 (all partially)

A method, as characterised in claim 19, for identifying compounds capable of modulating the binding of an unc-5 protein to an interacting protein.

3. Claims: 20,29-58 (all partially)

A method, as characterised in claim 20, for identifying compounds capable of modulating the binding of an unc-5 protein to an interacting protein.

4. Claims: 21,29-58 (all partially)

A method, as characterised in claim 21, for identifying compounds capable of modulating the binding of an unc-5 protein to an interacting protein.

5. Claims: 22,29-58 (all partially)

## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

A method, as characterised in claim 22, for identifying compounds capable of modulating the binding of an unc-5 protein to an interacting protein.

6. Claims: 23-58 (all partially)

A method, as characterised in claim 23, for identifying compounds capable of modulating the binding of an unc-5 protein to an interacting protein.

7. Claims: 59,61-64,66-67,69 (all partially) and claims 60,65, 68 (totally)

A method for identifying compounds reducing or inhibiting the lethal phenotype associated with the expression of an UNC-5 death domain in yeast.

8. Claims: 70,80-84 (totally) and 19-28,30-59,61-64,66-67, 69 (all partially)

A nucleic acid encoding the human unc-5H1 homolog (SEQ ID 7), probes and antisense nucleic acids hybridizing therewith, vectors and cells comprising it. Methods for identifying compounds which are capable of modulating the binding of Unc-5H1 to an interacting protein.

9. Claims: 72-73 (totally) and 19-31,53 (all partially)

A nucleic acid obtainable by digestion of pYMP17 with EcoRI and XhoI (SEQ ID 56). Methods for identifying compounds which are capable of modulating the binding of Unc-5 protein to the protein encoded by SEQ ID 56.

10. Claims: 74-75 (totally) and 19-31,54 (all partially)

A nucleic acid obtainable by digestion of pYMP6 with EcoRI and XhoI (SEQ ID 54). Methods for identifying compounds which are capable of modulating the binding of Unc-5 protein to the protein encoded by SEQ ID 54.

11. Claims: 76-77 (totally) and 19-31,57 (all partially)

A nucleic acid obtainable by digestion of pYMP11 with EcoRI and XhoI (SEQ ID 61). Methods for identifying compounds which are capable of modulating the binding of Unc-5 protein to the protein encoded by SEQ ID 61.

## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

12. Claims: 78-79 (totally) and 19-31,58 (all partially)

A nucleic acid obtainable by digestion of pYMP12 with EcoRI and XhoI (SEQ ID 63). Methods for identifying compounds which are capable of modulating the binding of Unc-5 protein to the protein encoded by SEQ ID 63.

Please note that all inventions mentioned under item 1, although not necessarily linked by a common inventive concept, could be searched without effort justifying an additional fee.

Information on patent family members

PCT/EP 00/05108

Patent document cited in search report		Publication date		Patent family member(s)	Publication date		
WO 9837085	Α	27-08-1998	US AU AU EP	5939271 A 718795 B 6174498 A 0973794 A	17-08-1999 20-04-2000 09-09-1998 26-01-2000		
wo 9714424	Α	24-04-1997	US AU AU CA EP JP US	5747262 A 688698 B 7433496 A 2207505 A 0802795 A 10511558 T 6087326 A	05-05-1998 12-03-1998 07-05-1997 24-04-1997 29-10-1997 10-11-1998 11-07-2000		